

| | 採水月日 | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|----------|---------------------|-----------|----------|---------|--------|----------|--------|--------|----------|---------|---------|----------|---------|----------|----------|----------|---------|
| 一般項目 | 採水時刻 | 開始時 | 1009 | 1238 | 1020 | 0952 | 1128 | 1024 | 1042 | 1050 | 1007 | 1135 | 0944 | | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | | |
| | 気温 | ℃ | 12.8 | 21.9 | 23.2 | 29.1 | 30.3 | 24.4 | 24.0 | 17.3 | 7.3 | 6.0 | 2.7 | 8.5 | 30.3 | 2.7 | 17.3 |
| 水温 | ℃ | 12.2 | 18.5 | 21.4 | 23.2 | 27.4 | 19.8 | 20.4 | 14.7 | 7.5 | 5.5 | 5.1 | 7.9 | 27.4 | 5.1 | 15.3 | |
| 流量 | m ³ /s | 0.918 | 0.036 | 0.025 | 0.842 | 0.181 | 0.131 | 0.610 | 0.618 | 0.125 | 0.393 | 0.226 | 0.501 | 0.918 | 0.025 | 0.384 | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.2 | 7.5 | 7.4 | 7.2 | 7.6 | 7.2 | 7.0 | 7.3 | 7.6 | 7.4 | 7.6 | 7.2 | 7.6 | 7.0 | 7.4 |
| | DO (溶存酸素) | mg/L | 11 | 10 | 9.2 | 8.1 | 8.6 | 8.7 | 9.0 | 11 | 11 | 12 | 12 | 12 | 12 | 8.1 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 0.8 | 1.0 | 1.0 | 1.2 | 0.8 | 0.9 | 0.9 | 0.8 | 0.8 | 1.0 | 0.8 | 0.9 | 1.2 | 0.8 | 0.9 |
| | COD (化学的酸素要求量) | mg/L | 2.2 | 1.9 | 2.3 | 2.8 | 2.4 | 2.0 | 2.3 | 1.8 | 1.6 | 2.0 | 1.7 | 1.7 | 2.8 | 1.6 | 2.1 |
| | SS (浮遊物質量) | mg/L | 4 | 2 | 3 | 3 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 1 | 2 |
| | 大腸菌群数 | MPN/100mL | 130 | 1200 | 7900 | 33000 | 13000 | 7000 | 3300 | 2400 | 490 | 330 | 130 | 240 | 33000 | 130 | 5800 |
| | T-N (全窒素) | mg/L | 0.58 | 0.22 | 0.39 | 0.55 | 0.35 | 0.24 | 0.43 | 0.55 | 0.35 | 0.57 | 0.49 | 0.56 | 0.58 | 0.22 | 0.44 |
| | T-P (全りん) | mg/L | 0.024 | 0.014 | 0.025 | 0.044 | 0.026 | 0.017 | 0.023 | 0.017 | 0.010 | 0.014 | 0.013 | 0.017 | 0.044 | 0.010 | 0.020 |
| 全亜鉛 | mg/L | 0.002 | 0.001 | 0.003 | 0.001 | 0.004 | 0.001 | 0.001 | 0.002 | < 0.001 | 0.001 | 0.002 | 0.003 | 0.004 | < 0.001 | 0.002 | |
| 健康項目 | 鉛 | mg/L | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| | 全シアン | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| | 六価クロム | mg/L | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | |
| | 砒素 | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| | 総水銀 | mg/L | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| | アルキル水銀 | mg/L | | | | | | | | | | | | | | | |
| | PCB | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | |
| | ジクロロメタン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | 四塩化炭素 | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | 1,2-ジクロロエタン | mg/L | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | |
| | 1,1-ジクロロエチレン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | シス-1,2-ジクロロエチレン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | 1,1,1-トリクロロエタン | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| | 1,1,2-トリクロロエタン | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | トリクロロエチレン | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| | テトラクロロエチレン | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| | 1,3-ジクロロプロペン | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | チウラム | mg/L | | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | シマジン | mg/L | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| | チオベンカルブ | mg/L | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | ベンゼン | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| | セレン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | NO3-N (硝酸態窒素) | mg/L | 0.38 | 0.08 | 0.16 | 0.32 | 0.23 | 0.10 | 0.33 | 0.37 | 0.19 | 0.25 | 0.31 | 0.36 | 0.38 | 0.08 | 0.26 |
| | NO2-N (亜硝酸態窒素) | mg/L | 0.004 | 0.001 | 0.003 | 0.003 | 0.001 | 0.002 | 0.001 | 0.003 | 0.001 | 0.001 | 0.007 | 0.003 | 0.007 | 0.001 | 0.003 |
| | NO3-N+NO2-N | mg/L | 0.38 | 0.08 | 0.16 | 0.32 | 0.23 | 0.10 | 0.33 | 0.37 | 0.19 | 0.25 | 0.32 | 0.36 | 0.38 | 0.08 | 0.26 |
| | ふっ素 | mg/L | < 0.08 | | | < 0.08 | | | < 0.08 | | | < 0.08 | | < 0.08 | < 0.08 | < 0.08 | < 0.08 |
| | ほう素 | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| | 1,4-ジオキサン | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 要監視項目 | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | アンチモン | mg/L | | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | エジクロヒドリン | mg/L | | | | < 0.0004 | | | | | | | | < 0.0004 | < 0.0004 | < 0.0004 | |
| | 全マンガ | mg/L | | | | 0.09 | | | | | | | | 0.09 | 0.09 | 0.09 | |
| | ウラン | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | クロホルム | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | フェノール | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| ホルムアルデヒド | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 | | |
| その他項目 | NH4-N (アンモニウム態窒素) | mg/L | 0.02 | 0.02 | 0.01 | 0.04 | < 0.01 | 0.01 | 0.02 | 0.01 | 0.02 | < 0.01 | 0.02 | 0.04 | < 0.01 | 0.02 | |
| | org-N (有機態窒素) | mg/L | 0.18 | 0.12 | 0.22 | 0.19 | 0.11 | 0.13 | 0.08 | 0.17 | 0.14 | 0.31 | 0.15 | 0.17 | 0.31 | 0.08 | 0.16 |
| | PO4-P (りん酸態りん) | mg/L | 0.003 | < 0.003 | 0.004 | 0.010 | 0.012 | 0.003 | 0.013 | 0.009 | < 0.003 | 0.005 | < 0.003 | 0.003 | 0.013 | < 0.003 | 0.006 |
| | 塩化物イオン | mg/L | 18 | 12 | 16 | 11 | 12 | 16 | 10 | 11 | 11 | 24 | 29 | 19 | 29 | 10 | 16 |
| | MBAS (陰イオン界面活性剤) | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | 0.02 | < 0.02 | 0.02 |
| | 糞便性大腸菌群数 | 個/100mL | 60 | | | | 360 | | | 36 | | | 38 | | 360 | 36 | 120 |
| | D-COD (溶存態化学的酸素要求量) | mg/L | 1.7 | 1.6 | 1.9 | 2.3 | 2.1 | 1.8 | 1.7 | 1.5 | 1.4 | 1.4 | 1.5 | 1.4 | 2.3 | 1.4 | 1.7 |
| | D-TOC (溶存態全有機炭素) | mg/L | 1.0 | 1.0 | 1.2 | 1.2 | 1.1 | 1.0 | 1.0 | 0.8 | 0.7 | 0.8 | 0.9 | 0.8 | 1.2 | 0.7 | 1.0 |
| | P-TOC (粒子態全有機炭素) | mg/L | 0.3 | 0.3 | 0.2 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.3 | < 0.1 | 0.1 |
| | TOC (全有機炭素) | mg/L | 1.3 | 1.3 | 1.5 | 1.3 | 1.1 | 1.0 | 1.0 | 0.8 | 0.8 | 0.8 | 0.9 | 0.8 | 1.5 | 0.8 | 1.1 |
| | 油分 | mg/L | | | | | | | | | | | | | | | |
| | EC | μ S/cm | 160 | 180 | 230 | 190 | 190 | 220 | 170 | 150 | 140 | 150 | 170 | 150 | 230 | 140 | 180 |
| 大腸菌数 | MPN/100mL | 34 | 98 | 150 | 130 | 140 | 70 | 85 | 52 | 60 | 46 | 28 | 36 | 150 | 28 | 77 | |

| | | 0509 | 0822 | 1107 | 0206 | | | | | | | | 最大値 | 最小値 | 平均値 | | |
|-----------|---------------------|------------------------------|------------|----------|----------|----------|----------|--------|--|--|--|-----|----------|----------|----------|----------|--|
| | 採水月日 | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 0955 | 0840 | 0846 | 0856 | | | | | | | | | | | |
| | 天候 | | 曇 | 曇 | 曇 | 晴 | | | | | | | | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | | | | | | | | | | | |
| 一般項目 | 気温 | ℃ | 17.7 | 27.5 | 12.7 | -1.0 | | | | | | | 27.5 | -1.0 | 14.2 | | |
| | 水温 | ℃ | 14.5 | 22.5 | 13.6 | 2.0 | | | | | | | 22.5 | 2.0 | 13.2 | | |
| | 流量 | m ³ /s | | | | | | | | | | | | | | | |
| | 透視度 | cm | | | | | | | | | | | | | | | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.6 | 7.5 | 7.3 | 7.5 | | | | | | | 7.6 | 7.3 | 7.5 | | |
| | DO (溶存酸素) | mg/L | 10 | 9.4 | 9.7 | 11 | | | | | | | 11 | 9.4 | 10 | | |
| | BOD (生物化学的酸素要求量) | mg/L | 0.9 | 0.7 | 0.9 | 0.9 | | | | | | | 0.9 | 0.7 | 0.9 | | |
| | COD (化学的酸素要求量) | mg/L | 1.8 | 1.8 | 1.8 | 1.6 | | | | | | | 1.8 | 1.6 | 1.8 | | |
| | SS (浮遊物質) | mg/L | 2 | < 1 | < 1 | < 1 | | | | | | | 2 | < 1 | 1 | | |
| | 大腸菌群数 | MPN/100mL | 790 | 1100 | 790 | 130 | | | | | | | 1100 | 130 | 700 | | |
| | T-N (全窒素) | mg/L | 0.29 | 0.50 | 0.64 | 0.56 | | | | | | | 0.64 | 0.29 | 0.50 | | |
| | T-P (全りん) | mg/L | 0.014 | 0.017 | 0.032 | 0.004 | | | | | | | 0.032 | 0.004 | 0.017 | | |
| 全亜鉛 | mg/L | | | | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/L | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | | | | | | | < 0.0003 | < 0.0003 | < 0.0003 | | |
| | 全シアン | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | | |
| | 鉛 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 | | |
| | 六価クロム | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | | | | | | | < 0.02 | < 0.02 | < 0.02 | | |
| | 砒素 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 | | |
| | 総水銀 | mg/L | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | | |
| | アルキル水銀 | mg/L | | | | | | | | | | | | | | | |
| | PCB | mg/L | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | | |
| | ジクロロメタン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | | |
| | 四塩化炭素 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | | |
| | 1,2-ジクロロエタン | mg/L | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | | | | | | | < 0.0004 | < 0.0004 | < 0.0004 | | |
| | 1,1-ジクロロエチレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | | |
| | シス-1,2-ジクロロエチレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | | |
| | 1,1,1-トリクロロエタン | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | | |
| | 1,1,2-トリクロロエタン | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | | |
| | トリクロロエチレン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | | |
| | テトラクロロエチレン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | | |
| | 1,3-ジクロロプロペン | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | | |
| | チカラム | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | | |
| | シマジン | mg/L | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | | | | | | | < 0.0003 | < 0.0003 | < 0.0003 | | |
| | チオベンカルブ | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | | |
| | ベンゼン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | | |
| | セレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | | |
| | NO3-N (硝酸態窒素) | mg/L | 0.16 | 0.36 | 0.40 | 0.39 | | | | | | | 0.40 | 0.16 | 0.33 | | |
| | NO2-N (亜硝酸態窒素) | mg/L | 0.001 | 0.001 | 0.002 | 0.007 | | | | | | | 0.007 | 0.001 | 0.003 | | |
| | NO3-N+NO2-N | mg/L | 0.16 | 0.36 | 0.40 | 0.40 | | | | | | | 0.40 | 0.16 | 0.33 | | |
| | ふっ素 | mg/L | < 0.08 | < 0.08 | < 0.08 | < 0.08 | | | | | | | < 0.08 | < 0.08 | < 0.08 | | |
| | ほう素 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | | |
| | 1,4-ジオキサン | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 | | |
| | 要監視項目 | 人の健康の 保護関連 開保水生 重全物 | p-ジクロロベンゼン | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | | | アチモン | mg/L | | | | | | | | | | | | | |
| | | | 塩化ビニルモノマー | mg/L | | | | | | | | | | | | | |
| エドクロロトリリン | | | mg/L | | | | | | | | | | | | | | |
| 全マンガン | | | mg/L | | | | | | | | | | | | | | |
| ウラン | | | mg/L | | | | | | | | | | | | | | |
| クロホルム | | | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| フェノール | mg/L | | | | | | | | | | | | | | | | |
| ホルムアルデヒド' | mg/L | | | | | | | | | | | | | | | | |
| その他項目 | NH4-N (アンモニウム態窒素) | mg/L | | | | | | | | | | | | | | | |
| | org-N (有機態窒素) | mg/L | | | | | | | | | | | | | | | |
| | PO4-P (りん酸態りん) | mg/L | | | | | | | | | | | | | | | |
| | 塩化物イオン | mg/L | | | | | | | | | | | | | | | |
| | MBAS (陰イオン界面活性剤) | mg/L | | | | | | | | | | | | | | | |
| | 糞便性大腸菌群数 | 個/100mL | | | | | | | | | | | | | | | |
| | D-COD (溶存態化学的酸素要求量) | mg/L | | | | | | | | | | | | | | | |
| | D-TOC (溶存態全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| | P-TOC (粒子態全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| | TOC (全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| 油分 | mg/L | | | | | | | | | | | | | | | | |
| EC | μ S/cm | 120 | 150 | 140 | 160 | | | | | | | 160 | 120 | 140 | | | |

| | | 0509 | 0822 | 1107 | 0206 | | | | | | | | 最大値 | 最小値 | 平均値 |
|------------|--------------------|-------------------|------------|----------|----------|----------|--------|--------|--|--|--|----------|----------|----------|----------|
| | 採水月日 | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1223 | 1109 | 1037 | 0744 | | | | | | | | | |
| | 天候 | | 曇 | 曇 | 晴 | 晴 | | | | | | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | | | | | | | | | |
| 一般項目 | 気温 | ℃ | 21.4 | 30.0 | 16.3 | 2.2 | | | | | | | 30.0 | 2.2 | 17.5 |
| | 水温 | ℃ | 17.3 | 26.6 | 14.2 | 4.1 | | | | | | | 26.6 | 4.1 | 15.6 |
| | 流量 | m ³ /s | | | | | | | | | | | | | |
| | 透視度 | cm | | | | | | | | | | | | | |
| 生活環境項目 | pH (水素イオン濃度) | | 8.0 | 7.5 | 7.5 | 7.5 | | | | | | | 8.0 | 7.5 | 7.6 |
| | DO (溶存酸素) | mg/L | 10 | 8.4 | 9.8 | 12 | | | | | | | 12 | 8.4 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 0.6 | 0.7 | < 0.5 | < 0.5 | | | | | | | 0.7 | < 0.5 | 0.6 |
| | COD (化学的酸素要求量) | mg/L | 2.1 | 2.5 | 2.0 | 2.1 | | | | | | | 2.5 | 2.0 | 2.2 |
| | SS (浮遊物質) | mg/L | < 1 | 2 | < 1 | 1 | | | | | | | 2 | < 1 | 1 |
| | 大腸菌群数 | MPN/100mL | 1300 | 14000 | 1100 | 220 | | | | | | | 14000 | 220 | 4200 |
| | T-N (全窒素) | mg/L | 0.24 | 0.47 | 0.90 | 0.60 | | | | | | | 0.90 | 0.24 | 0.55 |
| | T-P (全りん) | mg/L | 0.022 | 0.032 | 0.042 | 0.013 | | | | | | | 0.042 | 0.013 | 0.027 |
| 全亜鉛 | mg/L | | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/L | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | | | | | | | < 0.0003 | < 0.0003 | < 0.0003 |
| | 全シアン | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 |
| | 鉛 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 |
| | 六価クロム | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | | | | | | | < 0.02 | < 0.02 | < 0.02 |
| | 砒素 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 |
| | 総水銀 | mg/L | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 |
| | アルキル水銀 | mg/L | | | | | | | | | | | | | |
| | PCB | mg/L | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 |
| | ジクロロメタン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 |
| | 四塩化炭素 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | 1,2-ジクロロエタン | mg/L | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | | | | | | | < 0.0004 | < 0.0004 | < 0.0004 |
| | 1,1-ジクロロエチレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 |
| | シス-1,2-ジクロロエチレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 |
| | 1,1,1-トリクロロエタン | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 |
| | 1,1,2-トリクロロエタン | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 |
| | トリクロロエチレン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 |
| | テトラクロロエチレン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 |
| | 1,3-ジクロロプロペン | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | チカラム | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 |
| | シマジン | mg/L | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | | | | | | | < 0.0003 | < 0.0003 | < 0.0003 |
| | チオベンカルブ | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 |
| | ベンゼン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 |
| | セレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 |
| | NO3-N (硝酸態窒素) | mg/L | 0.09 | 0.27 | 0.40 | 0.33 | | | | | | | 0.40 | 0.09 | 0.27 |
| | NO2-N (亜硝酸態窒素) | mg/L | 0.002 | 0.001 | 0.003 | 0.007 | | | | | | | 0.007 | 0.001 | 0.003 |
| | NO3-N+NO2-N | mg/L | 0.09 | 0.27 | 0.40 | 0.34 | | | | | | | 0.40 | 0.09 | 0.28 |
| | ふっ素 | mg/L | < 0.08 | < 0.08 | < 0.08 | < 0.08 | | | | | | | < 0.08 | < 0.08 | < 0.08 |
| | ほう素 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 |
| | 1,4-ジオキサン | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 |
| | 要監視項目 | 人の健康の 保護関連 | p-ジクロロベンゼン | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | | | | | | < 0.02 | < 0.02 |
| アンチモン | | | mg/L | | | | | | | | | | | | |
| 塩化ビニルモノマー | | | mg/L | | | | | | | | | | | | |
| 水生生物 保全 | | エドクロロトリン | mg/L | | | | | | | | | | | | |
| | | 全マンガン | mg/L | | | | | | | | | | | | |
| | | ウラン | mg/L | | | | | | | | | | | | |
| クロホルム | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| フェノール | mg/L | | | | | | | | | | | | | | |
| ホルムアルデヒド | mg/L | | | | | | | | | | | | | | |
| その他項目 | NH4-N (アンモニウム態窒素) | mg/L | | | | | | | | | | | | | |
| | org-N (有機態窒素) | mg/L | | | | | | | | | | | | | |
| | PO4-P (りん酸態りん) | mg/L | | | | | | | | | | | | | |
| | 塩化物イオン | mg/L | | | | | | | | | | | | | |
| | MBAS (陰イオン界面活性剤) | mg/L | | | | | | | | | | | | | |
| | 糞便性大腸菌群数 | 個/100mL | | | | | | | | | | | | | |
| | D-COD (溶存化学的酸素要求量) | mg/L | | | | | | | | | | | | | |
| | D-TOC (溶存態全有機炭素) | mg/L | | | | | | | | | | | | | |
| | P-TOC (粒子態全有機炭素) | mg/L | | | | | | | | | | | | | |
| | TOC (全有機炭素) | mg/L | | | | | | | | | | | | | |
| | 油分 | mg/L | | | | | | | | | | | | | |
| EC | μ S/cm | 160 | 180 | 170 | 170 | | | | | | | 180 | 160 | 170 | |

| | | 0420 | 0524 | 0619 | 0719 | 0821 | 0913 | 1026 | 1128 | 1209 | 0111 | 0209 | 0226 | 最大値 | 最小値 | 平均値 | |
|-----------------|-------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1255 | 1345 | 1720 | 1055 | 1325 | 1110 | 1045 | 1050 | 0735 | 1235 | 1300 | 1030 | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | | |
| | 気温 | ℃ | 22.7 | 21.2 | 30.2 | 32.1 | 32.1 | 30.0 | 20.8 | 14.9 | 3.0 | 5.0 | 8.9 | 13.3 | 32.1 | 3.0 | 19.5 |
| 水温 | ℃ | 12.9 | 18.3 | 21.5 | 24.8 | 24.8 | 20.3 | 15.4 | 9.8 | 5.1 | 5.1 | 6.8 | 8.2 | 24.8 | 5.1 | 14.4 | |
| 流量 | m ³ /s | | | | | | | | | | | | | | | | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | |
| 生活環境項目 | pH (水素イオン濃度) | | 6.5 | 6.4 | 6.9 | 7.3 | 7.1 | 7.2 | 7.1 | 7.3 | 7.2 | 6.4 | 6.7 | 6.9 | 7.3 | 6.4 | 6.9 |
| | DO (溶存酸素) | mg/L | | | | | | | | | | | | | | | |
| | BOD (生物化学的酸素要求量) | mg/L | 2.7 | 0.7 | 0.8 | < 0.5 | 0.8 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 2.7 | < 0.5 | 0.8 |
| | COD (化学的酸素要求量) | mg/L | 2.0 | 2.4 | 2.0 | 1.7 | 1.8 | 1.9 | 2.2 | 1.2 | 1.1 | 1.8 | 1.6 | 1.4 | 2.4 | 1.1 | 1.8 |
| | SS (浮遊物質) | mg/L | 4 | 2 | 1 | 2 | 1 | 1 | 3 | < 1 | < 1 | 3 | < 1 | 2 | 4 | < 1 | 2 |
| | 大腸菌群数 | MPN/100ml | | | | | | | | | | | | | | | |
| | T-N (全窒素) | mg/L | < 0.5 | 0.5 | 0.7 | 0.6 | 0.6 | 0.7 | 0.8 | 0.5 | < 0.5 | 0.5 | < 0.5 | 0.6 | 0.8 | < 0.5 | 0.6 |
| | T-P (全りん) | mg/L | 0.013 | 0.028 | 0.019 | 0.013 | 0.015 | 0.017 | 0.019 | 0.009 | 0.006 | 0.013 | 0.011 | 0.009 | 0.028 | 0.006 | 0.014 |
| | 全亜鉛 | mg/L | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | < 0.03 | 0.030 | < 0.030 | 0.030 |
| | カドミウム | mg/L | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 |
| 全シアン | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | |
| 鉛 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | |
| 六価クロム | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | |
| 砒素 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | |
| 総水銀 | mg/L | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 | |
| アルキル水銀 | mg/L | | | | | | | | | | | | | | | | |
| PCB | mg/L | | | | | | | | | | | | | | | | |
| ジクロロメタン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | |
| 四塩化炭素 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | |
| 1,2-ジクロロエタン | mg/L | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 | |
| 1,1-ジクロロエチレン | mg/L | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | |
| シス-1,2-ジクロロエチレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | |
| 1,1,1-トリクロロエタン | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | |
| 1,1,2-トリクロロエタン | mg/L | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 | |
| トリクロロエチレン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | |
| テトラクロロエチレン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | |
| 1,3-ジクロロプロペン | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | |
| チカラム | mg/L | | | | | | | | | | | | | | | | |
| シマジン | mg/L | | | | | | | | | | | | | | | | |
| チオベンカルブ | mg/L | | | | | | | | | | | | | | | | |
| ベンゼン | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | |
| セレン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | |
| NO3-N (硝酸態窒素) | mg/L | | | | | | | | | | | | | | | | |
| NO2-N (亜硝酸態窒素) | mg/L | | | | | | | | | | | | | | | | |
| NO3-N+NO2-N | mg/L | | | | | | | | | | | | | | | | |
| ふっ素 | mg/L | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | < 0.08 | |
| ほう素 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | |
| 1,4-ジオキサジン | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | |
| 要監視項目 | 人の健康の保護関連 | p-ジクロロヘンゼン | mg/L | | | | | | | | | | | | | | |
| | | アンチモン | mg/L | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 | < 0.002 |
| 要監視項目 | 水生生物の保全 | 塩化ビニルモノマー | mg/L | | | | | | | | | | | | | | |
| | | エビクロトドリン | mg/L | | | | | | | | | | | | | | |
| その他項目 | 全マンガン | mg/L | | | | | | | | | | | | | | | |
| | ウラン | mg/L | | | | | | | | | | | | | | | |
| | クロホルム | mg/L | | | | | | | | | | | | | | | |
| | フェノール | mg/L | | | | | | | | | | | | | | | |
| | ホルムアルデヒド | mg/L | | | | | | | | | | | | | | | |
| | NH4-N (アンモニウム態窒素) | mg/L | | | | | | | | | | | | | | | |
| | org-N (有機態窒素) | mg/L | | | | | | | | | | | | | | | |
| | PO4-P (りん酸態りん) | mg/L | | | | | | | | | | | | | | | |
| | 塩化物イオン | mg/L | | | | | | | | | | | | | | | |
| | MBAS (陰イオン界面活性剤) | mg/L | | | | | | | | | | | | | | | |
| | 油分 | mg/L | | | | | | | | | | | | | | | |
| | EC | μ S/cm | 93 | 150 | 290 | 240 | 190 | 170 | 120 | 120 | 110 | 120 | 140 | 120 | 290 | 93 | 160 |
| | フェノール類 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| | 溶解性Fe | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 溶解性Mn | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | |
| 銅 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | |
| 全クロム | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | |
| 有機リン化合物 | mg/L | | | | | | | | | | | | | | | | |
| ダイオキシン類 | pg-TEQ/L | | | | | | | | | | | | | | | | |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|----------|---------------------|-------------------|----------|----------|---------|----------|--------|----------|----------|----------|---------|----------|---------|----------|----------|----------|----------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1116 | 1320 | 1055 | 1031 | 1208 | 1056 | 1125 | 1117 | 1041 | 1242 | 1018 | | | | |
| | 天候 | 曇 | 曇 | 晴 | 晴 | 曇 | 曇 | 晴 | 晴 | 晴 | 曇 | 晴 | 雨 | | | | |
| | 採水位置 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | |
| 一般項目 | 気温 | ℃ | 14.9 | 21.9 | 21.9 | 30.5 | 30.9 | 25.7 | 24.4 | 17.0 | 7.4 | 6.7 | 8.9 | 30.9 | 3.1 | 17.8 | |
| | 水温 | ℃ | 10.9 | 19.1 | 21.0 | 24.2 | 27.5 | 22.0 | 21.2 | 14.1 | 7.0 | 4.0 | 7.2 | 27.5 | 3.6 | 15.2 | |
| | 流量 | m ³ /s | 0.310 | 0.046 | 0.037 | 0.494 | 0.180 | 0.094 | 0.209 | 0.278 | 0.129 | 0.241 | 0.060 | 0.318 | 0.494 | 0.037 | 0.200 |
| | 透視度 | cm | 32 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 32 | > 49 |
| 生活環境項目 | pH (水素イオン濃度) | | 7.5 | 7.6 | 7.3 | 7.3 | 7.8 | 7.5 | 7.3 | 7.3 | 7.9 | 7.4 | 7.5 | 7.2 | 7.9 | 7.2 | 7.5 |
| | DO (溶存酸素) | mg/L | 11 | 10 | 9.0 | 8.6 | 8.5 | 8.5 | 8.7 | 11 | 11 | 12 | 12 | 12 | 12 | 8.5 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 0.8 | 1.1 | 0.9 | 0.6 | 0.8 | 0.9 | 0.8 | 1.0 | 1.1 | 0.9 | 0.7 | 1.0 | 1.1 | 0.6 | 0.9 |
| | COD (化学的酸素要求量) | mg/L | 2.6 | 3.4 | 3.9 | 3.1 | 2.6 | 2.4 | 2.1 | 1.7 | 2.3 | 1.7 | 1.7 | 1.9 | 3.9 | 1.7 | 2.5 |
| | SS (浮遊物質量) | mg/L | 11 | 5 | 3 | 3 | 3 | 2 | 1 | < 1 | 2 | < 1 | < 1 | 3 | 11 | < 1 | 3 |
| | 大腸菌群数 | MPN/100mL | 130 | 3300 | 14000 | 24000 | 17000 | 11000 | 2200 | 2400 | 1400 | 280 | 110 | 170 | 24000 | 110 | 6300 |
| | T-N (全窒素) | mg/L | 0.58 | 0.51 | 0.67 | 0.58 | 0.33 | 0.47 | 0.60 | 0.64 | 0.42 | 0.54 | 0.61 | 0.88 | 0.88 | 0.33 | 0.57 |
| | T-P (全りん) | mg/L | 0.048 | 0.074 | 0.10 | 0.043 | 0.049 | 0.055 | 0.037 | 0.029 | 0.028 | 0.023 | 0.032 | 0.040 | 0.100 | 0.023 | 0.047 |
| | 全亜鉛 | mg/L | 0.003 | 0.002 | 0.003 | 0.001 | 0.001 | 0.002 | 0.002 | 0.001 | 0.001 | < 0.001 | 0.001 | 0.002 | 0.003 | < 0.001 | 0.002 |
| | 全シアン | mg/L | < 0.0003 | < 0.0003 | | < 0.0003 | | < 0.0003 | | < 0.0003 | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 |
| 健康項目 | 鉛 | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| | 六価クロム | mg/L | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | |
| | 砒素 | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| | 総水銀 | mg/L | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| | アルキル水銀 | mg/L | | | | | | | | | | | | | | | |
| | PCB | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 |
| | ジクロロメタン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | 四塩化炭素 | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | 1,2-ジクロロエタン | mg/L | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | |
| | 1,1-ジクロロエチレン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | シス-1,2-ジクロロエチレン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | 1,1,1-トリクロロエタン | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| | 1,1,2-トリクロロエタン | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | トリクロロエチレン | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| | テトラクロロエチレン | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| | 1,3-ジクロロプロペン | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | チオホルム | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | シマジン | mg/L | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| | チオベンカルブ | mg/L | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | ベンゼン | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| | セレン | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| | NO3-N (硝酸態窒素) | mg/L | 0.37 | 0.19 | 0.30 | 0.36 | 0.20 | 0.29 | 0.43 | 0.42 | 0.24 | 0.36 | 0.38 | 0.60 | 0.60 | 0.19 | 0.35 |
| | NO2-N (亜硝酸態窒素) | mg/L | < 0.001 | 0.013 | 0.020 | 0.006 | 0.002 | 0.004 | 0.001 | 0.001 | 0.001 | 0.003 | 0.003 | 0.004 | 0.020 | < 0.001 | 0.005 |
| | NO3-N+NO2-N | mg/L | 0.37 | 0.20 | 0.32 | 0.37 | 0.20 | 0.29 | 0.43 | 0.42 | 0.24 | 0.36 | 0.38 | 0.60 | 0.60 | 0.20 | 0.35 |
| | ふっ素 | mg/L | | 0.13 | | | 0.08 | | | < 0.08 | | | 0.10 | | < 0.13 | < 0.08 | < 0.10 |
| ほう素 | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 | |
| 1,4-ジオキサ | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | < 0.005 | |
| 要監視項目 | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | アンチモン | mg/L | | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | エジクロロヒドリン | mg/L | | | | < 0.0004 | | | | | | | | < 0.0004 | < 0.0004 | < 0.0004 | |
| | 全マンガン | mg/L | | | | 0.04 | | | | | | | | 0.04 | 0.04 | 0.04 | |
| | ウラン | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | クロホルム | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| 関係生物 | フェノール | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | ホルムアルデヒド | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| その他項目 | NH4-N (アンモニウム態窒素) | mg/L | 0.02 | 0.04 | 0.08 | 0.04 | < 0.01 | 0.03 | 0.03 | 0.02 | 0.02 | 0.06 | 0.07 | 0.08 | < 0.01 | 0.04 | |
| | org-N (有機態窒素) | mg/L | 0.19 | 0.27 | 0.27 | 0.17 | 0.12 | 0.15 | 0.14 | 0.20 | 0.16 | 0.16 | 0.21 | 0.27 | 0.12 | 0.18 | |
| | PO4-P (りん酸態りん) | mg/L | 0.017 | 0.038 | 0.051 | 0.029 | 0.033 | 0.036 | 0.028 | 0.022 | 0.012 | 0.015 | 0.017 | 0.016 | 0.051 | 0.012 | 0.026 |
| | 塩化物イオン | mg/L | 3.9 | 11 | 11 | 6.2 | 4.8 | 4.8 | 4.6 | 4.3 | 4.7 | 7.8 | 6.7 | 6.8 | 11 | 4 | 6 |
| | MBAS (除イオン界面活性剤) | mg/L | < 0.02 | < 0.02 | 0.03 | < 0.02 | 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | 0.03 | < 0.02 | 0.02 |
| | 糞便性大腸菌群数 | 個/100mL | | 80 | | 250 | | | | 90 | | 80 | | 250 | 80 | 130 | |
| | D-COD (溶存態化学的酸素要求量) | mg/L | 2.1 | 2.9 | 3.5 | 2.5 | 2.4 | 2.0 | 1.7 | 1.5 | 1.7 | 1.4 | 1.5 | 1.7 | 3.5 | 1.4 | 2.1 |
| | D-TOC (溶存態全有機炭素) | mg/L | 1.0 | 1.6 | 2.2 | 1.3 | 1.1 | 0.9 | 0.9 | 0.6 | 0.7 | 0.8 | 0.7 | 0.9 | 2.2 | 0.6 | 1.1 |
| | P-TOC (粒子態全有機炭素) | mg/L | 0.2 | 0.3 | 0.5 | < 0.1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.5 | < 0.1 | 0.2 |
| | TOC (全有機炭素) | mg/L | 1.2 | 1.9 | 2.7 | 1.3 | 1.2 | 0.9 | 0.9 | 0.6 | 0.7 | 0.8 | 0.7 | 0.9 | 2.7 | 0.6 | 1.2 |
| | 油分 | mg/L | | | | | | | | | | | | | | | |
| | EC | μ S/cm | 64 | 150 | 180 | 100 | 100 | 110 | 96 | 75 | 80 | 90 | 92 | 96 | 180 | 64 | 100 |
| | 大腸菌数 | MPN/100mL | 28 | 60 | 130 | 150 | 210 | 170 | 110 | 70 | 34 | 54 | 44 | 52 | 210 | 28 | 93 |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|---------------------|---|------------|-------------------|----------|----------|----------|-----------|--------|----------|----------|--------|----------|----------|----------|-----------|-----------|-----------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1227 | 1359 | 1157 | 1122 | 1347 | 1204 | 1219 | 1217 | 1122 | 1159 | 1350 | 1108 | | | |
| | 天候 | | 曇 | 雨 | 晴 | 晴 | 曇 | 曇 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | |
| | 気温 | ℃ | 16.9 | 22.1 | 24.2 | 32.6 | 31.4 | 25.2 | 24.5 | 16.2 | 7.8 | 7.4 | 4.0 | 9.5 | 32.6 | 4.0 | 18.5 |
| 水温 | ℃ | 15.1 | 17.2 | 22.2 | 23.4 | 24.5 | 22.1 | 21.7 | 14.5 | 7.6 | 6.2 | 3.9 | 8.2 | 24.5 | 3.9 | 15.6 | |
| 流量 | m ³ /s | 0.040 | 0.020 | 0.009 | 0.271 | 0.202 | 0.017 | 0.086 | 0.193 | 0.026 | 0.029 | 0.028 | 0.081 | 0.271 | 0.009 | 0.084 | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.5 | 7.8 | 7.7 | 7.3 | 7.5 | 7.4 | 7.4 | 7.2 | 7.8 | 7.6 | 7.7 | 7.4 | 7.8 | 7.2 | 7.5 |
| | DO (溶存酸素) | mg/L | 11 | 9.7 | 9.5 | 8.2 | 8.3 | 8.6 | 9.1 | 11 | 11 | 12 | 13 | 11 | 13 | 8.2 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 0.8 | 1.0 | 0.9 | < 0.5 | 0.8 | 1.0 | 0.7 | 0.8 | 0.8 | 0.7 | 0.7 | 0.9 | 1.0 | < 0.5 | 0.8 |
| | COD (化学的酸素要求量) | mg/L | 1.8 | 1.9 | 2.0 | 2.0 | 1.5 | 1.8 | 1.8 | 1.5 | 1.7 | 1.6 | 1.4 | 1.6 | 2.0 | 1.4 | 1.7 |
| | SS (浮遊物質量) | mg/L | 3 | 4 | < 1 | 2 | 1 | 4 | < 1 | 1 | < 1 | < 1 | 1 | 2 | 4 | < 1 | 2 |
| | 大腸菌群数 | MPN/100mL | 2800 | 4600 | 7000 | 13000 | 13000 | 11000 | 4900 | 3500 | 2200 | 1700 | 240 | 490 | 13000 | 240 | 5400 |
| | T-N (全窒素) | mg/L | 0.93 | 0.74 | 0.70 | 0.79 | 0.86 | 0.71 | 0.92 | 0.83 | 0.73 | 0.77 | 0.74 | 0.96 | 0.96 | 0.70 | 0.81 |
| | T-P (全りん) | mg/L | 0.028 | 0.038 | 0.047 | 0.031 | 0.034 | 0.041 | 0.031 | 0.022 | 0.024 | 0.016 | 0.019 | 0.064 | 0.064 | 0.016 | 0.033 |
| | 全亜鉛 | mg/L | 0.003 | 0.002 | 0.002 | 0.001 | 0.002 | 0.005 | 0.002 | 0.003 | 0.002 | 0.003 | 0.003 | 0.005 | 0.005 | 0.001 | 0.003 |
| | カドミウム | mg/L | < 0.0003 | | | < 0.0003 | | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 |
| 全シアン | mg/L | < 0.1 | | | < 0.1 | | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 鉛 | mg/L | < 0.005 | | | < 0.005 | | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 六価クロム | mg/L | < 0.02 | | | < 0.02 | | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | |
| 砒素 | mg/L | < 0.005 | | | < 0.005 | | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 総水銀 | mg/L | < 0.0005 | | | < 0.0005 | | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| アルキル水銀 | mg/L | | | | | | | | | | | | | | | | |
| PCB | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | |
| ジクロロメタン | mg/L | < 0.002 | | | < 0.002 | | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 四塩化炭素 | mg/L | < 0.0002 | | | < 0.0002 | | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| 1,2-ジクロロエタン | mg/L | < 0.0004 | | | < 0.0004 | | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | |
| 1,1-ジクロロエチレン | mg/L | < 0.002 | | | < 0.002 | | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| シス-1,2-ジクロロエチレン | mg/L | < 0.002 | | | < 0.002 | | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 1,1,1-トリクロロエタン | mg/L | < 0.1 | | | < 0.1 | | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 1,1,2-トリクロロエタン | mg/L | < 0.0006 | | | < 0.0006 | | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| トリクロロエチレン | mg/L | < 0.001 | | | < 0.001 | | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| テトラクロロエチレン | mg/L | < 0.001 | | | < 0.001 | | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| 1,3-ジクロロプロパン | mg/L | < 0.0002 | | | < 0.0002 | | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| チオラム | mg/L | | | | < 0.0006 | | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| ジマジン | mg/L | | | | < 0.0003 | | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| チオベンカルブ | mg/L | | | | < 0.002 | | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| ベンゼン | mg/L | < 0.001 | | | < 0.001 | | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| セレン | mg/L | < 0.002 | | | < 0.002 | | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| NO3-N (硝酸態窒素) | mg/L | 0.74 | 0.54 | 0.54 | 0.66 | 0.78 | 0.55 | 0.77 | 0.64 | 0.54 | 0.58 | 0.61 | 0.78 | 0.78 | 0.54 | 0.64 | |
| NO2-N (亜硝酸態窒素) | mg/L | 0.002 | 0.003 | 0.003 | 0.002 | < 0.001 | 0.001 | 0.002 | 0.001 | 0.001 | 0.002 | 0.004 | 0.003 | 0.004 | < 0.001 | 0.002 | |
| NO3-N+NO2-N | mg/L | 0.74 | 0.54 | 0.54 | 0.66 | 0.78 | 0.55 | 0.77 | 0.64 | 0.54 | 0.58 | 0.61 | 0.78 | 0.78 | 0.54 | 0.64 | |
| ふっ素 | mg/L | | 0.19 | | | 0.15 | | | 0.11 | | | 0.25 | | 0.25 | 0.11 | 0.18 | |
| ほう素 | mg/L | < 0.1 | | | < 0.1 | | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 1,4-ジオキサン | mg/L | < 0.005 | | | < 0.005 | | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 要監視項目 | 人の健康の 保護関連 開保生 水 重 全 物 生 | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | | アンチモン | mg/L | | | | | | | | | | | | | | |
| | | 塩化ビニルモノマー | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | | エビクロロヒドリン | mg/L | | | | < 0.00004 | | | | | | | | < 0.00004 | < 0.00004 | < 0.00004 |
| | | 全マンガン | mg/L | | | | < 0.01 | | | | | | | | < 0.01 | < 0.01 | < 0.01 |
| | | ウラン | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | | クロホルム | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 |
| | | フェノール | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 |
| | | ホルムアルデヒド | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 |
| | | その他項目 | NH4-N (アンモニウム態窒素) | mg/L | < 0.01 | 0.02 | 0.02 | < 0.01 | < 0.01 | 0.02 | 0.02 | < 0.01 | 0.01 | < 0.01 | 0.03 | 0.02 | 0.03 |
| org-N (有機態窒素) | mg/L | | 0.18 | 0.18 | 0.14 | 0.12 | 0.07 | 0.14 | 0.13 | 0.18 | 0.18 | 0.18 | 0.10 | 0.16 | 0.18 | 0.07 | 0.15 |
| PO4-P (りん酸態りん) | mg/L | | 0.016 | 0.025 | 0.031 | 0.024 | 0.021 | 0.023 | 0.023 | 0.018 | 0.018 | 0.013 | 0.013 | 0.015 | 0.031 | 0.013 | 0.020 |
| 塩化物イオン | mg/L | | 4.1 | 4.0 | 4.3 | 3.6 | 3.7 | 4.0 | 3.6 | 3.7 | 4.0 | 4.6 | 4.6 | 4.6 | 4.6 | 3.6 | 4.1 |
| MBAS (陽イオン界面活性剤) | mg/L | | 0.03 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.03 | < 0.02 | 0.02 |
| 糞便性大腸菌群数 | 個/100mL | | | 72 | | | 230 | | | 120 | | 100 | | | 230 | 72 | 130 |
| D-COD (溶解性化学的酸素要求量) | mg/L | | 1.3 | 1.4 | 1.6 | 1.6 | 1.3 | 1.5 | 1.4 | 1.1 | 1.3 | 1.5 | 1.3 | 1.4 | 1.6 | 1.1 | 1.4 |
| D-TOC (溶解性全有機炭素) | mg/L | | 0.6 | 0.6 | 0.7 | 0.6 | 0.5 | 0.6 | 0.5 | 0.3 | 0.6 | 0.6 | 0.5 | 0.5 | 0.7 | 0.3 | 0.6 |
| P-TOC (粒子態全有機炭素) | mg/L | | 0.3 | 0.2 | 0.1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.3 | < 0.1 | 0.1 |
| TOC (全有機炭素) | mg/L | | 0.9 | 0.8 | 0.8 | 0.7 | 0.5 | 0.6 | 0.5 | 0.4 | 0.6 | 0.6 | 0.5 | 0.5 | 0.9 | 0.4 | 0.6 |
| 油分 | mg/L | | | | | | | | | | | | | | | | |
| EC | μ S/cm | | 72 | 78 | 97 | 77 | 83 | 85 | 78 | 60 | 64 | 68 | 62 | 74 | 97 | 60 | 75 |
| 大腸菌数 | MPN/100mL | | 85 | 100 | 120 | 120 | 140 | 110 | 65 | 50 | 64 | 82 | 40 | 44 | 140 | 40 | 85 |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | | |
|---------------------|------------------------------|------------|-------------------|----------|----------|----------|----------|-----------|----------|----------|---------|----------|----------|----------|-----------|-----------|-----------|------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1251 | 1426 | 1225 | 1145 | 1422 | 1252 | 1252 | 1249 | 1150 | 1224 | 1421 | 1135 | | | | |
| | 天候 | | 曇 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | | |
| | 気温 | ℃ | 17.0 | 22.3 | 26.2 | 31.2 | 32.5 | 26.8 | 25.1 | 17.8 | 8.7 | 7.6 | 2.6 | 9.7 | 32.5 | 2.6 | 19.0 | |
| 水温 | ℃ | 13.7 | 17.1 | 24.1 | 26.0 | 26.9 | 23.4 | 23.0 | 15.6 | 8.9 | 6.9 | 4.5 | 8.2 | 26.9 | 4.5 | 16.5 | | |
| 流量 | m ³ /s | 0.101 | 0.041 | 0.050 | 0.124 | 0.066 | 0.055 | 0.041 | 0.155 | 0.051 | 0.120 | 0.052 | 0.065 | 0.155 | 0.041 | 0.077 | | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.8 | 7.9 | 8.1 | 7.4 | 7.4 | 8.5 | 7.1 | 7.5 | 7.7 | 7.8 | 8.0 | 7.0 | 8.5 | 7.0 | 7.7 | |
| | DO (溶存酸素) | mg/L | 11 | 9.0 | 11 | 8.5 | 8.1 | 8.4 | 8.8 | 9.6 | 12.0 | 12 | 12 | 12 | 12 | 8.1 | 10 | |
| | BOD (生物化学的酸素要求量) | mg/L | 1.0 | 0.7 | 0.7 | 0.5 | 0.7 | 0.8 | 0.8 | 0.9 | 0.9 | 0.8 | 0.8 | 0.6 | 1.0 | 0.5 | 0.8 | |
| | COD (化学的酸素要求量) | mg/L | 1.9 | 2.0 | 1.6 | 2.2 | 2.2 | 2.3 | 2.1 | 1.8 | 1.9 | 1.5 | 1.6 | 1.8 | 2.3 | 1.5 | 1.9 | |
| | SS (浮遊物質) | mg/L | 2 | < 1 | < 1 | 2 | 2 | 2 | 2 | 3 | 2 | < 1 | < 1 | < 1 | 3 | < 1 | 2 | |
| | 大腸菌群数 | MPN/100mL | 170 | 4900 | 1700 | 7900 | 49000 | 11000 | 7900 | 1100 | 3300 | 490 | 140 | 1100 | 49000 | 140 | 7400 | |
| | T-N (全窒素) | mg/L | 1.5 | 1.3 | 1.1 | 1.4 | 1.5 | 1.1 | 1.5 | 2.0 | 1.6 | 1.5 | 1.5 | 1.6 | 2.0 | 1.1 | 1.5 | |
| | T-P (全りん) | mg/L | 0.036 | 0.034 | 0.032 | 0.049 | 0.049 | 0.038 | 0.041 | 0.036 | 0.035 | 0.022 | 0.018 | 0.040 | 0.049 | 0.018 | 0.036 | |
| | 全亜鉛 | mg/L | 0.001 | < 0.001 | < 0.001 | 0.002 | 0.001 | 0.002 | 0.002 | 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.002 | 0.002 | < 0.001 | 0.001 | |
| | カドミウム | mg/L | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| 全シアン | mg/L | | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | | |
| 鉛 | mg/L | | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | | |
| 六価クロム | mg/L | | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | | |
| 砒素 | mg/L | | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | | |
| 総水銀 | mg/L | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | | |
| アルキル水銀 | mg/L | | | | | | | | | | | | | | | | | |
| PCB | mg/L | | | | | < 0.0005 | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | | |
| ジクロロメタン | mg/L | | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| 四塩化炭素 | mg/L | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | | |
| 1,2-ジクロロエタン | mg/L | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | | |
| 1,1-ジクロロエチレン | mg/L | | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| シス-1,2-ジクロロエチレン | mg/L | | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| 1,1,1-トリクロロエタン | mg/L | | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | | |
| 1,1,2-トリクロロエタン | mg/L | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | | |
| トリクロロエチレン | mg/L | | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | | |
| テトラクロロエチレン | mg/L | | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | | |
| 1,3-ジクロロプロパン | mg/L | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | | |
| チオラム | mg/L | | | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | | |
| ジマジン | mg/L | | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | | |
| チオベンカルブ | mg/L | | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| ベンゼン | mg/L | | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | | |
| セレン | mg/L | | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| NO3-N (硝酸態窒素) | mg/L | 1.3 | 1.1 | 0.97 | 1.3 | 1.4 | 0.91 | 1.4 | 1.7 | 1.3 | 1.3 | 1.3 | 1.4 | 1.7 | 0.91 | 1.3 | | |
| NO2-N (亜硝酸態窒素) | mg/L | 0.006 | 0.024 | 0.008 | 0.009 | 0.001 | 0.002 | < 0.001 | 0.001 | < 0.001 | 0.004 | 0.003 | 0.002 | 0.024 | < 0.001 | 0.005 | | |
| NO3-N+NO2-N | mg/L | 1.3 | 1.1 | 0.98 | 1.3 | 1.4 | 0.91 | 1.4 | 1.7 | 1.3 | 1.3 | 1.3 | 1.4 | 1.7 | 0.91 | 1.3 | | |
| ふっ素 | mg/L | | < 0.08 | | | < 0.08 | | | < 0.08 | | | < 0.08 | | < 0.08 | < 0.08 | < 0.08 | | |
| ほう素 | mg/L | | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | | |
| 1,4-ジオキサン | mg/L | | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | | |
| 要監視項目 | 人の健康の 保護関連 開排水 全生物性 | p-ジクロロベンゼン | mg/L | | < 0.02 | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | | アンチモン | mg/L | | | | | | | | | | | | | | | |
| | | 塩化ビニルモノマー | mg/L | | | | | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | | エビクロロヒドリン | mg/L | | | | | < 0.00004 | | | | | | | < 0.00004 | < 0.00004 | < 0.00004 | |
| | | 全マンガン | mg/L | | | | | 0.01 | | | | | | | 0.01 | 0.01 | 0.01 | |
| | | ウラン | mg/L | | | | | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | | クロホルム | mg/L | | < 0.0006 | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | | フェノール | mg/L | | | | | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | | ホルムアルデヒド | mg/L | | | | | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| | | その他項目 | NH4-N (アンモニウム態窒素) | mg/L | < 0.01 | 0.02 | < 0.01 | < 0.01 | < 0.01 | 0.01 | 0.02 | < 0.01 | 0.01 | 0.02 | 0.01 | 0.02 | < 0.01 | 0.01 |
| org-N (有機態窒素) | mg/L | | 0.19 | 0.18 | 0.11 | 0.09 | 0.09 | 0.18 | 0.08 | 0.29 | 0.29 | 0.19 | 0.18 | 0.19 | 0.29 | 0.08 | 0.17 | |
| PO4-P (りん酸態りん) | mg/L | | 0.026 | 0.025 | 0.018 | 0.040 | 0.024 | 0.022 | 0.034 | 0.026 | 0.023 | 0.018 | 0.008 | 0.022 | 0.040 | 0.008 | 0.024 | |
| 塩化物イオン | mg/L | | 7.6 | 7.0 | 6.2 | 6.1 | 6.4 | 6.7 | 6.1 | 6.0 | 6.7 | 7.7 | 8.2 | 7.8 | 8.2 | 6.0 | 6.9 | |
| MBAS (陰イオン界面活性剤) | mg/L | | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.03 | 0.02 | < 0.02 | 0.03 | 0.03 | < 0.02 | 0.02 | 0.02 | 0.03 | < 0.02 | 0.02 | |
| 糞便性大腸菌群数 | 個/100mL | | | 96 | | | 190 | | | 140 | | 60 | | 190 | 60 | 120 | | |
| D-COD (溶解性化学的酸素要求量) | mg/L | | 1.6 | 1.6 | 1.5 | 1.8 | 1.8 | 2.1 | 1.5 | 1.6 | 1.6 | 1.4 | 1.4 | 1.3 | 2.1 | 1.3 | 1.6 | |
| D-TOC (溶解性全有機炭素) | mg/L | | 0.8 | 0.8 | 0.8 | 1.0 | 0.9 | 1.0 | 0.9 | 0.7 | 0.7 | 0.6 | 0.6 | 0.7 | 1.0 | 0.6 | 0.8 | |
| P-TOC (粒子態全有機炭素) | mg/L | | 0.2 | 0.3 | 0.5 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.5 | < 0.1 | 0.2 | |
| TOC (全有機炭素) | mg/L | | 1.0 | 1.1 | 1.3 | 1.0 | 0.9 | 1.0 | 0.9 | 0.7 | 0.7 | 0.6 | 0.6 | 0.7 | 1.3 | 0.6 | 0.9 | |
| 油分 | mg/L | | | | | | | | | | | | | | | | | |
| EC | μ S/cm | | 140 | 150 | 160 | 170 | 170 | 170 | 160 | 130 | 130 | 120 | 110 | 130 | 170 | 110 | 150 | |
| 大腸菌数 | MPN/100mL | | 64 | 160 | 85 | 140 | 170 | 90 | 100 | 85 | 80 | 44 | 18 | 20 | 170 | 18 | 88 | |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|---------------------|-------------------|------------------------------------|-------------------|----------|--------|----------|-----------|--------|----------|----------|---------|----------|----------|----------|-----------|-----------|-----------|
| 一般項目 | 採水月日 | 開始時 | 1138 | 1259 | 1155 | 1128 | 1135 | 1232 | 1220 | 1247 | 1218 | 1205 | 1208 | 1155 | | | |
| | 採水時刻 | | | | | | | | | | | | | | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | |
| | 気温 | ℃ | 13.9 | 20.6 | 25.6 | 31.2 | 31.3 | 28.1 | 30.1 | 21.7 | 8.8 | 8.8 | 5.1 | 11.0 | 31.3 | 5.1 | 19.7 |
| 水温 | ℃ | 13.7 | 16.6 | 23.0 | 23.1 | 26.4 | 23.5 | 22.9 | 15.9 | 8.5 | 7.8 | 6.1 | 9.7 | 26.4 | 6.1 | 16.4 | |
| 流量 | m ³ /s | 0.089 | 0.055 | 0.025 | 0.177 | 0.069 | 0.037 | 0.076 | 0.140 | 0.029 | 0.021 | 0.027 | 0.036 | 0.177 | 0.021 | 0.065 | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.0 | 7.4 | 8.0 | 7.4 | 7.6 | 7.9 | 7.3 | 7.3 | 7.9 | 8.0 | 7.3 | 7.2 | 8.0 | 7.0 | 7.5 |
| | DO (溶存酸素) | mg/L | 10 | 9.4 | 9.5 | 8.5 | 8.1 | 8.7 | 9.0 | 10 | 11 | 12 | 12 | 11 | 12 | 8.1 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 1.0 | 1.0 | 1.0 | 0.7 | 0.8 | 0.9 | 0.7 | 0.7 | 1.0 | 1.1 | 0.7 | 0.8 | 1.1 | 0.7 | 0.9 |
| | COD (化学的酸素要求量) | mg/L | 1.5 | 1.4 | 1.8 | 1.2 | 1.8 | 1.5 | 1.4 | 1.4 | 1.5 | 1.3 | 1.1 | 1.2 | 1.8 | 1.1 | 1.4 |
| | SS (浮遊物質量) | mg/L | 2 | 2 | < 1 | 2 | 1 | 2 | 2 | 2 | < 1 | < 1 | 1 | < 1 | 2 | < 1 | 2 |
| | 大腸菌群数 | MPN/100mL | 700 | 4900 | 7000 | 22000 | 7900 | 17000 | 7900 | 4900 | 490 | 330 | 1100 | 1100 | 22000 | 330 | 6300 |
| | T-N (全窒素) | mg/L | 1.1 | 0.71 | 0.70 | 0.85 | 0.91 | 0.57 | 0.89 | 0.80 | 0.58 | 0.70 | 0.64 | 0.81 | 1.10 | 0.57 | 0.77 |
| | T-P (全りん) | mg/L | 0.030 | 0.044 | 0.061 | 0.042 | 0.046 | 0.058 | 0.048 | 0.034 | 0.030 | 0.028 | 0.040 | 0.032 | 0.061 | 0.028 | 0.041 |
| | 全亜鉛 | mg/L | 0.003 | 0.003 | 0.005 | 0.003 | 0.002 | 0.002 | 0.003 | 0.003 | 0.001 | 0.002 | 0.005 | 0.005 | 0.005 | 0.001 | 0.003 |
| | 健康項目 | カドミウム | mg/L | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 |
| 全シアン | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 鉛 | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 六価クロム | | mg/L | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | < 0.02 |
| 砒素 | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 総水銀 | | mg/L | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | < 0.0005 |
| アルキル水銀 | | mg/L | | | | | | | | | | | | | | | |
| PCB | | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 |
| ジクロロメタン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | < 0.002 |
| 四塩化炭素 | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 |
| 1,2-ジクロロエタン | | mg/L | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | < 0.0004 |
| 1,1-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | < 0.002 |
| シス-1,2-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | < 0.002 |
| 1,1,1-トリクロロエタン | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 1,1,2-トリクロロエタン | | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 |
| トリクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| テトラクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| 1,3-ジクロロプロパン | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 |
| チオラム | | mg/L | | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | < 0.0006 |
| ジマジン | | mg/L | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | < 0.0003 |
| チオベンカルブ | | mg/L | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | < 0.002 |
| ベンゼン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | < 0.001 |
| セレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | < 0.002 |
| NO3-N (硝酸態窒素) | | mg/L | 0.93 | 0.59 | 0.54 | 0.74 | 0.76 | 0.42 | 0.78 | 0.63 | 0.41 | 0.47 | 0.48 | 0.66 | 0.93 | 0.41 | 0.62 |
| NO2-N (亜硝酸態窒素) | | mg/L | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.001 | < 0.001 | < 0.001 | 0.003 | 0.002 | 0.003 | 0.003 | < 0.001 | 0.002 |
| NO3-N+NO2-N | | mg/L | 0.93 | 0.59 | 0.54 | 0.74 | 0.76 | 0.42 | 0.78 | 0.63 | 0.41 | 0.47 | 0.48 | 0.66 | 0.93 | 0.41 | 0.62 |
| ふっ素 | | mg/L | < 0.08 | | | < 0.08 | | | < 0.08 | | | < 0.08 | | < 0.08 | < 0.08 | < 0.08 | < 0.08 |
| ほう素 | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 1,4-ジオキサン | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 要監視項目 | | 人の健康の 保護関連 開排水 生物性 全物質 | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 |
| | アンチモン | | mg/L | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | エピクロヒドリン | | mg/L | | | | < 0.00004 | | | | | | | | < 0.00004 | < 0.00004 | < 0.00004 |
| | 全マンガン | | mg/L | | | | < 0.01 | | | | | | | | 0.01 | 0.01 | 0.01 |
| | ウラン | | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | クロホルム | | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 |
| | フェノール | | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 |
| | ホルムアルデヒド | | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 |
| | その他項目 | | NH4-N (アンモニウム態窒素) | mg/L | < 0.01 | 0.01 | 0.01 | < 0.01 | < 0.01 | < 0.01 | 0.02 | < 0.01 | 0.01 | < 0.01 | 0.02 | 0.01 | < 0.01 |
| org-N (有機態窒素) | | mg/L | 0.16 | 0.11 | 0.15 | 0.10 | 0.14 | 0.14 | 0.09 | 0.16 | 0.16 | 0.22 | 0.14 | 0.14 | 0.22 | 0.09 | 0.14 |
| PO4-P (りん酸態りん) | | mg/L | 0.021 | 0.034 | 0.038 | 0.034 | 0.010 | 0.046 | 0.036 | 0.028 | 0.025 | 0.023 | 0.013 | 0.022 | 0.046 | 0.010 | 0.028 |
| 塩化物イオン | | mg/L | 21 | 15 | 14 | 11 | 15 | 15 | 11 | 9.8 | 12 | 21 | 19 | 20 | 21 | 10 | 15 |
| MBAS (陰イオン界面活性剤) | | mg/L | < 0.02 | < 0.02 | 0.03 | < 0.02 | 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.03 | < 0.02 | 0.02 |
| 糞便性大腸菌群数 | | 個/100mL | | | | 130 | | | 140 | | | 80 | | | 140 | 80 | 120 |
| D-COD (溶解性化学的酸素要求量) | | mg/L | 1.3 | 1.0 | 1.7 | 1.1 | 1.5 | 1.1 | 1.2 | 0.8 | 1.0 | 1.2 | 0.9 | 1.1 | 1.7 | 0.8 | 1.2 |
| D-TOC (溶解性全有機炭素) | | mg/L | 0.5 | 0.4 | 0.7 | 0.4 | 0.5 | 0.6 | 0.4 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.7 | 0.2 | 0.4 |
| P-TOC (粒子態全有機炭素) | | mg/L | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | < 0.1 | < 0.1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.3 | < 0.1 | 0.1 |
| TOC (全有機炭素) | | mg/L | 0.8 | 0.6 | 0.9 | 0.5 | 0.6 | 0.6 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.9 | 0.3 | 0.5 |
| 油分 | | mg/L | | | | | | | | | | | | | | | |
| EC | | μ S/cm | 100 | 100 | 110 | 99 | 110 | 110 | 93 | 69 | 70 | 99 | 88 | 100 | 110 | 69 | 100 |
| 大腸菌数 | | MPN/100mL | 140 | 120 | 140 | 180 | 120 | 120 | 80 | 100 | 56 | 46 | 52 | 42 | 180 | 42 | 100 |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|---------------------|------------------|------------------------------|-------------------|----------|--------|----------|-----------|--------|----------|----------|--------|----------|----------|----------|-----------|-----------|-----------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1125 | 1242 | 1143 | 1117 | 1120 | 1218 | 1207 | 1231 | 1209 | 1153 | 1154 | 1142 | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | |
| | 気温 | ℃ | 15.8 | 19.0 | 25.3 | 31.1 | 31.2 | 28.0 | 29.8 | 21.2 | 8.5 | 8.6 | 3.6 | 10.8 | 31.2 | 3.6 | 19.4 |
| 生活環境項目 | 水温 | ℃ | 15.2 | 18.0 | 23.4 | 24.2 | 26.6 | 25.3 | 23.1 | 16.1 | 9.6 | 8.4 | 4.1 | 9.7 | 26.6 | 4.1 | 17.0 |
| | 流量 | m ³ /s | 0.103 | 0.086 | 0.059 | 0.462 | 0.109 | 0.096 | 0.086 | 0.327 | 0.033 | 0.088 | 0.070 | 0.091 | 0.462 | 0.033 | 0.134 |
| | 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 |
| | pH (水素イオン濃度) | | 7.1 | 7.4 | 7.4 | 7.5 | 7.5 | 8.0 | 7.5 | 7.5 | 7.9 | 8.9 | 8.6 | 7.2 | 8.9 | 7.1 | 7.7 |
| | DO (溶存酸素) | mg/L | 11 | 10 | 9.9 | 8.5 | 8.4 | 8.8 | 8.6 | 9.9 | 12 | 12 | 12 | 12 | 12 | 8.4 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 1.1 | 1.1 | 1.0 | 1.2 | 1.2 | 1.1 | 1.0 | 0.8 | 0.8 | 0.8 | 1.0 | 0.9 | 1.2 | 0.8 | 1.0 |
| | COD (化学的酸素要求量) | mg/L | 1.5 | 2.1 | 2.1 | 2.0 | 2.0 | 2.4 | 1.7 | 1.6 | 1.6 | 1.8 | 1.6 | 1.4 | 2.4 | 1.4 | 1.8 |
| | SS (浮遊物質) | mg/L | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 3 | < 1 | 1 | < 1 | < 1 | 3 | < 1 | 2 |
| | 大腸菌群数 | MPN/100mL | 460 | 4900 | 4600 | 7000 | 7900 | 11000 | 4900 | 1100 | 1400 | 330 | 240 | 170 | 11000 | 170 | 3700 |
| | T-N (全窒素) | mg/L | 0.91 | 1.0 | 0.86 | 0.63 | 0.56 | 0.61 | 0.70 | 0.78 | 0.72 | 0.62 | 0.83 | 1.7 | 1.70 | 0.56 | 0.83 |
| | T-P (全りん) | mg/L | 0.019 | 0.046 | 0.040 | 0.022 | 0.023 | 0.034 | 0.023 | 0.016 | 0.017 | 0.017 | 0.018 | 0.031 | 0.046 | 0.016 | 0.026 |
| | 全亜鉛 | mg/L | 0.004 | 0.004 | 0.003 | 0.003 | 0.004 | 0.003 | 0.003 | 0.003 | 0.001 | 0.001 | < 0.001 | 0.002 | 0.004 | < 0.001 | 0.003 |
| | 健康項目 | カドミウム | mg/L | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 |
| | | 全シアン | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 |
| | | 鉛 | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 |
| 六価クロム | | mg/L | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | |
| 砒素 | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 総水銀 | | mg/L | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| アルキル水銀 | | mg/L | | | | | | | | | | | | | | | |
| PCB | | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 |
| ジクロロメタン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 四塩化炭素 | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| 1,2-ジクロロエタン | | mg/L | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | |
| 1,1-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| シス-1,2-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 1,1,1-トリクロロエタン | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 1,1,2-トリクロロエタン | | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| トリクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| テトラクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| 1,3-ジクロロプロパン | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| チオラム | | mg/L | | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| ジマジン | | mg/L | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| チオベンカルブ | | mg/L | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| ベンゼン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| セレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| NO3-N (硝酸態窒素) | | mg/L | 0.75 | 0.81 | 0.65 | 0.48 | 0.50 | 0.43 | 0.53 | 0.55 | 0.49 | 0.38 | 0.56 | 1.6 | 1.6 | 0.38 | 0.64 |
| NO2-N (亜硝酸態窒素) | | mg/L | 0.003 | 0.005 | 0.004 | 0.002 | 0.006 | 0.002 | 0.003 | 0.001 | 0.002 | 0.026 | 0.019 | 0.008 | 0.026 | 0.001 | 0.007 |
| NO3-N+NO2-N | | mg/L | 0.75 | 0.82 | 0.65 | 0.48 | 0.51 | 0.43 | 0.53 | 0.55 | 0.49 | 0.41 | 0.58 | 1.6 | 1.6 | 0.41 | 0.65 |
| ふっ素 | | mg/L | < 0.08 | | | < 0.08 | | | < 0.08 | | | < 0.08 | | < 0.08 | < 0.08 | < 0.08 | < 0.08 |
| ほう素 | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 1,4-ジオキサン | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 要監視項目 | | 人の健康の 保護関連 開排水 全生物性 | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 |
| | アンチモン | | mg/L | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | エピクロロヒドリン | | mg/L | | | | < 0.00004 | | | | | | | | < 0.00004 | < 0.00004 | < 0.00004 |
| | 全マンガン | | mg/L | | | | < 0.01 | | | | | | | | < 0.01 | < 0.01 | < 0.01 |
| | ウラン | | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | クロロホルム | | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 |
| | フェノール | | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 |
| | ホルムアルデヒド | | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 |
| | その他項目 | | NH4-N (アンモニウム態窒素) | mg/L | < 0.01 | 0.02 | 0.02 | 0.01 | < 0.01 | 0.02 | 0.03 | 0.01 | 0.03 | < 0.01 | 0.08 | 0.02 | 0.08 |
| org-N (有機態窒素) | | mg/L | 0.15 | 0.16 | 0.19 | 0.14 | 0.04 | 0.16 | 0.14 | 0.22 | 0.20 | 0.20 | 0.17 | 0.08 | 0.22 | 0.04 | 0.15 |
| PO4-P (りん酸態りん) | | mg/L | 0.005 | 0.026 | 0.019 | 0.006 | 0.008 | 0.007 | 0.009 | 0.005 | 0.003 | 0.003 | < 0.003 | 0.019 | 0.026 | 0.003 | 0.009 |
| 塩化物イオン | | mg/L | 6.7 | 7.3 | 7.7 | 4.5 | 5.5 | 5.8 | 5.0 | 4.1 | 5.3 | 6.3 | 7.9 | 14 | 14 | 4.1 | 6.7 |
| MBAS (陰イオン界面活性剤) | | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | 0.02 |
| 糞便性大腸菌群数 | | 個/100mL | | 110 | | 110 | | 110 | | 90 | | 75 | | 110 | 75 | 100 | |
| D-COD (溶解性化学的酸素要求量) | | mg/L | 1.2 | 1.6 | 1.6 | 1.4 | 1.8 | 2.0 | 1.6 | 1.0 | 1.3 | 1.7 | 1.3 | 1.0 | 2.0 | 1.0 | 1.5 |
| D-TOC (溶解性全有機炭素) | | mg/L | 0.5 | 0.6 | 0.9 | 0.6 | 0.7 | 0.8 | 0.7 | 0.3 | 0.5 | 0.5 | 0.6 | 0.6 | 0.9 | 0.3 | 0.6 |
| P-TOC (粒子態全有機炭素) | | mg/L | 0.4 | 0.2 | 0.3 | 0.1 | < 0.1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | 0.1 | 0.4 | < 0.1 | 0.2 |
| TOC (全有機炭素) | | mg/L | 0.9 | 0.8 | 1.2 | 0.7 | 0.7 | 0.9 | 0.7 | 0.3 | 0.5 | 0.5 | 0.6 | 0.7 | 1.2 | 0.3 | 0.7 |
| 油分 | | mg/L | | | | | | | | | | | | | | | |
| EC | | μ S/cm | 70 | 88 | 100 | 66 | 86 | 87 | 79 | 53 | 61 | 56 | 67 | 120 | 120 | 53 | 78 |
| 大腸菌数 | | MPN/100mL | 140 | 95 | 95 | 85 | 180 | 120 | 90 | 56 | 46 | 22 | 44 | 44 | 180 | 22 | 85 |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | | |
|-----------|---------------------|------|-------------------|---------|---------|---------|--------|----------|---------|---------|--------|---------|---------|---------|----------|----------|----------|-------|
| 一般項目 | 採水月日 | 開始時 | 0903 | 0923 | 0905 | 0845 | 0835 | 0926 | 0908 | 0913 | 0917 | 0910 | 0858 | 0841 | | | | |
| | 採水時刻 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | | |
| | 天候 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | | |
| | 採水位置 | | °C | 9.5 | 18.7 | 22.0 | 29.3 | 28.2 | 26.0 | 24.6 | 15.6 | 5.8 | 5.3 | 3.0 | 7.1 | 29.3 | 3.0 | 16.3 |
| | 気温 | | °C | 7.4 | 16.4 | 14.1 | 20.1 | 22.1 | 18.2 | 17.1 | 11.2 | 6.2 | 3.2 | 2.8 | 6.4 | 22.1 | 2.8 | 12.1 |
| 生活環境項目 | 水温 | | m ³ /s | 1.574 | 0.107 | 0.290 | 3.003 | 2.447 | 0.359 | 0.395 | 1.336 | 0.329 | 0.154 | 0.227 | 0.306 | 3.003 | 0.107 | 0.877 |
| | 流量 | | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 |
| | 透視度 | | pH (水素イオン濃度) | 7.4 | 7.4 | 7.5 | 7.5 | 7.5 | 7.7 | 7.4 | 7.6 | 7.8 | 7.3 | 7.2 | 7.2 | 7.8 | 7.2 | 7.5 |
| | bH | | mg/L (溶存酸素) | 11 | 10 | 9.8 | 8.7 | 8.6 | 8.5 | 8.9 | 10 | 12 | 12 | 12 | 12 | 12 | 8.5 | 10 |
| | DO | | mg/L (生物化学的酸素要求量) | 0.7 | 0.7 | 0.5 | 0.8 | 0.8 | 0.9 | 0.9 | 0.7 | 0.8 | 0.8 | 0.7 | 0.9 | 0.9 | 0.5 | 0.8 |
| | BOD | | mg/L (化学的酸素要求量) | 2.0 | 1.9 | 1.5 | 2.4 | 2.2 | 1.7 | 1.9 | 2.0 | 1.5 | 1.9 | 1.6 | 1.6 | 2.4 | 1.5 | 1.9 |
| | COD | | mg/L (浮遊物質) | 1 | 2 | 1 | 3 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 1 | 5 | 1 | 2 |
| | SS | | MPN/100mL | 330 | 490 | 1300 | 14000 | 4900 | 3300 | 1100 | 940 | 700 | 330 | 350 | 130 | 14000 | 130 | 2300 |
| | 大腸菌群数 | | mg/L (全窒素) | 0.76 | 1.0 | 0.89 | 0.70 | 0.55 | 0.66 | 0.67 | 0.77 | 0.70 | 1.3 | 1.2 | 0.95 | 1.30 | 0.55 | 0.85 |
| | T-N | | mg/L (全りん) | 0.008 | 0.013 | 0.008 | 0.028 | 0.014 | 0.005 | 0.012 | 0.010 | 0.006 | < 0.003 | < 0.003 | 0.006 | 0.028 | 0.003 | 0.010 |
| 健康項目 | T-P | | mg/L | 0.002 | < 0.001 | < 0.001 | 0.002 | 0.002 | < 0.001 | 0.001 | 0.004 | 0.002 | 0.001 | 0.001 | 0.005 | < 0.001 | 0.002 | |
| | 全亜鉛 | | mg/L | | | | | < 0.0003 | | | | | | | < 0.0003 | < 0.0003 | < 0.0003 | |
| | カミカミ | | mg/L | | | | | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| | 全シアン | | mg/L | | | | | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 | |
| | 鉛 | | mg/L | | | | | < 0.02 | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | 六価クロム | | mg/L | | | | | < 0.005 | | | | | | | < 0.005 | < 0.005 | < 0.005 | |
| | 砒素 | | mg/L | | | | | < 0.0005 | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | |
| | 総水銀 | | mg/L | | | | | | | | | | | | | | | |
| | アルキル水銀 | | mg/L | | | | | < 0.0005 | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | |
| | PCB | | mg/L | | | | | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | |
| | ジクロロメタン | | mg/L | | | | | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | 四塩化炭素 | | mg/L | | | | | < 0.0004 | | | | | | | < 0.0004 | < 0.0004 | < 0.0004 | |
| | 1,2-ジクロロエタン | | mg/L | | | | | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | |
| | 1,1-ジクロロエチレン | | mg/L | | | | | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | |
| | シス-1,2-ジクロロエチレン | | mg/L | | | | | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| | 1,1,1-トリクロロエタン | | mg/L | | | | | < 0.006 | | | | | | | < 0.006 | < 0.006 | < 0.006 | |
| | 1,1,2-トリクロロエタン | | mg/L | | | | | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | トリクロロエチレン | | mg/L | | | | | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | テトラクロロエチレン | | mg/L | | | | | < 0.0002 | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | 1,3-ジクロロプロパン | | mg/L | | | | | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | テトラム | | mg/L | | | | | < 0.0003 | | | | | | | < 0.0003 | < 0.0003 | < 0.0003 | |
| | シマジン | | mg/L | | | | | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | |
| | チオベンカルブ | | mg/L | | | | | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | ベンゼン | | mg/L | | | | | < 0.002 | | | | | | | < 0.002 | < 0.002 | < 0.002 | |
| | セレン | | mg/L | 0.57 | 0.20 | 0.67 | 0.47 | 0.50 | 0.62 | 0.62 | 0.43 | 0.67 | 1.3 | 1.0 | 1.3 | 0.20 | 0.69 | |
| | NO3-N (硝酸態窒素) | | mg/L | 0.003 | < 0.001 | < 0.001 | 0.001 | 0.001 | < 0.001 | < 0.001 | 0.007 | 0.003 | 0.002 | 0.001 | 0.002 | 0.007 | 0.001 | 0.002 |
| | NO2-N (亜硝酸態窒素) | | mg/L | 0.57 | 0.20 | 0.67 | 0.47 | 0.50 | 0.62 | 0.62 | 0.44 | 0.67 | 1.3 | 1.0 | 1.3 | 0.20 | 0.69 | |
| | NO3-N+NO2-N | | mg/L | | | | | | 0.13 | | | | 0.26 | | | 0.26 | 0.13 | 0.20 |
| | ふっ素 | | mg/L | | | | | | < 0.1 | | | | < 0.1 | | | < 0.1 | < 0.1 | < 0.1 |
| | ほう素 | | mg/L | | | | | | < 0.005 | | | | | | | < 0.005 | < 0.005 | 0.010 |
| 1,4-ジオキサン | | mg/L | | | | | | | | | | | | | | | | |
| 要監視項目 | 人の健康の保護関連 | | mg/L | | | | | | | | | | | | | | | |
| | p-ジクロロベンゼン | | mg/L | | | | | | | | | | | | | | | |
| | アンチモン | | mg/L | | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | | mg/L | | | | | | | | | | | | | | | |
| | エビクロピトリン | | mg/L | | | | | | | | | | | | | | | |
| | 全マンガン | | mg/L | | | | | | | | | | | | | | | |
| | ウラン | | mg/L | | | | | | | | | | | | | | | |
| | クロロホルム | | mg/L | | | | | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | フェノール | | mg/L | | | | | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | ホルムアルデヒド | | mg/L | | | | | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| その他項目 | NH4-N (アンモニウム態窒素) | | mg/L | < 0.01 | 0.04 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | 0.07 | 0.01 | < 0.01 | 0.01 | 0.01 | 0.07 | < 0.01 | 0.02 | |
| | org-N (有機態窒素) | | mg/L | 0.18 | 0.76 | 0.21 | 0.22 | 0.04 | 0.03 | 0.04 | 0.26 | 0.02 | < 0.01 | < 0.01 | 0.76 | 0.01 | 0.15 | |
| | PO4-P (りん酸態りん) | | mg/L | < 0.003 | 0.003 | 0.003 | 0.011 | 0.005 | < 0.003 | 0.006 | 0.003 | < 0.003 | < 0.003 | < 0.003 | 0.011 | < 0.003 | 0.004 | |
| | 塩化物イオン | | mg/L | 7.3 | 8.8 | 5.0 | 5.4 | 5.3 | 7.9 | 5.9 | 4.6 | 5.9 | 25 | 15 | 11 | 25 | 5 | 9 |
| | MBAS (陽イオン界面活性剤) | | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | 0.02 | |
| | 糞便性大腸菌群数 | | 個/100mL | | 22 | | | 80 | | | 120 | | | 22 | 120 | 22 | 60 | |
| | D-COD (溶存態化学的酸素要求量) | | mg/L | | | | | | | | | | | | | | | |
| | D-TOC (溶存態全有機炭素) | | mg/L | | | | | | | | | | | | | | | |
| | P-TOC (粒子態全有機炭素) | | mg/L | | | | | | | | | | | | | | | |
| | TOC (全有機炭素) | | mg/L | | | | | | | | | | | | | | | |
| | 油分 | | mg/L | | | | | | | | | | | | | | | |
| | EC | | μ S/cm | 66 | 100 | 100 | 78 | 80 | 98 | 86 | 60 | 68 | 100 | 87 | 82 | 100 | 60 | 84 |
| | 大腸菌数 | | MPN/100mL | 34 | 20 | 48 | 32 | 90 | 50 | 50 | 95 | 60 | 26 | 18 | 20 | 95 | 18 | 45 |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | | |
|-----------------|-----------|------------------------------|------------|-------------|--------|----------|----------|-----------|----------|----------|--------|----------|----------|----------|----------|-----------|-----------|-----------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 0835 | 0859 | 0835 | 0815 | 0805 | 0853 | 0852 | 0845 | 0845 | 0828 | 0816 | | | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | | | |
| | 気温 | ℃ | 9.8 | 18.9 | 20.8 | 28.1 | 28.1 | 24.6 | 23.2 | 13.5 | 5.5 | 4.0 | 1.3 | 9.3 | 28.1 | 1.3 | 15.6 | |
| 生活環境項目 | 水温 | ℃ | 11.1 | 15.9 | 21.0 | 22.8 | 24.3 | 21.1 | 18.9 | 11.9 | 6.8 | 4.1 | 3.2 | 7.2 | 24.3 | 3.2 | 14.0 | |
| | 流量 | m ³ /s | 3.613 | 1.507 | 0.373 | 3.624 | 2.288 | 1.420 | 1.096 | 8.724 | 8.319 | 4.343 | 3.760 | 0.210 | 8.724 | 0.210 | 3.273 | |
| | 透視度 | cm | > 50 | > 50 | > 50 | 45 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | 45 | 50 | |
| | pH | (水素イオン濃度) | 7.4 | 7.4 | 7.8 | 7.3 | 7.5 | 7.7 | 7.5 | 7.4 | 7.5 | 7.4 | 7.4 | 7.3 | 7.8 | 7.3 | 7.5 | |
| | DO | (溶存酸素) | mg/L | 11 | 9.2 | 9.9 | 8.6 | 8.5 | 9.1 | 9.4 | 10 | 11 | 12 | 11 | 12 | 8.5 | 10 | |
| | BOD | (生物化学的酸素要求量) | mg/L | 1.0 | 0.6 | 0.9 | 1.2 | 1.0 | 0.8 | 0.9 | 0.5 | 0.9 | 0.7 | 0.8 | 1.2 | 0.5 | 0.9 | |
| | COD | (化学的酸素要求量) | mg/L | 2.2 | 2.2 | 2.2 | 5.1 | 2.3 | 2.2 | 1.8 | 1.8 | 1.9 | 1.7 | 1.6 | 5.1 | 1.3 | 2.2 | |
| | SS | (浮遊物質) | mg/L | 3 | 3 | 2 | 16 | 3 | < 1 | 1 | 5 | < 1 | 1 | 1 | 16 | < 1 | 3 | |
| | 大腸菌群数 | MPN/100mL | 490 | 1700 | 4900 | 33000 | 7900 | 7000 | 1300 | 3300 | 490 | 490 | 330 | 330 | 33000 | 330 | 5100 | |
| | T-N | (全窒素) | mg/L | 0.49 | 0.27 | 0.42 | 0.62 | 0.40 | 0.28 | 0.43 | 0.50 | 0.42 | 0.49 | 0.52 | 0.62 | 0.27 | 0.44 | |
| | T-P | (全りん) | mg/L | 0.016 | 0.017 | 0.023 | 0.048 | 0.018 | 0.008 | 0.013 | 0.011 | 0.010 | 0.005 | 0.013 | 0.048 | 0.005 | 0.016 | |
| | 全亜鉛 | mg/L | 0.002 | 0.003 | 0.001 | 0.005 | 0.001 | < 0.001 | 0.001 | 0.002 | 0.001 | 0.002 | 0.002 | 0.003 | 0.005 | < 0.001 | 0.002 | |
| | 健康項目 | カドミウム | mg/L | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| | | 全シアン | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| | | 鉛 | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 六価クロム | | mg/L | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | | |
| 砒素 | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | | |
| 総水銀 | | mg/L | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | | |
| アルキル水銀 | | mg/L | | | | | | | | | | | | | | | | |
| PCB | | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 | |
| ジクロロメタン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| 四塩化炭素 | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | | |
| 1,2-ジクロロエタン | | mg/L | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | | |
| 1,1-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| シス-1,2-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| 1,1,1-トリクロロエタン | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | | |
| 1,1,2-トリクロロエタン | | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | | |
| トリクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | | |
| テトラクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | | |
| 1,3-ジクロロプロパン | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | | |
| チオラム | | mg/L | | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | | |
| ジマジン | | mg/L | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | | |
| チオベンカルブ | | mg/L | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| ベンゼン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | | |
| セレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | | |
| NO3-N | | (硝酸態窒素) | mg/L | 0.32 | 0.14 | 0.29 | 0.31 | 0.33 | 0.18 | 0.29 | 0.30 | 0.27 | 0.35 | 0.37 | 0.37 | 0.14 | 0.29 | |
| NO2-N | | (亜硝酸態窒素) | mg/L | 0.002 | 0.001 | < 0.001 | 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.001 | 0.001 | 0.002 | 0.002 | 0.002 | 0.001 | 0.001 | |
| NO3-N+NO2-N | | | mg/L | 0.32 | 0.14 | 0.29 | 0.31 | 0.33 | 0.18 | 0.29 | 0.30 | 0.27 | 0.35 | 0.37 | 0.37 | 0.14 | 0.29 | |
| ふっ素 | | mg/L | | | 0.16 | | | 0.13 | | | 0.10 | | 0.12 | | 0.16 | 0.10 | 0.13 | |
| ほう素 | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | | |
| 1,4-ジオキサン | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | | |
| 要監視項目 | | 人の健康の 保護関連 開保生 水全物生 | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | | | アンチモン | mg/L | | | | | | | | | | | | | | |
| | | | 塩化ビニルモノマー | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | | | エピクロヒドリン | mg/L | | | | < 0.00004 | | | | | | | | < 0.00004 | < 0.00004 | < 0.00004 |
| | | | 全マンガン | mg/L | | | | 0.01 | | | | | | | | 0.01 | 0.01 | 0.01 |
| | | | ウラン | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 |
| | クロホルム | | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | フェノール | | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | ホルムアルデヒド | | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| | その他項目 | | NH4-N | (アンモニウム態窒素) | mg/L | < 0.01 | 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | 0.02 | 0.02 | < 0.01 | 0.01 | 0.02 | 0.02 | < 0.01 |
| org-N | | (有機態窒素) | mg/L | 0.16 | 0.12 | 0.12 | 0.30 | 0.06 | 0.12 | 0.18 | 0.13 | 0.13 | 0.13 | 0.30 | 0.06 | 0.14 | | |
| PO4-P | | (りん酸態りん) | mg/L | 0.005 | 0.004 | 0.010 | 0.015 | 0.005 | < 0.003 | 0.006 | 0.004 | < 0.003 | < 0.003 | < 0.003 | 0.015 | < 0.003 | 0.005 | |
| 塩化物イオン | | mg/L | 6.5 | 6.7 | 7.2 | 4.2 | 4.7 | 5.5 | 4.9 | 4.2 | 5.0 | 11 | 7.6 | 7.1 | 11 | 4 | 6 | |
| MBAS | | (陽イオン界面活性剤) | mg/L | < 0.02 | 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | 0.02 | |
| 糞便性大腸菌群数 | | 個/100mL | | 18 | | 120 | | | | 140 | | | | 42 | 140 | 18 | 80 | |
| D-COD | | (溶解性化学的酸素要求量) | mg/L | | | | | | | | | | | | | | | |
| D-TOC | | (溶解性全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| P-TOC | | (粒子態全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| TOC | | (全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| 油分 | | mg/L | | | | | | | | | | | | | | | | |
| EC | | μ S/cm | 59 | 81 | 94 | 68 | 75 | 82 | 75 | 56 | 62 | 71 | 58 | 64 | 94 | 56 | 70 | |
| 大腸菌数 | MPN/100mL | 42 | 12 | 52 | 120 | 100 | 80 | 90 | 120 | 32 | 50 | 28 | 54 | 120 | 12 | 65 | | |

| | | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|-----------------|---------------------|-----------|------------|---------|---------|---------|----------|----------|---------|---------|---------|---------|----------|---------|----------|----------|----------|---------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 0941 | 1007 | 0945 | 0925 | 0915 | 1005 | 0951 | 0956 | 0957 | 0956 | 0938 | 0912 | | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | | |
| | 気温 | ℃ | 12.1 | 18.7 | 22.3 | 29.6 | 29.1 | 26.3 | 24.1 | 17.0 | 6.2 | 6.7 | -0.4 | 10.0 | 29.6 | -0.4 | 16.8 | |
| 水温 | ℃ | 8.8 | 19.2 | 16.2 | 21.1 | 21.5 | 19.5 | 17.8 | 11.1 | 6.5 | 3.7 | 3.3 | 6.9 | 21.5 | 3.3 | 13.0 | | |
| 流量 | m ³ /s | 0.044 | 0.150 | 0.412 | 1.798 | 0.971 | 0.378 | 0.639 | 1.286 | 0.586 | 0.891 | 0.914 | 1.002 | 1.798 | 0.044 | 0.756 | | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.3 | 7.3 | 7.5 | 7.4 | 7.7 | 7.6 | 7.3 | 7.6 | 7.3 | 7.5 | 7.2 | 7.4 | 7.7 | 7.2 | 7.4 | |
| | DO (溶存酸素) | mg/L | 10 | 9.4 | 9.2 | 8.6 | 8.9 | 8.8 | 9.0 | 11 | 12 | 12 | 12 | 12 | 12 | 12 | 8.6 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.8 | 0.7 | 0.9 | 0.5 | 0.7 | |
| | COD (化学的酸素要求量) | mg/L | 1.5 | 1.7 | 1.4 | 1.9 | 1.8 | 1.6 | 1.7 | 1.5 | 1.6 | 1.6 | 1.4 | 1.5 | 1.9 | 1.4 | 1.6 | |
| | SS (浮遊物質) | mg/L | 1 | 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | 1 | < 1 | 1 | |
| | 大腸菌群数 | MPN/100mL | 220 | 490 | 1700 | 7900 | 3300 | 4900 | 4900 | 700 | 1100 | 790 | 280 | 240 | 7900 | 220 | 2200 | |
| | T-N (全窒素) | mg/L | 1.2 | 0.89 | 0.90 | 1.2 | 1.3 | 0.79 | 1.3 | 1.1 | 1.1 | 1.3 | 1.2 | 1.0 | 1.3 | 0.79 | 1.1 | |
| | T-P (全りん) | mg/L | 0.007 | 0.013 | 0.019 | 0.013 | 0.016 | 0.010 | 0.012 | 0.006 | 0.007 | 0.004 | 0.006 | 0.011 | 0.019 | 0.004 | 0.010 | |
| | 全亜鉛 | mg/L | 0.002 | 0.001 | 0.001 | 0.002 | 0.003 | 0.002 | 0.001 | 0.002 | 0.001 | 0.001 | 0.003 | 0.002 | 0.003 | 0.001 | 0.002 | |
| | 健康項目 | カドミウム | mg/L | | | | | < 0.003 | | | | | | < 0.003 | | < 0.003 | < 0.003 | < 0.003 |
| 全シアン | | mg/L | | | | | < 0.1 | | | | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 鉛 | | mg/L | | | | | < 0.005 | | | | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 六価クロム | | mg/L | | | | | < 0.02 | | | | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | |
| 砒素 | | mg/L | | | | | < 0.005 | | | | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 総水銀 | | mg/L | | | | | < 0.0005 | | | | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| アルキル水銀 | | mg/L | | | | | | | | | | | | | | | | |
| PCB | | mg/L | | | | | < 0.0005 | | | | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| ジクロロメタン | | mg/L | | | | | < 0.002 | | | | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 四塩化炭素 | | mg/L | | | | | < 0.0002 | | | | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| 1,2-ジクロロエタン | | mg/L | | | | | < 0.0004 | | | | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | |
| 1,1-ジクロロエチレン | | mg/L | | | | | < 0.002 | | | | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| シス-1,2-ジクロロエチレン | | mg/L | | | | | < 0.002 | | | | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 1,1,1-トリクロロエタン | | mg/L | | | | | < 0.1 | | | | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 1,1,2-トリクロロエタン | | mg/L | | | | | < 0.0006 | | | | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| トリクロロエチレン | | mg/L | | | | | < 0.001 | | | | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| テトラクロロエチレン | | mg/L | | | | | < 0.001 | | | | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| 1,3-ジクロロプロパン | | mg/L | | | | | < 0.0002 | | | | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| チウラム | | mg/L | | | | | < 0.0006 | | | | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| ジマジン | | mg/L | | | | | < 0.0003 | | | | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| チオベンカルブ | | mg/L | | | | | < 0.002 | | | | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| ベンゼン | | mg/L | | | | | < 0.001 | | | | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| セレン | | mg/L | | | | | < 0.002 | | | | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| NO3-N (硝酸態窒素) | | mg/L | 1.0 | 0.81 | 0.82 | 1.0 | 1.3 | 0.76 | 1.1 | 0.91 | 0.90 | 1.1 | 1.0 | 0.91 | 1.3 | 0.76 | 0.97 | |
| NO2-N (亜硝酸態窒素) | | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.001 | 0.001 | 0.001 | < 0.001 | 0.001 | |
| NO3-N+NO2-N | | mg/L | 1.0 | 0.81 | 0.82 | 1.0 | 1.3 | 0.76 | 1.1 | 0.91 | 0.90 | 1.1 | 1.0 | 0.91 | 1.3 | 0.76 | 0.97 | |
| ふっ素 | | mg/L | | | | | 0.12 | | | | | | 0.12 | | 0.12 | 0.12 | 0.12 | 0.12 |
| ほう素 | | mg/L | | | | | < 0.1 | | | | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 1,4-ジオキサン | | mg/L | | | | | < 0.005 | | | | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 要監視項目 | | 人の健康の保護関連 | p-ジクロロベンゼン | mg/L | | | | | | | | | | | | | | |
| | アンチモン | | mg/L | | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | | mg/L | | | | | | | | | | | | | | | |
| | エビクロヒトリン | | mg/L | | | | | | | | | | | | | | | |
| | 全マンガン | | mg/L | | | | | | | | | | | | | | | |
| | 関係生物 | ウラン | mg/L | | | | | | | | | | | | | | | |
| | | クロロホルム | mg/L | | | | | < 0.0006 | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | | フェノール | mg/L | | | | | < 0.001 | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | | ホルムアルデヒド | mg/L | | | | | < 0.1 | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| | | | | | | | | | | | | | | | | | | |
| その他項目 | NH4-N (アンモニウム態窒素) | mg/L | < 0.01 | 0.01 | < 0.01 | < 0.01 | < 0.01 | 0.01 | < 0.01 | < 0.01 | 0.01 | < 0.01 | 0.02 | 0.01 | 0.02 | < 0.01 | 0.01 | |
| | org-N (有機態窒素) | mg/L | 0.19 | 0.07 | 0.07 | 0.19 | < 0.01 | 0.02 | 0.19 | 0.18 | 0.19 | 0.19 | 0.18 | 0.08 | 0.19 | 0.01 | 0.13 | |
| | PO4-P (りん酸態りん) | mg/L | < 0.003 | 0.005 | 0.009 | 0.010 | 0.007 | 0.004 | 0.007 | 0.006 | 0.003 | < 0.003 | < 0.003 | < 0.003 | 0.010 | < 0.003 | 0.005 | |
| | 塩化物イオン | mg/L | 3.8 | 3.8 | 4.0 | 3.9 | 3.6 | 3.9 | 3.7 | 3.7 | 3.9 | 4.7 | 4.5 | 4.1 | 4.7 | 3.6 | 4.0 | |
| | MBAS (陰イオン界面活性剤) | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | 0.02 | < 0.02 | 0.02 | |
| | 糞便性大腸菌群数 | 個/100mL | | 20 | | | 90 | | | | 55 | | 32 | | 90 | 20 | 49 | |
| | D-COD (溶存態化学的酸素要求量) | mg/L | | | | | | | | | | | | | | | | |
| | D-TOC (溶存態全有機炭素) | mg/L | | | | | | | | | | | | | | | | |
| | P-TOC (粒子態全有機炭素) | mg/L | | | | | | | | | | | | | | | | |
| | TOC (全有機炭素) | mg/L | | | | | | | | | | | | | | | | |
| | 油分 | mg/L | | | | | | | | | | | | | | | | |
| | EC | μ S/cm | 62 | 76 | 88 | 80 | 74 | 78 | 78 | 56 | 58 | 63 | 57 | 62 | 88 | 56 | 69 | |
| | 大腸菌数 | MPN/100mL | 32 | 14 | 65 | 70 | 85 | 100 | 42 | 40 | 32 | 32 | 28 | 36 | 100 | 14 | 48 | |

| | | 0413 | 0509 | 0606 | 0711 | 0822 | 0905 | 1011 | 1107 | 1205 | 0116 | 0206 | 0308 | 最大値 | 最小値 | 平均値 | |
|-----------------|---------------------|-----------|----------|----------|---------|-----------|----------|---------|----------|----------|---------|----------|----------|-----------|-----------|-----------|----------|
| 一般項目 | 採水月日 | | | | | | | | | | | | | | | | |
| | 採水時刻 | 開始時 | 1007 | 1041 | 1015 | 0955 | 0940 | 1041 | 1021 | 1030 | 1032 | 1023 | 1009 | 1021 | | | |
| | 天候 | | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | | | |
| | 採水位置 | | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | |
| | 気温 | ℃ | 13.3 | 19.8 | 22.8 | 29.8 | 29.5 | 26.9 | 25.8 | 17.3 | 7.1 | 5.7 | 1.3 | 10.4 | 29.8 | 1.3 | 17.5 |
| 水温 | ℃ | 9.7 | 15.0 | 17.5 | 21.9 | 22.1 | 20.3 | 18.2 | 12.9 | 7.0 | 4.2 | 2.8 | 7.2 | 22.1 | 2.8 | 13.2 | |
| 流量 | m ³ /s | 1.881 | 0.465 | 1.546 | 1.725 | 3.742 | 0.697 | 0.871 | 1.160 | 0.735 | 0.858 | 0.052 | 0.560 | 3.742 | 0.052 | 1.191 | |
| 透視度 | cm | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | |
| 生活環境項目 | pH (水素イオン濃度) | | 7.4 | 7.3 | 7.8 | 7.4 | 7.7 | 7.9 | 7.3 | 7.3 | 7.0 | 7.5 | 7.2 | 7.4 | 7.9 | 7.0 | 7.4 |
| | DO (溶存酸素) | mg/L | 11 | 10 | 9.5 | 8.1 | 8.9 | 8.4 | 8.8 | 10 | 11 | 12 | 12 | 12 | 12 | 8.1 | 10 |
| | BOD (生物化学的酸素要求量) | mg/L | 0.7 | 0.6 | 0.7 | < 0.5 | < 0.5 | < 0.5 | 0.6 | < 0.5 | < 0.5 | < 0.5 | 0.6 | 0.7 | 0.7 | < 0.5 | 0.6 |
| | COD (化学的酸素要求量) | mg/L | 1.9 | 1.2 | 1.1 | 1.5 | 1.7 | 1.5 | 1.7 | 1.4 | 1.3 | 1.4 | 1.4 | 1.5 | 1.9 | 1.1 | 1.5 |
| | SS (浮遊物質量) | mg/L | 1 | 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | < 1 | 1 | < 1 | 1 |
| | 大腸菌群数 | MPN/100mL | 330 | 490 | 1700 | 4900 | 7900 | 2200 | 3300 | 2400 | 330 | 220 | 330 | 110 | 7900 | 110 | 2000 |
| | T-N (全窒素) | mg/L | 1.0 | 0.79 | 0.83 | 1.1 | 1.3 | 0.69 | 1.2 | 1.0 | 1.0 | 1.1 | 1.0 | 0.95 | 1.3 | 0.69 | 0.99 |
| | T-P (全りん) | mg/L | 0.006 | 0.010 | 0.011 | 0.012 | 0.014 | 0.008 | 0.011 | 0.008 | 0.005 | < 0.003 | < 0.003 | 0.007 | 0.014 | < 0.003 | 0.008 |
| | 全亜鉛 | mg/L | 0.002 | 0.001 | 0.003 | 0.001 | 0.001 | < 0.001 | < 0.001 | 0.002 | 0.001 | < 0.001 | 0.001 | 0.002 | 0.003 | < 0.001 | 0.001 |
| | 健康項目 | カドミウム | mg/L | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 |
| 全シアン | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 鉛 | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 六価クロム | | mg/L | < 0.02 | | | < 0.02 | | | < 0.02 | | | < 0.02 | | < 0.02 | < 0.02 | < 0.02 | |
| 砒素 | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 総水銀 | | mg/L | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | | < 0.0005 | | < 0.0005 | < 0.0005 | < 0.0005 | |
| アルキル水銀 | | mg/L | | | | | | | | | | | | | | | |
| PCB | | mg/L | | | | < 0.0005 | | | | | | | | | < 0.0005 | < 0.0005 | < 0.0005 |
| ジクロロメタン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 四塩化炭素 | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| 1,2-ジクロロエタン | | mg/L | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | | < 0.0004 | | < 0.0004 | < 0.0004 | < 0.0004 | |
| 1,1-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| シス-1,2-ジクロロエチレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| 1,1,1-トリクロロエタン | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | |
| 1,1,2-トリクロロエタン | | mg/L | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| トリクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| テトラクロロエチレン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| 1,3-ジクロロプロペン | | mg/L | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | | < 0.0002 | | < 0.0002 | < 0.0002 | < 0.0002 | |
| チオラム | | mg/L | | | | < 0.0006 | | | < 0.0006 | | | < 0.0006 | | < 0.0006 | < 0.0006 | < 0.0006 | |
| シマジン | | mg/L | | | | < 0.0003 | | | < 0.0003 | | | < 0.0003 | | < 0.0003 | < 0.0003 | < 0.0003 | |
| チオベンカルブ | | mg/L | | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| ベンゼン | | mg/L | < 0.001 | | | < 0.001 | | | < 0.001 | | | < 0.001 | | < 0.001 | < 0.001 | < 0.001 | |
| セレン | | mg/L | < 0.002 | | | < 0.002 | | | < 0.002 | | | < 0.002 | | < 0.002 | < 0.002 | < 0.002 | |
| NO3-N (硝酸態窒素) | | mg/L | 0.94 | 0.68 | 0.73 | 0.95 | 1.2 | 0.62 | 1.0 | 0.82 | 0.76 | 0.95 | 0.88 | 0.83 | 1.2 | 0.62 | 0.86 |
| NO2-N (亜硝酸態窒素) | | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.001 | 0.001 | < 0.001 | 0.001 |
| NO3-N+NO2-N | | mg/L | 0.94 | 0.68 | 0.73 | 0.95 | 1.2 | 0.62 | 1.0 | 0.82 | 0.76 | 0.95 | 0.88 | 0.83 | 1.2 | 0.62 | 0.86 |
| ふっ素 | | mg/L | | 0.16 | | | 0.14 | | | 0.12 | | | 0.14 | | 0.16 | 0.12 | 0.14 |
| ほう素 | | mg/L | < 0.1 | | | < 0.1 | | | < 0.1 | | | < 0.1 | | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 1,4-ジオキサン | | mg/L | < 0.005 | | | < 0.005 | | | < 0.005 | | | < 0.005 | | < 0.005 | < 0.005 | < 0.005 | |
| 要監視項目 | | 人の健康の保護関連 | | | | | | | | | | | | | | | |
| | p-ジクロロベンゼン | mg/L | < 0.02 | | | | | | | | | | | < 0.02 | < 0.02 | < 0.02 | |
| | アンチモン | mg/L | | | | | | | | | | | | | | | |
| | 塩化ビニルモノマー | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | エビクロヒドリリン | mg/L | | | | < 0.00004 | | | | | | | | < 0.00004 | < 0.00004 | < 0.00004 | |
| | 全マンガン | mg/L | | | | < 0.01 | | | | | | | | < 0.01 | < 0.01 | < 0.01 | |
| | ウラン | mg/L | | | | < 0.0002 | | | | | | | | < 0.0002 | < 0.0002 | < 0.0002 | |
| | クロホルム | mg/L | < 0.0006 | | | | | | | | | | | < 0.0006 | < 0.0006 | < 0.0006 | |
| | フェノール | mg/L | | | | < 0.001 | | | | | | | | < 0.001 | < 0.001 | < 0.001 | |
| | ホルムアルデヒド | mg/L | | | | < 0.1 | | | | | | | | < 0.1 | < 0.1 | < 0.1 | |
| その他項目 | NH4-N (アンモニウム態窒素) | mg/L | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | 0.01 | 0.01 | < 0.01 | < 0.01 | < 0.01 | |
| | org-N (有機態窒素) | mg/L | 0.05 | 0.10 | 0.09 | 0.14 | 0.09 | 0.06 | 0.19 | 0.17 | 0.23 | 0.14 | 0.08 | 0.11 | 0.23 | 0.05 | 0.12 |
| | PO4-P (りん酸態りん) | mg/L | < 0.003 | 0.003 | 0.004 | 0.006 | 0.006 | 0.003 | 0.007 | 0.005 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | 0.007 | < 0.003 | 0.004 |
| | 塩化物イオン | mg/L | 3.9 | 3.8 | 4.1 | 3.4 | 3.6 | 3.9 | 3.6 | 3.6 | 3.8 | 4.7 | 4.4 | 4.1 | 4.7 | 3.4 | 3.9 |
| | MBAS (陰イオン界面活性剤) | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 |
| | 糞便性大腸菌群数 | 個/100mL | | 38 | | | 90 | | | 50 | | | 48 | | 90 | 38 | 57 |
| | D-COD (溶存態化学的酸素要求量) | mg/L | | | | | | | | | | | | | | | |
| | D-TOC (溶存態全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| | P-TOC (粒子態全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| | TOC (全有機炭素) | mg/L | | | | | | | | | | | | | | | |
| | 油分 | mg/L | | | | | | | | | | | | | | | |
| | EC | μ S/cm | 62 | 77 | 90 | 82 | 77 | 81 | 78 | 58 | 58 | 64 | 57 | 60 | 90 | 57 | 70 |
| | 大腸菌数 | MPN/100mL | 48 | 44 | 38 | 64 | 90 | 41 | 64 | 42 | 20 | 14 | 22 | 16 | 90 | 14 | 42 |