



大津市





大津市消防局

自家用





大津市消防局

Radwin TURBO

Airbus

Hino
RR



大津市消防局

Radon TURBO

AIR SUS

RR

大津市消防局

同家用





大津市消防局

Rainbow

大津市



HINO

Rainbow

TOURING

大津市



危険物持ち込み禁止
（乗務員専用車両のため、乗客の乗降を目的として使用されず、乗客の乗降を目的として使用しないこと）
（乗客の乗降を目的として使用しないこと）
（乗客の乗降を目的として使用しないこと）
（乗客の乗降を目的として使用しないこと）







Control panel with four rotary switches and a green pencil resting on top.

- Top-left switch: 700V
- Top-right switch: ヒート
- Bottom-left switch: ヒート
- Bottom-right switch: ヒート

Control panel with two toggle switches and a grid of buttons.

- Left toggle switch: 換気扇 GMW
- Right toggle switch: 換気扇 GMW
- Buttons (all labeled OFF):
 - A 室内照明
 - B 室内照明
 - 2 室内照明
 - 3 室内照明
 - 4 室内照明
 - 5 室内照明
 - 6 室内照明
 - 7 室内照明
 - 8 室内照明
 - 9 室内照明
 - 10 室内照明
 - 11 室内照明
 - 12 室内照明
 - 13 室内照明
 - 14 室内照明
 - 15 室内照明
 - 16 室内照明
 - 17 室内照明
 - 18 室内照明
 - 19 室内照明
 - 20 室内照明
 - 21 室内照明
 - 22 室内照明
 - 23 室内照明
 - 24 室内照明
 - 25 室内照明
 - 26 室内照明
 - 27 室内照明
 - 28 室内照明
 - 29 室内照明
 - 30 室内照明
 - 31 室内照明
 - 32 室内照明
 - 33 室内照明
 - 34 室内照明
 - 35 室内照明
 - 36 室内照明
 - 37 室内照明
 - 38 室内照明
 - 39 室内照明
 - 40 室内照明
 - 41 室内照明
 - 42 室内照明
 - 43 室内照明
 - 44 室内照明
 - 45 室内照明
 - 46 室内照明
 - 47 室内照明
 - 48 室内照明
 - 49 室内照明
 - 50 室内照明
 - 51 室内照明
 - 52 室内照明
 - 53 室内照明
 - 54 室内照明
 - 55 室内照明
 - 56 室内照明
 - 57 室内照明
 - 58 室内照明
 - 59 室内照明
 - 60 室内照明
 - 61 室内照明
 - 62 室内照明
 - 63 室内照明
 - 64 室内照明
 - 65 室内照明
 - 66 室内照明
 - 67 室内照明
 - 68 室内照明
 - 69 室内照明
 - 70 室内照明
 - 71 室内照明
 - 72 室内照明
 - 73 室内照明
 - 74 室内照明
 - 75 室内照明
 - 76 室内照明
 - 77 室内照明
 - 78 室内照明
 - 79 室内照明
 - 80 室内照明
 - 81 室内照明
 - 82 室内照明
 - 83 室内照明
 - 84 室内照明
 - 85 室内照明
 - 86 室内照明
 - 87 室内照明
 - 88 室内照明
 - 89 室内照明
 - 90 室内照明
 - 91 室内照明
 - 92 室内照明
 - 93 室内照明
 - 94 室内照明
 - 95 室内照明
 - 96 室内照明
 - 97 室内照明
 - 98 室内照明
 - 99 室内照明
 - 100 室内照明

AIR CONDITIONER control panel.

- Buttons: AUTO, LO, OFF, ON, Fan, Defrost, Recirculate, Max Cool, Max Heat, Max Wind, Max Quiet, Max Power, Max Comfort, Max Economy, Max Silence, Max Fresh Air, Max Clean Air, Max Pure Air, Max Soft Air, Max Warm Air, Max Cold Air, Max Dry Air, Max Humid Air, Max Ionized Air, Max Negative Air, Max Positive Air, Max Oxygen Air, Max Nitrogen Air, Max Argon Air, Max Helium Air, Max Neon Air, Max Krypton Air, Max Xenon Air, Max Fluorine Air, Max Chlorine Air, Max Bromine Air, Max Iodine Air, Max Sulfur Air, Max Phosphorus Air, Max Silicon Air, Max Boron Air, Max Carbon Air, Max Nitrogen Air, Max Oxygen Air, Max Hydrogen Air, Max Helium Air, Max Neon Air, Max Argon Air, Max Krypton Air, Max Xenon Air, Max Fluorine Air, Max Chlorine Air, Max Bromine Air, Max Iodine Air, Max Sulfur Air, Max Phosphorus Air, Max Silicon Air, Max Boron Air, Max Carbon Air, Max Nitrogen Air, Max Oxygen Air, Max Hydrogen Air.
- Temperature gauge: 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100.



換気扇
GMW

A 室内照明灯
OFF

B 室内照明灯
OFF

室内照明灯
OFF

スリッパ灯
OFF

読書灯
OFF

室内照明灯
OFF

読書灯
OFF

読書灯
OFF

読書灯
OFF

AIR CONDITIONER

24.0
22.0
20.0
26.0
28.0
30.0

TEMP

AUTO
LO

10A

NIPPONDENSO CO. LTD.

Hino

PRE HEATER
DNL-114

DENSO

着火不良
過熱
異常

予熱機
ポンプ
切
運転

車内・外を清掃して返







































