

令和5年度県河川の水質調査結果 滝川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値	
		採取年	0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305				
		採水月日																
		採水時刻	開始時									0905	0839	0753				
		天候	晴	晴	曇	晴	晴	晴	晴	曇	曇	晴	晴	雨				
		採水位置	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心				
一般項目	気温	℃	9.7	18.1	18.9	25.1	30.4	29.7	20.2	9.6	5.8	1.8	2.7	5.5	30.4	1.8	14.8	
	水温	℃	9.6	14.6	15.3	19.2	23.1	22.8	17.1	8.0	7.1	6.1	4.2	6.2	23.1	4.2	12.8	
	流量	m ³ /s	0.108	0.091	0.346	0.149	0.005	0.020	0.033	0.020	0.015	0.027	0.054	0.303	0.346	0.005	0.098	
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	
生活環境項目	pH	(水素イオン濃度)	7.9	7.8	7.3	7.5	7.4	7.9	7.2	7.0	7.3	7.9	7.6	7.5	7.9	7.0	7.5	
	DO	(溶存酸素)	mg/L	11	10	9.5	9.0	8.8	8.6	9.0	10	11	12	11	12	8.6	10	
	BOD	(生物化学的酸素要求量)	mg/L	0.8	< 0.5	< 0.5	0.7	0.8	0.6	0.8	0.7	0.8	< 0.5	0.6	< 0.5	0.8	< 0.5	0.7
	COD	(化学的酸素要求量)	mg/L	1.4	1.2	1.4	1.9	1.5	1.5	1.4	1.4	1.3	1.4	1.4	1.1	1.9	1.1	1.4
	SS	(浮遊物質)	mg/L	2	< 1	3	3	< 1	< 1	< 1	< 1	< 1	< 1	2	3	< 1	2	
	大腸菌数	CFU/100mL	28	10	28	98	72	66	84	54	58	26	18	26	98	10	47	
	T-N	(全窒素)	mg/L	0.40	0.41	0.48	0.45	0.39	0.43	0.70	0.41	0.47	0.54	0.51	0.56	0.70	0.39	0.48
	T-P	(全りん)	mg/L	0.003	0.003	< 0.003	0.004	0.003	0.004	< 0.003	< 0.003	< 0.003	< 0.003	0.004	0.004	< 0.003	0.003	
	全亜鉛	mg/L					0.002						< 0.001		0.002	< 0.001	0.002	
	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006	
	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006	
	健康項目	外ミナム	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
全シアン		mg/L					< 0.1								< 0.1	< 0.1	< 0.1	
鉛		mg/L					< 0.005								< 0.005	< 0.005	< 0.005	
六価クロム		mg/L					< 0.01								< 0.01	< 0.01	< 0.01	
砒素		mg/L					< 0.005								< 0.005	< 0.005	< 0.005	
総水銀		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005	
アルキル水銀		mg/L																
PCB		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005	
ジクロロメタン		mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002	
四塩化炭素		mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002	
1,2-ジクロロエタン		mg/L					< 0.0004					< 0.0004			< 0.0004	< 0.0004	< 0.0004	
1,1-ジクロロエチレン		mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002	
シス-1,2-ジクロロエチレン		mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002	
1,1,1-トリクロロエタン		mg/L					< 0.1					< 0.1			< 0.1	< 0.1	< 0.1	
1,1,2-トリクロロエタン		mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006	
トリクロロエチレン		mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001	
テトラクロロエチレン		mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001	
1,3-ジクロロプロペン		mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002	
チラウム		mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006	
シマジン		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003	
チオベンカルブ		mg/L					< 0.002								< 0.002	< 0.002	< 0.002	
ベンゼン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001	
セレン		mg/L					< 0.002								< 0.002	< 0.002	< 0.002	
NO3-N		(硝酸態窒素)	mg/L	0.33	0.31	0.34	0.32	0.33	0.35	0.38	0.34	0.29	0.39	0.43	0.41	0.43	0.29	0.35
NO2-N		(亜硝酸態窒素)	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	0.001	0.001	0.002	< 0.001	< 0.001	< 0.001	< 0.001	0.002	< 0.001	0.001	
NO3-N+NO2-N		mg/L	0.33	0.31	0.34	0.32	0.33	0.35	0.38	0.34	0.29	0.39	0.43	0.41	0.43	0.29	0.35	
ふっ素		mg/L	0.57	0.52	0.49	0.56	0.73	0.78	0.81	0.81	0.82	0.77	0.60	0.55	0.82	0.49	0.67	
ほう素		mg/L					< 0.1								< 0.1	< 0.1	< 0.1	
1,4-シオキサン	mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005		
要監視項目	人の健康の 保護関連の 物質	p-ジクロロベンゼン	mg/L				< 0.02						< 0.02		< 0.02	< 0.02	< 0.02	
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
		クロロホルム	mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006
	水生生物の 保全関連の 物質	フェノール	mg/L				< 0.001								< 0.001	< 0.001	< 0.001	
	ホルムアルデヒド	mg/L					< 0.1							< 0.1	< 0.1	< 0.1		
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.01	< 0.01	< 0.01	0.01	< 0.01	0.01	
	org-N	(有機態窒素)	mg/L															
	溶解性オルトリン酸態りん	mg/L																
	塩化物イオン	mg/L																
	D-COD	(溶存態化学的酸素要求量)	mg/L															
	D-TOC	(溶存態全有機炭素)	mg/L															
	p-TOC	(粒子態全有機炭素)	mg/L															
	TOC	(全有機炭素)	mg/L	0.5	0.6	0.5	0.6	0.7	0.6	0.5	0.8	0.5	0.4	0.5	0.5	0.8	0.4	0.6
	油分	mg/L																
	EC	μ S/cm	46	45	42	53	62	62	65	58	73	49	40	53	73	40	54	

令和5年度県河川の水質調査結果 比良川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値		
		採取年		2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024					
		採水月日		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305				
		採水時刻	開始時	0846	0929	0846	0851	0847	0859	0843	0844	0844	0926	0857	0805				
		天候		晴	晴	曇	晴	晴	晴	晴	曇	曇	晴	晴	雨				
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心				
一般項目	気温	℃		8.8	18.0	18.8	25.9	30.5	30.0	20.7	9.7	6.1	1.9	3.0	5.6	30.5	1.9	14.9	
	水温	℃		9.4	15.7	13.9	20.2	23.4	21.3	16.3	9.5	8.0	5.8	4.1	6.5	23.4	4.1	12.8	
	流量	m ³ /s		0.011	0.133	0.112	0.014	0.078	0.138	0.143	0.050	0.102	0.042	0.072	0.200	0.200	0.011	0.091	
	透明度	cm	>	50	>	50	>	50	>	50	>	50	>	50	>	50	>	50	>
生活環境項目	pH	(水素イオン濃度)		7.6	7.7	7.4	7.5	7.0	7.7	7.4	7.1	7.4	7.5	7.5	7.4	7.7	7.0	7.4	
	DO	(溶存酸素)	mg/L	11	10	9.2	8.6	8.5	8.3	9.0	11	12	12	12	12	12	12	8.3	10
	BOD	(生物化学的酸素要求量)	mg/L	0.9	0.7	0.7	0.6	0.6	0.8	0.6	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.9	0.5	0.6	
	COD	(化学的酸素要求量)	mg/L	1.3	1.1	1.2	1.1	1.0	1.0	1.0	1.0	1.1	0.9	0.9	0.9	1.3	0.9	1.0	
	SS	(浮遊物質)	mg/L	< 1	< 1	2	1	2	2	1	< 1	< 1	< 1	< 1	< 1	2	< 1	1	
	大腸菌数	CFU/100mL		88	92	72	44	120	42	120	10	26	22	12	40	120	10	57	
	T-N	(全窒素)	mg/L	0.54	0.54	0.49	0.51	0.45	0.53	0.53	0.51	0.50	0.60	0.71	0.71	0.71	0.45	0.55	
	T-P	(全りん)	mg/L	0.005	0.005	0.004	0.007	0.003	0.010	0.013	0.010	< 0.003	< 0.003	0.004	0.004	0.013	< 0.003	0.006	
	全亜鉛	mg/L						< 0.001						0.001		0.001	< 0.001	0.001	
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006	
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006	
	カシウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003	
健康項目	全シアン	mg/L					< 0.1								< 0.1	< 0.1	< 0.1		
	鉛	mg/L					< 0.005								< 0.005	< 0.005	< 0.005		
	六価クロム	mg/L					< 0.01								< 0.01	< 0.01	< 0.01		
	砒素	mg/L					< 0.005								< 0.005	< 0.005	< 0.005		
	総水銀	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005		
	アルキル水銀	mg/L																	
	PCB	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005		
	ジクロロメタン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	四塩化炭素	mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002		
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004		
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1		
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006		
	トリクロロエチレン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	テトラクロロエチレン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002		
	チラウム	mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006		
	シマジン	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003		
	チオベンカルブ	mg/L					< 0.002								< 0.002	< 0.002	< 0.002		
	ベンゼン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	セレン	mg/L					< 0.002								< 0.002	< 0.002	< 0.002		
	NO3-N	(硝酸態窒素)	mg/L	0.46	0.43	0.43	0.37	0.39	0.43	0.42	0.45	0.35	0.53	0.60	0.60	0.60	0.35	0.46	
	NO2-N	(亜硝酸態窒素)	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.001	
	NO3-N+NO2-N	mg/L	0.46	0.43	0.43	0.37	0.39	0.43	0.42	0.45	0.35	0.53	0.60	0.60	0.60	0.60	0.35	0.46	
	ふっ素	mg/L	0.75	0.68	0.64	0.67	0.77	0.79	0.79	0.84	0.85	0.87	0.81	0.80	0.87	0.64	0.64	0.77	
	ほう素	mg/L					< 0.1								< 0.1	< 0.1	< 0.1	< 0.1	
1,4-ジオキサン	mg/L					< 0.005							< 0.005		< 0.005	< 0.005	< 0.005		
要監視項目	人の健康の 保護関連の 物質	p-ジクロロベンゼン	mg/L				< 0.02						< 0.02		< 0.02	< 0.02	< 0.02		
		PFOS	ng/L																
		PFOA	ng/L																
		PFOS+PFOA	ng/L																
		クロロホルム	mg/L				< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006		
	水生生物の 関連物質	フェノール	mg/L				< 0.001								< 0.001	< 0.001	< 0.001		
ホルムアルデヒド	mg/L					< 0.1								< 0.1	< 0.1	< 0.1			
その他項目	NH4-N		(アンモニウム態窒素)	mg/L	< 0.01	0.01	< 0.01	< 0.01	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
	org-N		(有機態窒素)	mg/L															
	溶解性オルトりん酸態りん		mg/L																
	塩化物イオン		mg/L																
	D-COD		(溶存態化学的酸素要求量)	mg/L															
	D-TOC		(溶存態全有機炭素)	mg/L															
	p-TOC		(粒子態全有機炭素)	mg/L															
	TOC		(全有機炭素)	mg/L	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.2	0.2	0.3	0.4	0.2	0.3
	油分		mg/L																
	EC		μ S/cm	49	49	47	56	59	57	57	25	64	65	63	59	65	25	54	

令和5年度県河川の水質調査結果 八屋戸川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値	
			0413	0517	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305							
		開始時	0906	0957	0902	0911	0904	0917	0900	0901	0902	0943	0917	0825							
		天候	晴	晴	曇	晴	晴	晴	晴	曇	曇	晴	晴	雨							
		採水位置	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心							
一般項目	気温	℃	10.1	19.5	18.9	26.2	30.7	30.2	20.9	10.2	7.2	2.8	4.0	5.6				30.7	2.8	15.5	
	水温	℃	10.0	14.2	15.9	19.8	20.6	20.5	18.2	10.5	9.6	6.6	6.1	8.0				20.6	6.1	13.3	
	流量	m ³ /s	0.097	0.094	0.353	0.036	0.033	0.059	0.037	0.026	0.007	0.015	0.112	0.105				0.353	0.007	0.081	
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	
生活環境項目	pH	(水素イオン濃度)	7.5	7.5	7.0	7.2	7.1	7.5	7.1	7.6	7.3	7.9	7.5	7.2				7.9	7.0	7.4	
	DO	(溶存酸素)	mg/L	11	9.9	8.8	8.3	8.5	8.6	8.8	10	11	12	11				12	8.3	10.0	
	BOD	(生物化学的酸素要求量)	mg/L	0.8	1.0	0.6	< 0.5	0.7	0.9	< 0.5	0.7	0.7	< 0.5	0.6	0.6			1.0	< 0.5	0.7	
	COD	(化学的酸素要求量)	mg/L	1.3	1.5	1.2	1.2	1.0	1.2	1.3	1.2	1.0	1.4	1.2	1.3			1.5	1.0	1.2	
	SS	(浮遊物質)	mg/L	2	2	2	2	2	2	2	< 1	< 1	< 1	1	2			2	< 1	2	
	大腸菌数		CFU/100mL	34	80	140	18	110	90	100	100	94	74	18	22			140	18	73	
	T-N	(全窒素)	mg/L	0.62	0.62	0.73	0.49	0.63	0.43	0.62	0.54	0.43	0.54	0.89				0.89	0.43	0.59	
	T-P	(全りん)	mg/L	0.024	0.038	0.027	0.030	0.040	0.038	0.028	0.030	0.025	0.017	0.017	0.023			0.040	0.017	0.028	
	全亜鉛		mg/L					0.001						0.001				0.001	0.001	0.001	
	ノニルフェノール		mg/L					< 0.00006						< 0.00006				< 0.00006	< 0.00006	< 0.00006	
健康項目	LAS		mg/L				< 0.0006						< 0.0006					< 0.0006	< 0.0006	< 0.0006	
	カシム		mg/L				< 0.0003											< 0.0003	< 0.0003	< 0.0003	
	全シアン		mg/L				< 0.1											< 0.1	< 0.1	< 0.1	
	鉛		mg/L				< 0.005											< 0.005	< 0.005	< 0.005	
	六価クロム		mg/L				< 0.01											< 0.01	< 0.01	< 0.01	
	砒素		mg/L				< 0.005											< 0.005	< 0.005	< 0.005	
	総水銀		mg/L				< 0.0005											< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀		mg/L																		
	PCB		mg/L				< 0.0005											< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン		mg/L				< 0.002						< 0.002					< 0.002	< 0.002	< 0.002	
	四塩化炭素		mg/L				< 0.0002						< 0.0002					< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン		mg/L				< 0.0004						< 0.0004					< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン		mg/L				< 0.002						< 0.002					< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン		mg/L				< 0.002						< 0.002					< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン		mg/L				< 0.1						< 0.1					< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン		mg/L				< 0.0006						< 0.0006					< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン		mg/L				< 0.001						< 0.001					< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン		mg/L				< 0.001						< 0.001					< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン		mg/L				< 0.0002						< 0.0002					< 0.0002	< 0.0002	< 0.0002	
	チラウム		mg/L				< 0.0006											< 0.0006	< 0.0006	< 0.0006	
	シマジン		mg/L				< 0.0003											< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ		mg/L				< 0.002											< 0.002	< 0.002	< 0.002	
	ベンゼン		mg/L				< 0.001						< 0.001					< 0.001	< 0.001	< 0.001	
	セレン		mg/L				< 0.002											< 0.002	< 0.002	< 0.002	
	要監視項目	人の健康の 保護関連の 物質	NO3-N	(硝酸態窒素)	mg/L	0.51	0.54	0.64	0.32	0.43	0.26	0.24	0.28	0.19	0.44	0.45	0.65		0.65	0.19	0.41
			NO2-N	(亜硝酸態窒素)	mg/L	0.001	< 0.001	< 0.001	< 0.001	0.001	0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.001			0.001	< 0.001	0.001
			NO3-N+NO2-N		mg/L	0.51	0.54	0.64	0.32	0.43	0.26	0.24	0.28	0.19	0.44	0.45	0.65		0.65	0.19	0.41
			ふっ素		mg/L	0.13	0.12	0.11	0.13	0.15	0.17	0.20	0.22	0.22	0.19	0.18	0.15		0.22	0.11	0.16
			ほう素		mg/L					< 0.1									< 0.1	< 0.1	< 0.1
		水 生 関 連 生 物 体	1,4-シオキサン		mg/L					< 0.005					< 0.005				< 0.005	< 0.005	< 0.005
			p-ジクロロベンゼン		mg/L					< 0.02					< 0.02				< 0.02	< 0.02	< 0.02
PFOS				ng/L																	
PFOA				ng/L																	
PFOS+PFOA				ng/L																	
クロロホルム				mg/L					< 0.0006					< 0.0006				< 0.0006	< 0.0006	< 0.0006	
その他項目		フェノール		mg/L				< 0.001										< 0.001	< 0.001	< 0.001	
		ホルムアルデヒド		mg/L					< 0.1									< 0.1	< 0.1	< 0.1	
		NH4-N	(アンモニウム態窒素)	mg/L	0.01	0.02	< 0.01	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.02		0.02	< 0.01	0.01		
		org-N	(有機態窒素)	mg/L																	
		溶解性オルトリン酸態りん		mg/L																	
		塩化物イオン		mg/L																	
		D-COD	(溶存態化学的酸素要求量)	mg/L																	
		D-TOC	(溶存態全有機炭素)	mg/L																	
		p-TOC	(粒子態全有機炭素)	mg/L																	
		TOC	(全有機炭素)	mg/L	0.3	0.5	0.3	0.4	0.3	0.6	0.3	0.4	0.4	0.4	0.3	0.4		0.6	0.3	0.4	
		油分		mg/L																	
EC		μ S/cm	60	64	58	70	82	71	69	40	77	56	47	66		82	40	63			

令和5年度県河川の水質調査結果 天川

		2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
一般項目	採取年		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305			
	採水月日																
	採水時刻	開始時	0913	1014	0914	0919	0926	0927	0908	0911	0910	0951	0928	0835			
	天候		晴	晴	曇	晴	晴	晴	曇	曇	曇	晴	晴	雨			
	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
	気温	℃	10.6	20.1	19.5	26.6	31.5	29.8	20.7	10.3	7.2	2.9	4.4	5.6	31.5	2.9	15.8
生活環境項目	水温	℃	11.0	14.6	15.9	21.3	25.2	24.9	18.7	10.8	8.6	5.0	5.6	7.0	25.2	5.0	14.1
	流量	m ³ /s	0.058	0.105	0.152	0.020	0.008	0.069	0.057	0.034	0.052	0.026	0.122	0.071	0.152	0.008	0.065
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
	pH	(水素イオン濃度)	7.5	7.5	7.2	7.3	7.0	7.4	7.1	7.1	7.2	7.8	7.5	7.2	7.8	7.0	7.3
	DO	(溶存酸素)	mg/L	11.0	9.2	8.6	8.5	8.9	8.5	8.9	9.4	10	12	12	11	12	8.5
	BOD	(生物化学的酸素要求量)	mg/L	0.7	0.8	0.8	0.9	0.7	0.6	0.8	0.7	0.8	0.9	0.6	0.7	0.9	0.6
健康項目	COD	(化学的酸素要求量)	mg/L	2.6	2.5	2.7	3.7	3.2	3.1	2.3	2.3	1.8	2.7	2.1	1.8	3.7	1.8
	SS	(浮遊物質)	mg/L	8	6	5	3	6	6	2	3	3	4	3	3	8	2
	大腸菌数	CFU/100ml	84	48	150	160	100	68	82	84	34	28	24	82	160	24	79
	T-N	(全窒素)	mg/L	0.35	0.34	0.38	0.30	0.36	0.35	0.41	0.37	0.48	0.40	0.41	0.54	0.54	0.30
	T-P	(全りん)	mg/L	0.041	0.028	0.019	0.046	0.027	0.021	0.017	0.050	0.043	0.010	0.010	0.013	0.050	0.010
	全亜鉛	mg/L					0.001						0.003		0.003	0.001	0.002
健康項目	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カシム	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L					< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L															
	PCB	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L					< 0.0004					< 0.0004			< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L					< 0.1					< 0.1			< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001
	セレン	mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.19	0.18	0.15	0.17	0.07	0.08	0.10	0.19	0.09	0.22	0.24	0.29	0.29	0.07
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.002	< 0.001	0.003	< 0.001	0.002	0.001	0.001	< 0.001	< 0.001	0.001	0.003	< 0.001	0.001
	NO3-N+NO2-N	mg/L		0.19	0.18	0.15	0.17	0.07	0.08	0.10	0.19	0.09	0.22	0.24	0.29	0.29	0.07
	ふっ素	mg/L	< 0.08	< 0.08	< 0.08	< 0.08	0.12	< 0.08	0.08	0.08	0.09	< 0.08	< 0.08	< 0.08	0.12	< 0.08	0.08
	ほう素	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジオキサン	mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 監視関連 項目	p-シクロベンゼン	mg/L				< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L														
		PFOA	ng/L														
		PFOS+PFOA	ng/L														
		クロロホルム	mg/L				< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006
	水生生物の 監視関連 項目	フェノール	mg/L				< 0.001								< 0.001	< 0.001	< 0.001
その他項目		ホルムアルデヒド	mg/L				< 0.1								< 0.1	< 0.1	< 0.1
		NH4-N	(アンモニウム態窒素)	mg/L	0.01	0.03	< 0.01	0.05	0.01	0.01	0.02	< 0.01	< 0.01	< 0.01	0.05	< 0.01	0.02
		org-N	(有機態窒素)	mg/L													
		溶解性オルトリン酸態りん	mg/L														
		塩化物イオン	mg/L														
		D-COD	(溶存態化学的酸素要求量)	mg/L													
		D-TOC	(溶存態全有機炭素)	mg/L													
		p-TOC	(粒子態全有機炭素)	mg/L													
		TOC	(全有機炭素)	mg/L	0.8	0.9	0.9	1.2	1.2	1.3	0.8	0.8	0.7	0.8	0.6	1.3	0.6
		油分	mg/L														
		EC	μ S/cm	51	57	47	92	99	68	72	70	75	54	66	63	99	47

令和5年度県河川の水質調査結果 喜撰川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024			
一般項目	採取年		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305			
	採水月日		0922	1025	0924	0930	0941	0939	0928	0917	0919	0958	0937	0845			
	採水時刻	開始時															
	天候		晴	晴	曇	晴	晴	晴	曇	曇	曇	晴	晴	雨			
	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
	気温	℃	11.2	10.0	19.2	26.7	32.3	29.8	21.2	11.0	8.4	3.0	4.3	5.6	32.3	3.0	15.2
生活環境項目	水温	℃	11.3	14.1	15.9	22.0	25.8	25.5	17.4	10.8	7.1	4.2	4.7	6.8	25.8	4.2	13.8
	流量	m ³ /s	0.179	0.123	0.774	0.075	0.059	0.162	0.077	0.073	0.063	0.077	0.122	0.149	0.774	0.059	0.161
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
	pH	(水素イオン濃度)	7.4	7.5	7.4	7.7	7.6	7.2	7.1	7.1	7.4	7.4	7.2	7.4	7.7	7.1	7.4
	DO	(溶存酸素)	mg/L	11	9.4	9.1	8.3	8.0	8.4	8.6	9.5	10	12	12	11	12	8.0
	BOD	(生物化学的酸素要求量)	mg/L	0.8	1.0	1.0	0.9	1.0	0.7	0.8	0.8	0.9	1.1	1.0	0.8	1.1	0.9
健康項目	COD	(化学的酸素要求量)	mg/L	2.6	2.6	2.9	3.3	3.0	2.3	2.6	2.7	2.0	2.9	2.4	2.0	3.3	2.0
	SS	(浮遊物質)	mg/L	8	2	3	4	6	3	2	5	1	3	3	3	8	1
	大腸菌数	CFU/100ml	100	120	120	150	320	660	290	300	160	50	46	44	660	44	197
	T-N	(全窒素)	mg/L	0.92	0.86	0.91	1.3	0.74	0.68	0.91	0.89	1.1	1.3	0.92	1.1	1.3	0.68
	T-P	(全りん)	mg/L	0.049	0.037	0.032	0.078	0.054	0.044	0.044	0.077	0.056	0.048	0.079	0.047	0.079	0.032
	全亜鉛	mg/L					0.002						0.002		0.002	0.002	0.002
	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カシム	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L					< 0.01								< 0.01	< 0.01	< 0.01
要監視項目	砒素	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L															
	PCB	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L					< 0.0004					< 0.0004			< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L					< 0.1					< 0.1			< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001
	セレン	mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.43	0.43	0.43	0.53	0.52	0.46	0.54	0.49	0.40	0.63	0.54	0.62	0.63	0.40
	NO2-N	(亜硝酸態窒素)	mg/L	0.012	0.016	0.013	0.038	0.016	0.013	0.023	0.021	0.012	0.010	0.007	0.012	0.038	0.007
	NO3-N+NO2-N	mg/L	0.44	0.45	0.44	0.57	0.54	0.47	0.56	0.51	0.41	0.64	0.55	0.63	0.64	0.41	0.52
	ふっ素	mg/L	0.15	0.14	0.11	0.17	0.27	0.18	0.25	0.27	0.29	0.22	0.18	0.16	0.29	0.11	0.20
	ほう素	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
その他項目	p-シクロロベンゼン	mg/L					< 0.02					< 0.02			< 0.02	< 0.02	< 0.02
	PFOS	ng/L					8								8		
	PFOA	ng/L					12								12		
	PFOS+PFOA	ng/L					20								20		
	クロホルム	mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006
	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
その他項目	ホルムアルデ'ヒド	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	NH4-N	(アンモニウム態窒素)	mg/L	0.20	0.15	0.16	0.08	0.03	0.03	0.10	0.12	0.05	0.21	0.14	0.20	0.21	0.03
	org-N	(有機態窒素)	mg/L														
	溶解性オル'ト'リン酸態りん	mg/L															
	塩化物イオン	mg/L															
	D-COD	(溶存態化学的酸素要求量)	mg/L														
	D-TOC	(溶存態全有機炭素)	mg/L														
	p-TOC	(粒子態全有機炭素)	mg/L														
	TOC	(全有機炭素)	mg/L	1.1	1.1	1.2	1.6	1.3	1.5	1.1	1.1	0.9	1.2	0.9	1.0	1.6	0.9
	油分	mg/L															
	EC	μ S/cm	160	200	280	330	240	210	210	150	150	240	140	200	330	140	209

令和5年度県河川の水質調査結果 真野川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024			
一般項目	採取年		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305						
	採水月日		0947	1108	0958	1003	1021	1006	0950	0945	0951	1021	1006	0905						
	採水時刻	開始時																		
	天候		晴	晴	曇	晴	晴	晴	晴	曇	曇	晴	晴	雨						
	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心						
	気温	℃	10.8	21.1	19.5	27.1	32.9	31.4	21.9	10.5	6.8	5.9	5.1	5.7				32.9	5.1	16.6
生活環境項目	水温	℃	12.5	13.8	17.9	23.2	26.8	26.1	18.7	11.2	7.7	5.8	6.0	7.8				26.8	5.8	14.8
	流量	m ³ /s	0.243	0.546	1.292	0.516	0.178	0.334	0.163	0.193	0.141	0.226	0.205	0.610				1.292	0.141	0.387
	透明度	cm	> 50	> 46	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	50	46	50
	pH	(水素イオン濃度)	7.6	7.7	7.6	7.8	7.7	7.9	7.1	7.5	7.3	7.7	7.2	7.7				7.9	7.1	7.6
	DO	(溶存酸素)	mg/L	11	9.6	8.8	8.5	8.3	8.4	9.0	10	10	11	11				11	8.3	9.7
	BOD	(生物化学的酸素要求量)	mg/L	1.0	1.2	1.1	0.9	1.0	0.8	0.7	0.8	0.9	1.1	0.9	0.8			1.2	0.7	0.9
健康項目	COD	(化学的酸素要求量)	mg/L	3.6	3.0	3.3	3.3	3.0	2.9	2.7	2.2	3.2	2.7	2.4				3.6	2.2	2.9
	SS	(浮遊物質)	mg/L	7	8	6	4	4	2	2	4	6	2	7	3			8	2	5
	大腸菌数	CFU/100ml	82	42	170	190	42	180	100	120	66	56	22	28				190	22	92
	T-N	(全窒素)	mg/L	0.63	0.88	0.92	0.71	0.63	0.79	0.62	0.71	0.50	0.64	0.69	0.78			0.92	0.50	0.71
	T-P	(全りん)	mg/L	0.050	0.078	0.051	0.059	0.064	0.069	0.082	0.071	0.061	0.056	0.056	0.047			0.082	0.047	0.062
	全亜鉛	mg/L					0.007						0.003					0.007	0.003	0.005
健康項目	ノニルフェノール	mg/L					< 0.00006						< 0.00006				< 0.00006	< 0.00006	< 0.00006	
	LAS	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	カシム	mg/L					< 0.0003										< 0.0003	< 0.0003	< 0.0003	
	全シアン	mg/L					< 0.1										< 0.1	< 0.1	< 0.1	
	鉛	mg/L					< 0.005										< 0.005	< 0.005	< 0.005	
	六価クロム	mg/L					< 0.01										< 0.01	< 0.01	< 0.01	
	砒素	mg/L					< 0.005										< 0.005	< 0.005	< 0.005	
	総水銀	mg/L					< 0.0005										< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀	mg/L																		
	PCB	mg/L					< 0.0005										< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	四塩化炭素	mg/L					< 0.0002						< 0.0002				< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004				< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1				< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002				< 0.0002	< 0.0002	< 0.0002	
	チラウム	mg/L					< 0.0006										< 0.0006	< 0.0006	< 0.0006	
	シマジン	mg/L					< 0.0003										< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ	mg/L					< 0.002										< 0.002	< 0.002	< 0.002	
	ベンゼン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	セレン	mg/L					< 0.002										< 0.002	< 0.002	< 0.002	
	NO3-N	(硝酸態窒素)	mg/L	0.33	0.33	0.34	0.26	0.12	0.23	0.29	0.28	0.20	0.40	0.41	0.55		0.55	0.12	0.31	
	NO2-N	(亜硝酸態窒素)	mg/L	0.007	0.006	0.004	0.003	0.003	0.005	0.011	0.007	0.007	0.005	0.009	0.010		0.011	0.003	0.006	
	NO3-N+NO2-N	mg/L	0.34	0.34	0.34	0.26	0.12	0.24	0.30	0.29	0.21	0.41	0.42	0.56		0.56	0.12	0.32		
	ふっ素	mg/L	0.09	0.09	< 0.08	0.08	0.17	0.11	0.12	0.10	0.12	0.08	0.09	< 0.08		0.17	< 0.08	0.10		
	ほう素	mg/L					< 0.1										< 0.1	< 0.1	< 0.1	
	1,4-ジ'オキサン	mg/L					< 0.005										< 0.005	< 0.005	< 0.005	
要監視項目	人の健康への 影響の懸念	p-シクロベンゼン	mg/L					< 0.02					< 0.02				< 0.02	< 0.02	< 0.02	
		PFOS	ng/L					2										2		
		PFOA	ng/L					8										8		
		PFOS+PFOA	ng/L					10										10		
		クロホルム	mg/L					< 0.0006					< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	水生生物指標	フェノール	mg/L					< 0.001									< 0.001	< 0.001	< 0.001	
その他項目		ホルムアルデヒド	mg/L					< 0.1									< 0.1	< 0.1	< 0.1	
		NH4-N	(アンモニウム態窒素)	mg/L	0.06	0.04	0.03	0.03	0.06	0.03	0.06	0.04	0.03	0.06	0.06	0.08		0.08	0.03	0.05
		org-N	(有機態窒素)	mg/L																
		溶解性有機物	mg/L																	
		塩化物イオン	mg/L																	
		D-COD	(過酸化水素の酸素要求量)	mg/L																
		D-TOC	(溶存態全有機炭素)	mg/L																
		p-TOC	(粒子態全有機炭素)	mg/L																
		TOC	(全有機炭素)	mg/L	1.6	1.7	1.6	1.8	1.8	1.5	1.1	1.2	1.0	1.4	1.0	1.1		1.8	1.0	1.4
		油分	mg/L																	
		EC	μ S/cm	120	110	100	130	170	130	130	80	150	130	120	160		170	80	128	

令和5年度県河川の水質調査結果 雄琴川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値					
		採取年		2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024							
		採水月日		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305							
		採水時刻	開始時	1035	1144	1026	1038	1055	1046	1004	1015	1016	1045	1034	0928							
		天候		晴	晴	曇	晴	晴	晴	晴	曇	曇	晴	晴	雨							
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心							
一般項目	気温	℃		13.1	22.9	21.4	28.0	33.2	30.1	21.8	10.8	6.7	6.1	5.6	5.7	33.2	5.6	17.1				
	水温	℃		12.8	16.0	18.0	25.2	30.1	29.4	21.5	10.5	8.2	4.6	6.3	7.4	30.1	4.6	15.8				
	流量	m ³ /s		0.001	0.013	0.028	0.002	0.012	0.004	0.012	0.053	0.038	0.024	0.007	0.077	0.077	0.001	0.023				
	透明度	cm	>	50	>	50	>	50	>	50	>	50	>	50	>	50	>	50	>			
	pH	(水素イオン濃度)		7.0	7.7	7.4	7.3	7.5	7.4	7.0	7.0	7.6	7.2	6.8	7.5	7.7	6.8	7.3				
生活環境項目	DO	(溶存酸素)	mg/L	10	9.2	8.6	8.2	8.0	7.8	8.6	10	11	11	11	11	11	7.8	9.5				
	BOD	(生物化学的酸素要求量)	mg/L	0.7	0.7	0.9	0.6	0.7	1.1	0.8	0.9	0.6	0.9	1.0	0.9	1.1	0.6	0.8				
	COD	(化学的酸素要求量)	mg/L	2.6	2.9	2.6	2.8	3.0	3.4	3.5	2.6	2.0	3.0	3.1	3.0	3.5	2.0	2.9				
	SS	(浮遊物質)	mg/L	10	5	3	4	3	10	2	<	1	<	1	2	7	10	1	4			
	大腸菌数	CFU/100mL		16	66	180	120	170	70	66	70	22	52	42	20	180	16	75				
	T-N	(全窒素)	mg/L	0.67	0.90	0.80	0.42	0.34	0.68	0.58	0.81	0.43	0.76	0.55	0.86	0.90	0.34	0.65				
	T-P	(全りん)	mg/L	0.040	0.047	0.035	0.046	0.038	0.061	0.045	0.027	0.016	0.029	0.024	0.046	0.061	0.016	0.038				
	全亜鉛	mg/L						0.002						0.004		0.004	0.002	0.003				
	ノニルフェノール	mg/L						<	0.00006					<	0.00006	<	0.00006	<	0.00006			
	LAS	mg/L						<	0.0006					<	0.0006	<	0.0006	<	0.0006			
	外ミガム	mg/L						<	0.0003							<	0.0003	<	0.0003	<	0.0003	
	全シアン	mg/L						<	0.1							<	0.1	<	0.1	<	0.1	
	鉛	mg/L						<	0.005							<	0.005	<	0.005	<	0.005	
	六価クロム	mg/L						<	0.01							<	0.01	<	0.01	<	0.01	
砒素	mg/L						<	0.005							<	0.005	<	0.005	<	0.005		
総水銀	mg/L						<	0.0005							<	0.0005	<	0.0005	<	0.0005		
アルキル水銀	mg/L						<	0.0005							<	0.0005	<	0.0005	<	0.0005		
PCB	mg/L						<	0.0005							<	0.0005	<	0.0005	<	0.0005		
ジクロロメタン	mg/L						<	0.002					<	0.002		<	0.002	<	0.002	<	0.002	
四塩化炭素	mg/L						<	0.0002					<	0.0002		<	0.0002	<	0.0002	<	0.0002	
1,2-ジクロロエタン	mg/L						<	0.0004					<	0.0004		<	0.0004	<	0.0004	<	0.0004	
1,1-ジクロロエチレン	mg/L						<	0.002					<	0.002		<	0.002	<	0.002	<	0.002	
シス-1,2-ジクロロエチレン	mg/L						<	0.002					<	0.002		<	0.002	<	0.002	<	0.002	
1,1,1-トリクロロエタン	mg/L						<	0.1					<	0.1		<	0.1	<	0.1	<	0.1	
1,1,2-トリクロロエタン	mg/L						<	0.0006					<	0.0006		<	0.0006	<	0.0006	<	0.0006	
トリクロロエチレン	mg/L						<	0.001					<	0.001		<	0.001	<	0.001	<	0.001	
テトラクロロエチレン	mg/L						<	0.001					<	0.001		<	0.001	<	0.001	<	0.001	
1,3-ジクロロプロペン	mg/L						<	0.0002					<	0.0002		<	0.0002	<	0.0002	<	0.0002	
チラウム	mg/L						<	0.0006								<	0.0006	<	0.0006	<	0.0006	
シマジン	mg/L						<	0.0003								<	0.0003	<	0.0003	<	0.0003	
チオベンカルブ	mg/L						<	0.002								<	0.002	<	0.002	<	0.002	
ベンゼン	mg/L						<	0.001					<	0.001		<	0.001	<	0.001	<	0.001	
セレン	mg/L						<	0.002					<	0.001		<	0.002	<	0.002	<	0.002	
NO3-N	(硝酸態窒素)	mg/L		0.15	0.30	0.29	0.11	<	0.01	<	0.01	0.23	0.32	0.24	0.35	0.07	0.53	0.53	<	0.01	0.22	
NO2-N	(亜硝酸態窒素)	mg/L		0.001	0.003	0.001	<	0.001	<	0.001	0.004	0.004	0.003	<	0.001	0.005	0.005	<	0.001	0.002		
NO3-N+NO2-N		mg/L		0.15	0.30	0.29	0.11	0.01	0.01	0.01	0.23	0.32	0.24	0.35	0.07	0.54	0.54	0.01	0.22	0.22		
ふっ素	mg/L	<	0.08	<	0.08	<	0.08	0.09	0.13	0.11	0.09	<	0.08	<	0.08	<	0.08	0.13	<	0.08	0.09	
ほう素	mg/L						<	0.1								<	0.1	<	0.1	<	0.1	
1,4-ジオキサン	mg/L						<	0.005					<	0.005		<	0.005	<	0.005	<	0.005	
要監視項目	人の健康の 被害防止	p-ジクロロベンゼン	mg/L					<	0.02				<	0.02		<	0.02	<	0.02	<	0.02	
		PFOS	ng/L																			
		PFOA	ng/L																			
	水 生 環 境 汚 染 物 の 保 護	PFOS+PFOA	ng/L																			
		クロロホルム	mg/L					<	0.0006					<	0.0006		<	0.0006	<	0.0006	<	0.0006
		フェノール	mg/L					<	0.001								<	0.001	<	0.001	<	0.001
		ホルムアルデヒド	mg/L					<	0.1								<	0.1	<	0.1	<	0.1
その他項目	NH4-N	(アンモニウム態窒素)	mg/L		0.05	0.08	0.03	0.03	0.03	0.04	0.06	0.01	<	0.01	0.03	0.05	0.05	0.08	<	0.01	0.04	
	org-N	(有機態窒素)	mg/L																			
	溶解性オルトリン酸態りん	mg/L																				
	塩化物イオン	mg/L																				
	D-COD	(溶存態化学的酸素要求量)	mg/L																			
	D-TOC	(溶存態全有機炭素)	mg/L																			
	p-TOC	(粒子態全有機炭素)	mg/L																			
	TOC	(全有機炭素)	mg/L		1.1	1.5	1.3	1.4	1.5	1.7	1.7	1.2	1.1	1.3	1.0	1.2	1.7	1.0	1.3	1.3		
	油分	mg/L																				
	EC	μ S/cm		230	130	110	180	190	270	160	120	140	200	260	160	270	110	179				

令和5年度県河川の水質調査結果 大正寺川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値		
一般項目	採取年		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305					
	採水月日		開始時	1044	1159	1035	1048	1153	1059	1025	1025	1026	1054	1046	0835				
	採水時刻		晴	晴	曇	晴	晴	晴	晴	晴	曇	曇	晴	晴	雨				
	天候		流心	流心	曇	流心	流心	流心	流心	流心	曇	曇	流心	流心	雨				
	採水位置		℃	13.4	23.1	21.4	28.2	33.8	31.4	23.2	10.9	6.8	5.9	5.9	5.7	33.8	5.7	17.5	
生活環境項目	気温	℃	12.2	15.2	17.1	23.4	31.2	28.4	22.4	11.5	7.2	5.0	6.2	7.2	31.2	5.0	15.6		
	水温	m ³ /s	0.043	0.112	0.106	0.090	0.029	0.048	0.034	0.020	0.019	0.012	0.027	0.019	0.112	0.012	0.047		
	流量	cm	38	50	50	50	50	50	50	50	50	50	50	50	50	38	49		
	透明度	pH	(水素イオン濃度)	8.0	8.1	7.7	8.7	9.4	8.8	7.7	7.4	7.7	7.6	7.3	7.5	9.4	7.3	8.0	
	pH	mg/L	9.9	9.6	9.4	8.4	8.3	8.4	8.8	10	11	11	11	11	11	11	8.3	9.7	
健康項目	BOD	mg/L	0.8	1.0	1.0	0.7	1.3	1.0	0.9	1.0	0.7	0.8	0.7	1.0	1.3	0.7	0.9		
	COD	mg/L	2.8	2.5	1.8	3.3	3.9	3.1	2.9	2.4	3.3	2.6	2.8	2.6	3.9	1.8	2.8		
	SS	mg/L	10	3	2	4	4	5	3	4	1	1	1	4	10	1	4		
	大腸菌数	CFU/100mL	68	54	190	64	80	170	220	110	64	84	32	76	220	32	101		
	T-N	mg/L	0.62	0.68	0.66	0.63	0.81	0.54	0.75	0.69	0.85	0.86	1.1	1.1	1.1	0.54	0.77		
	T-P	mg/L	0.073	0.12	0.043	0.080	0.11	0.10	0.11	0.057	0.056	0.053	0.10	0.032	0.12	0.032	0.078		
	全亜鉛	mg/L					0.003						0.002		0.003	0.002	0.003		
	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006		
	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006		
	カドミウム	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003		
	全シアン	mg/L					< 0.1								< 0.1	< 0.1	< 0.1		
	鉛	mg/L					< 0.005								< 0.005	< 0.005	< 0.005		
	六価クロム	mg/L					< 0.01								< 0.01	< 0.01	< 0.01		
	砒素	mg/L					< 0.005								< 0.005	< 0.005	< 0.005		
	総水銀	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005		
	アルキル水銀	mg/L																	
	PCB	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005		
	ジクロロメタン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	四塩化炭素	mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002		
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004		
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1		
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006		
	トリクロロエチレン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	テトラクロロエチレン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002		
	チラウム	mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006		
	シマジン	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003		
	チオベンカルブ	mg/L					< 0.002								< 0.002	< 0.002	< 0.002		
	ベンゼン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	セレン	mg/L					< 0.002								< 0.002	< 0.002	< 0.002		
	NO3-N	mg/L	(硝酸態窒素)	0.50	0.30	0.53	0.32	0.12	0.29	0.43	0.41	0.49	0.48	0.80	0.86	0.86	0.12	0.46	
	NO2-N	mg/L	(亜硝酸態窒素)	0.007	0.002	0.002	0.005	0.007	0.008	0.009	0.012	0.11	0.007	0.046	0.005	0.11	0.002	0.018	
	NO3-N+NO2-N	mg/L		0.51	0.30	0.53	0.33	0.13	0.30	0.44	0.42	0.60	0.49	0.85	0.87	0.87	0.13	0.48	
	ふっ素	mg/L	< 0.08	< 0.08	< 0.08	0.08	0.12	0.08	0.08	0.08	0.08	0.08	< 0.08	0.08	< 0.08	0.12	< 0.08	0.08	
	ほう素	mg/L					< 0.1								< 0.1	< 0.1	< 0.1	< 0.1	
	1,4-ジオキサン	mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005	< 0.005	
要監視項目	人の健康の 被害の恐れ	p-シクロベンゼン	mg/L				< 0.02					< 0.02			< 0.02	< 0.02	< 0.02		
		PFOS	ng/L																
		PFOA	ng/L																
		PFOS+PFOA	ng/L																
		クロホルム	mg/L					0.0066					< 0.0006			0.0066	< 0.0006	0.0036	
その他項目	水生生物の 被害の恐れ	フェノール	mg/L				< 0.001								< 0.001	< 0.001	< 0.001		
		ホルムアルデヒド	mg/L				< 0.1								< 0.1	< 0.1	< 0.1	< 0.1	
		NH4-N	mg/L	(アンモニウム態窒素)	0.04	0.09	0.02	0.04	0.08	0.06	0.08	0.02	0.08	0.04	0.06	0.02	0.09	0.02	0.05
		org-N	mg/L	(有機態窒素)															
		溶解性オルトリン酸態りん	mg/L																
その他項目		塩化物イオン	mg/L																
		D-COD	mg/L	(溶存態化学的酸素要求量)															
		D-TOC	mg/L	(溶存態全有機炭素)															
		p-TOC	mg/L	(粒子態全有機炭素)															
		TOC	mg/L	(全有機炭素)	1.1	1.3	1.0	1.6	2.8	1.6	1.2	0.9	1.6	1.0	1.1	1.3	2.8	0.9	1.4
		油分	mg/L																
		EC	μ S/cm	97	100	78	110	110	100	120	100	120	110	100	130	130	78	106	100

令和5年度県河川の水質調査結果 鰐川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値	
		採取年	0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305				
		採水月日	開始時	1114	1258	1121	1116	1238	1135	1055	1057	1056	1120	1122	1000			
		採水時刻	天候	晴	晴	曇	晴	晴	晴	晴	曇	晴	晴	雨				
		天候	採水位置	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心				
一般項目		気温	℃	14.4	24.1	22.2	29.2	34.7	31.8	23.0	11.9	7.1	6.8	6.9	5.6	34.7	5.6	18.1
		水温	℃	14.9	18.3	18.8	27.6	32.5	27.6	22.4	11.8	8.1	8.2	7.6	7.6	32.5	7.6	17.1
		流量	m ³ /s	0.103	0.096	0.084	0.048	0.023	0.039	0.161	0.041	0.034	0.022	0.013	0.132	0.161	0.013	0.066
		透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目		pH (水素イオン濃度)		8.5	8.3	7.8	8.8	8.6	9.4	7.4	8.2	7.8	7.5	7.4	7.2	9.4	7.2	8.1
		DO (溶存酸素)	mg/L	10	9.5	8.8	8.3	8.1	8.6	8.9	10	11	12	12	10	12	8.1	9.8
		BOD (生物化学的酸素要求量)	mg/L	1.0	1.3	1.1	1.1	1.0	0.8	1.1	0.8	1.1	0.8	0.8	1.2	1.3	0.8	1.0
		COD (化学的酸素要求量)	mg/L	3.6	3.3	3.1	3.2	3.7	3.7	3.5	2.7	2.2	2.6	2.7	4.3	4.3	2.2	3.2
		SS (浮遊物質)	mg/L	< 1	9	3	1	< 1	1	< 1	2	< 1	< 1	1	8	9	< 1	3
		大腸菌数	CFU/100mL	90	110	160	84	120	74	310	120	72	82	78	110	310	72	118
		T-N (全窒素)	mg/L	1.1	1.4	1.3	1.2	0.77	0.85	1.1	1.2	0.96	1.1	0.95	1.1	1.4	0.77	1.1
		T-P (全りん)	mg/L	0.16	0.19	0.10	0.20	0.21	0.18	0.14	0.16	0.11	0.14	0.097	0.12	0.21	0.097	0.15
		全亜鉛	mg/L					0.003						0.001		0.003	0.001	0.002
		ノニルフェノール	mg/L				< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006	< 0.00006
健康項目		LAS	mg/L				< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006	
		カドミウム	mg/L				< 0.0003									< 0.0003	< 0.0003	< 0.0003
		全シアン	mg/L				< 0.1									< 0.1	< 0.1	< 0.1
		鉛	mg/L				< 0.005									< 0.005	< 0.005	< 0.005
		六価クロム	mg/L				< 0.01									< 0.01	< 0.01	< 0.01
		砒素	mg/L				< 0.005									< 0.005	< 0.005	< 0.005
		総水銀	mg/L				< 0.0005									< 0.0005	< 0.0005	< 0.0005
		アルキル水銀	mg/L															
		PCB	mg/L				< 0.0005									< 0.0005	< 0.0005	< 0.0005
		ジクロロメタン	mg/L				< 0.002						< 0.002			< 0.002	< 0.002	< 0.002
		四塩化炭素	mg/L				< 0.0002						< 0.0002			< 0.0002	< 0.0002	< 0.0002
		1,2-ジクロロエタン	mg/L				< 0.0004						< 0.0004			< 0.0004	< 0.0004	< 0.0004
		1,1-ジクロロエチレン	mg/L				< 0.002						< 0.002			< 0.002	< 0.002	< 0.002
		シス-1,2-ジクロロエチレン	mg/L				< 0.002						< 0.002			< 0.002	< 0.002	< 0.002
		1,1,1-トリクロロエタン	mg/L				< 0.1						< 0.1			< 0.1	< 0.1	< 0.1
		1,1,2-トリクロロエタン	mg/L				< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006
		トリクロロエチレン	mg/L				< 0.001						< 0.001			< 0.001	< 0.001	< 0.001
		テトラクロロエチレン	mg/L				< 0.001						< 0.001			< 0.001	< 0.001	< 0.001
		1,3-ジクロロプロペン	mg/L				< 0.0002						< 0.0002			< 0.0002	< 0.0002	< 0.0002
		チラウム	mg/L				< 0.0006									< 0.0006	< 0.0006	< 0.0006
		シマジン	mg/L				< 0.0003									< 0.0003	< 0.0003	< 0.0003
		チオベンカルブ	mg/L				< 0.002									< 0.002	< 0.002	< 0.002
		ベンゼン	mg/L				< 0.001						< 0.001			< 0.001	< 0.001	< 0.001
		セレン	mg/L				< 0.002									< 0.002	< 0.002	< 0.002
		NO3-N (硝酸態窒素)	mg/L	0.75	1.0	1.0	0.61	0.45	0.45	0.82	0.74	0.58	0.78	0.74	0.88	1.0	0.45	0.73
		NO2-N (亜硝酸態窒素)	mg/L	0.011	0.013	0.009	0.008	0.010	0.010	0.019	0.011	0.007	0.008	0.010	0.018	0.019	0.007	0.011
		NO3-N+NO2-N	mg/L	0.76	1.0	1.0	0.62	0.46	0.46	0.84	0.75	0.59	0.79	0.75	0.90	1.0	0.46	0.74
		ふっ素	mg/L	0.08	0.09	< 0.08	0.08	0.14	0.10	0.11	0.09	0.08	0.08	0.09	< 0.08	0.14	< 0.08	0.09
		ほう素	mg/L				< 0.1									< 0.1	< 0.1	< 0.1
		1,4-ジ'オキサン	mg/L				< 0.005						< 0.005			< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 保護関連の 物質	p-シクロベンゼン	mg/L				< 0.02						< 0.02			< 0.02	< 0.02	< 0.02
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
		クロホルム	mg/L				< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006
	水 生 関 連 物 質	フェノール	mg/L				< 0.001									< 0.001	< 0.001	< 0.001
	ホルムアルデヒド	mg/L				< 0.1									< 0.1	< 0.1	< 0.1	
その他項目		NH4-N (アンモニウム態窒素)	mg/L	0.04	0.08	0.02	0.01	0.03	0.02	0.06	0.01	0.01	0.02	0.04	0.06	0.08	0.01	0.03
		org-N (有機態窒素)	mg/L															
		溶解性オルトリン酸態りん	mg/L															
		塩化物イオン	mg/L															
		D-COD (溶存態化学的酸素要求量)	mg/L															
		D-TOC (溶存態全有機炭素)	mg/L															
		p-TOC (粒子態全有機炭素)	mg/L															
		TOC (全有機炭素)	mg/L	1.5	1.6	1.6	1.6	2.1	1.9	1.8	1.3	1.1	1.1	1.1	2.0	2.1	1.1	1.6
		油分	mg/L															
		EC	μ S/cm	180	190	150	190	200	190	200	99	150	200	140	140	200	99	169

令和5年度県河川の水質調査結果 長沢川

			2023												最大値	最小値	平均値
			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023			
一般項目	採取年		2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023			
	採水月日		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305			
	採水時刻	開始時	0859	0855	0913	0850	0859	0859	0856	0843	0910	0857	0914	0855			
	天候		晴	晴	曇	晴	晴	晴	晴	曇	晴	晴	晴	雨			
	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
	気温	℃	13.2	19.2	19.9	25.6	30.3	28.5	19.2	8.2	6.4	2.8	3.3	5.7	30.3	2.8	15.2
生活環境項目	水温	℃	13.3	17.6	19.2	24.0	26.4	25.8	19.4	10.9	9.8	6.9	7.6	9.4	26.4	6.9	15.9
	流量	m ³ /s	0.016	0.026	0.087	0.012	0.021	0.028	0.079	0.016	0.028	0.015	0.019	0.264	0.264	0.012	0.051
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
	pH	(水素イオン濃度)	7.1	7.4	7.3	7.3	7.3	7.9	7.5	7.3	7.7	7.4	8.0	7.2	8.0	7.1	7.5
	DO	(溶存酸素)	mg/L	9.7	8.9	7.9	7.2	7.1	7.7	8.3	9.0	9.9	10	11	9.9	11	7.1
	BOD	(生物化学的酸素要求量)	mg/L	1.0	0.6	0.8	0.6	0.7	1.0	1.0	0.8	1.0	0.8	1.0	1.0	1.0	0.9
健康項目	COD	(化学的酸素要求量)	mg/L	2.9	1.9	1.9	2.4	2.4	2.7	2.2	1.9	1.9	2.1	2.3	2.9	1.9	2.2
	SS	(浮遊物質)	mg/L	2	< 1	3	4	2	1	< 1	3	2	3	< 1	7	7	3
	大腸菌数	CFU/100ml	60	36	170	210	170	40	140	92	130	54	20	82	210	20	100
	T-N	(全窒素)	mg/L	0.82	0.91	0.79	0.94	0.80	0.77	0.82	0.89	1.6	0.77	0.85	0.83	1.6	0.77
	T-P	(全りん)	mg/L	0.013	0.015	0.015	0.019	0.017	0.019	0.021	0.013	0.011	0.012	0.018	0.021	0.011	0.016
	全亜鉛	mg/L					0.005						0.011		0.011	0.005	0.008
	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カシム	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L					< 0.01								< 0.01	< 0.01	< 0.01
要監視項目	砒素	mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L															
	PCB	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.50	0.59	0.48	0.46	0.55	0.47	0.53	0.43	1.5	0.60	0.54	0.61	1.5	0.43
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.003	0.002	0.002	0.003	0.003	0.003	< 0.001	0.032	0.001	0.001	0.002	0.032	< 0.001
	NO3-N+NO2-N	mg/L		0.50	0.59	0.48	0.46	0.55	0.47	0.53	0.43	1.5	0.60	0.54	0.61	1.5	0.43
	ふっ素	mg/L	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08
	ほう素	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
その他項目	p-シクロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
	PFOS	ng/L															
	PFOA	ng/L															
	PFOS+PFOA	ng/L															
	クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
その他項目	ホルムアルデヒド	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	NH4-N	(アンモニウム態窒素)	mg/L	0.04	0.03	0.02	0.01	0.03	0.01	0.03	< 0.01	0.01	0.02	0.05	0.03	0.05	< 0.01
	org-N	(有機態窒素)	mg/L														
	溶解性オルトリン酸態りん	mg/L															
	塩化物イオン	mg/L															
	D-COD	(溶存態化学的酸素要求量)	mg/L														
	D-TOC	(溶存態全有機炭素)	mg/L														
	p-TOC	(粒子態全有機炭素)	mg/L														
	TOC	(全有機炭素)	mg/L	1.2	1.0	1.0	1.0	1.2	1.6	1.1	0.6	0.9	0.5	0.6	0.9	1.6	0.5
	油分	mg/L															
	EC	μ S/cm	140	180	170	180	210	210	170	140	200	130	130	190	210	130	171

令和5年度県河川の水質調査結果 兵田川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値	
			0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305				
		開始時	1317	1301	1246	1303	1359	1228	1203	1240	1223	1202	1401	1306				
		天候	晴	晴	曇	晴	晴	晴	晴	曇	晴	晴	晴	雨				
		採水位置	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心				
一般項目	気温	℃	17.0	24.2	21.6	30.9	34.1	31.6	21.6	12.2	7.6	5.1	14.1	5.0	34.1	5.0	18.8	
	水温	℃	17.5	24.0	19.2	30.4	31.8	29.8	21.7	13.4	9.2	5.0	7.8	7.8	31.8	5.0	18.1	
	流量	m ³ /s	0.005	0.016	0.022	0.016	0.019	0.003	0.015	0.003	0.006	0.005	0.001	0.167	0.167	0.001	0.023	
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	
生活環境項目	pH	(水素イオン濃度)	8.7	9.0	7.3	9.5	9.7	9.6	7.8	9.0	9.9	9.8	9.1	7.4	9.9	7.3	8.9	
	DO	(溶存酸素)	mg/L	10	9.3	8.8	8.5	8.2	8.5	8.8	10	11	11	11	11	11	8.2	9.7
	BOD	(生物化学的酸素要求量)	mg/L	1.3	1.0	1.1	1.1	0.9	0.8	1.0	0.8	0.9	1.0	1.2	1.2	1.3	0.8	1.0
	COD	(化学的酸素要求量)	mg/L	4.1	2.5	2.2	2.8	2.7	3.3	3.5	2.4	2.9	2.9	3.7	3.2	4.1	2.2	3.0
	SS	(浮遊物質)	mg/L	2	< 1	< 1	1	1	1	< 1	< 1	< 1	< 1	1	4	4	< 1	1
	大腸菌数	CFU/100mL	48	56	58	56	80	46	190	38	60	46	22	80	190	22	65	
	T-N	(全窒素)	mg/L	1.0	0.98	1.2	1.1	0.98	1.3	1.1	1.1	0.42	0.25	0.41	0.76	1.3	0.25	0.88
	T-P	(全りん)	mg/L	0.024	0.018	0.015	0.019	0.013	0.028	0.023	0.015	0.015	0.013	0.018	0.023	0.028	0.013	0.019
	全亜鉛	mg/L					0.005						0.003		0.005	0.003	0.004	
	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006	
健康項目	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006	
	カドミウム	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003	
	全シアン	mg/L					< 0.1								< 0.1	< 0.1	< 0.1	
	鉛	mg/L					< 0.005								< 0.005	< 0.005	< 0.005	
	六価クロム	mg/L					< 0.01								< 0.01	< 0.01	< 0.01	
	砒素	mg/L					< 0.005								< 0.005	< 0.005	< 0.005	
	総水銀	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀	mg/L																
	PCB	mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002	
	四塩化炭素	mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン	mg/L					< 0.0004					< 0.0004			< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン	mg/L					< 0.002					< 0.002			< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン	mg/L					< 0.1					< 0.1			< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン	mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン	mg/L					< 0.001					< 0.001			< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン	mg/L					< 0.0002					< 0.0002			< 0.0002	< 0.0002	< 0.0002	
	チラウム	mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006	
	シマジン	mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ	mg/L					< 0.002								< 0.002	< 0.002	< 0.002	
	ベンゼン	mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001	
	セレン	mg/L					< 0.002								< 0.002	< 0.002	< 0.002	
	NO3-N	(硝酸態窒素)	mg/L	0.70	0.67	0.89	0.68	0.72	1.0	0.95	0.84	0.15	0.03	0.20	0.44	1.0	0.03	0.61
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.002	0.002	0.003	0.006	0.008	0.003	0.002	0.002	< 0.001	0.003	0.014	0.014	< 0.001	0.004
	NO3-N+NO2-N		mg/L	0.70	0.67	0.89	0.68	0.73	1.0	0.95	0.84	0.15	0.03	0.20	0.45	1.0	0.03	0.61
	ふっ素	mg/L	0.08	< 0.08	< 0.08	< 0.08	0.08	0.08	0.08	0.09	0.09	0.10	0.09	0.11	< 0.08	0.11	< 0.08	0.09
	ほう素	mg/L					< 0.1								< 0.1	< 0.1	< 0.1	
	1,4-ジオキサン	mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005	
要監視項目	p-シクロベンゼン	mg/L					< 0.02					< 0.02			< 0.02	< 0.02	< 0.02	
	PFOS	ng/L																
	PFOA	ng/L																
	PFOS+PFOA	ng/L																
	クロロホルム	mg/L					< 0.0006					< 0.0006			< 0.0006	< 0.0006	< 0.0006	
	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001	
ホルムアルデヒド	mg/L					< 0.1								< 0.1	< 0.1	< 0.1		
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	0.05	0.05	0.01	0.01	0.03	0.03	0.05	< 0.01	0.03	0.01	0.03	0.04	0.05	< 0.01	0.03
	org-N	(有機態窒素)	mg/L															
	溶解性オルトリン酸態りん	mg/L																
	塩化物イオン	mg/L																
	D-COD	(溶存態化学的酸素要求量)	mg/L															
	D-TOC	(溶存態全有機炭素)	mg/L															
	p-TOC	(粒子態全有機炭素)	mg/L															
	TOC	(全有機炭素)	mg/L	2.0	1.1	0.9	1.2	1.3	1.9	1.1	1.2	1.4	1.3	1.4	1.3	2.0	0.9	1.3
	油分	mg/L																
	EC	μ S/cm	180	130	120	160	160	190	180	160	190	180	160	100	190	100	159	

令和5年度県河川の水質調査結果 盛越川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
		採取年	0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305						
		採水月日																		
		採水時刻	開始時	1303	1248	1235	1250	1340	1214	1151	1229	1207	1152	1345	1251					
		天候		晴	晴	曇	晴	晴	晴	晴	曇	晴	晴	雨						
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心						
一般項目	気温	℃	16.5	23.8	21.6	30.8	34.0	31.4	21.4	11.9	7.4	4.8	14.2	5.0				34.0	4.8	18.6
	水温	℃	19.3	23.6	19.2	29.2	33.1	30.6	22.2	14.6	12.4	7.1	10.5	8.1				33.1	7.1	19.2
	流量	m ³ /s	0.040	0.071	0.127	0.067	0.066	0.068	0.065	0.037	0.039	0.030	0.073	0.177				0.177	0.030	0.072
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
	pH	(水素イオン濃度)		7.9	8.1	7.5	7.3	9.3	9.6	7.8	7.4	8.0	7.7	8.5	7.5				9.6	7.3
生活環境項目	DO	(溶存酸素)	mg/L	10	9.4	8.7	8.4	8.1	8.3	9.0	10	11	11	10				11	8.1	9.6
	BOD	(生物化学的酸素要求量)	mg/L	1.0	0.8	0.9	0.8	0.7	1.2	0.8	0.7	0.7	0.8	0.7	1.1			1.2	0.7	0.9
	COD	(化学的酸素要求量)	mg/L	2.3	2.4	2.3	2.4	2.6	2.7	2.2	1.9	1.7	2.3	2.2	4.2			4.2	1.7	2.4
	SS	(浮遊物質)	mg/L	2	1	2	3	2	2	< 1	1	1	< 1	3	8			8	< 1	2
	大腸菌数	CFU/100mL	66	100	170	72	92	110	120	80	28	52	28	120			170	28	87	
	T-N	(全窒素)	mg/L	0.52	0.58	0.57	0.78	0.29	0.68	0.69	0.47	0.80	0.31	0.54	0.77			0.80	0.29	0.58
	T-P	(全りん)	mg/L	0.040	0.026	0.023	0.033	0.017	0.020	0.041	0.021	0.036	0.010	0.016	0.038			0.041	0.010	0.027
	全亜鉛	mg/L					0.005						0.008					0.008	0.005	0.007
	ノニルフェノール	mg/L					< 0.00006						< 0.00006				< 0.00006	< 0.00006	< 0.00006	
	LAS	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	外ミナム	mg/L					< 0.0003										< 0.0003	< 0.0003	< 0.0003	
	全シアン	mg/L					< 0.1										< 0.1	< 0.1	< 0.1	
	鉛	mg/L					< 0.005										< 0.005	< 0.005	< 0.005	
	六価クロム	mg/L					< 0.01										< 0.01	< 0.01	< 0.01	
砒素	mg/L					< 0.005										< 0.005	< 0.005	< 0.005		
健康項目	総水銀	mg/L					< 0.0005										< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀	mg/L																		
	PCB	mg/L					< 0.0005										< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	四塩化炭素	mg/L					< 0.0002						< 0.0002				< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004				< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1				< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002				< 0.0002	< 0.0002	< 0.0002	
	チラウム	mg/L					< 0.0006										< 0.0006	< 0.0006	< 0.0006	
	シマジン	mg/L					< 0.0003										< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ	mg/L					< 0.002										< 0.002	< 0.002	< 0.002	
	ベンゼン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	セレン	mg/L					< 0.002										< 0.002	< 0.002	< 0.002	
	NO3-N	(硝酸態窒素)	mg/L	0.29	0.35	0.42	0.26	0.04	0.03	0.47	0.31	0.11	0.20	0.26	0.54			0.54	0.03	0.27
	NO2-N	(亜硝酸態窒素)	mg/L	0.006	0.004	0.003	0.003	0.002	0.001	0.004	0.002	0.002	0.001	0.007	0.020			0.020	0.001	0.005
	NO3-N+NO2-N		mg/L	0.30	0.35	0.42	0.26	0.04	0.03	0.47	0.31	0.11	0.20	0.27	0.56			0.56	0.03	0.28
	ふっ素	mg/L	0.12	0.10	0.09	0.12	0.17	0.12	0.12	0.13	0.17	0.09	0.10	< 0.08				0.17	0.08	0.12
	ほう素	mg/L					< 0.1											< 0.1	< 0.1	< 0.1
1,4-シオキサン	mg/L					< 0.005						< 0.005				< 0.005	< 0.005	< 0.005		
要監視項目	人の健康の 被害の恐れ	p-ジクロロベンゼン	mg/L				< 0.02						< 0.02				< 0.02	< 0.02	< 0.02	
		PFOS	ng/L																	
	水 生 態 系 の 汚 染 の 監視	PFOA	ng/L																	
		PFOS+PFOA	ng/L																	
		クロロホルム	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006
		フェノール	mg/L					< 0.001										< 0.001	< 0.001	< 0.001
		ホルムアルデヒド	mg/L					< 0.1										< 0.1	< 0.1	< 0.1
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	0.03	0.03	0.03	0.01	0.02	0.02	0.02	0.01	0.04	0.01	0.03	0.05			0.05	0.01	0.03
	org-N	(有機態窒素)	mg/L																	
	溶解性オルトリン酸態りん	mg/L																		
	塩化物イオン	mg/L																		
	D-COD	(溶存態化学的酸素要求量)	mg/L																	
	D-TOC	(溶存態全有機炭素)	mg/L																	
	p-TOC	(粒子態全有機炭素)	mg/L																	
	TOC	(全有機炭素)	mg/L	1.0	1.0	1.0	0.9	1.2	1.3	1.1	0.9	0.8	0.8	0.9	1.9			1.9	0.8	1.1
	油分	mg/L																		
	EC	μ S/cm	150	160	130	170	180	130	140	71	140	100	150	170				180	71	141

令和5年度県河川の水質調査結果 三田川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値	
			0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305							
		開始時	1200	1234	1219	1155	1318	1203	1140	1213	1153	1136	1323	1224							
		天候	晴	晴	曇	晴	晴	晴	晴	晴	曇	晴	晴	雨							
		採水位置	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心							
一般項目	気温	℃	16.4	23.8	21.5	29.2	33.9	31.1	21.2	11.8	7.1	4.5	14.2	5.0				33.9	4.5	18.3	
	水温	℃	17.8	21.0	17.6	26.9	30.6	27.8	20.8	13.7	8.9	8.9	9.4	8.1				30.6	8.1	17.6	
	流量	m ³ /s	0.055	0.037	0.203	0.083	0.112	0.102	0.065	0.076	0.046	0.056	0.038	0.204				0.204	0.037	0.090	
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 45	> 50	> 45	> 50				
	pH	(水素イオン濃度)		8.6	7.9	7.5	7.6	8.3	8.2	7.8	7.5	7.4	7.6	7.9	7.1				8.6	7.1	7.8
生活環境項目	DO	(溶存酸素)	mg/L	11	9.4	9.0	8.8	8.3	8.5	9.0	10	11	12	11	10				12	8.3	9.8
	BOD	(生物化学的酸素要求量)	mg/L	0.7	0.7	0.9	0.9	0.7	0.6	0.9	0.7	0.7	0.8	0.6	1.1				1.1	0.6	0.8
	COD	(化学的酸素要求量)	mg/L	1.9	1.7	1.9	2.6	2.1	2.4	1.8	1.4	1.9	1.9	1.6	3.1				3.1	1.4	2.0
	SS	(浮遊物質)	mg/L	1	1	2	2	< 1	1	< 1	< 1	< 1	< 1	7				7	< 1	2	
	大腸菌数	CFU/100mL	40	62	110	220	190	160	260	100	130	86	12	140				260	12	126	
	T-N	(全窒素)	mg/L	0.73	0.65	0.57	0.73	0.45	0.25	0.89	0.88	0.40	0.48	0.71	1.1			1.1	0.25	0.65	
	T-P	(全りん)	mg/L	0.017	0.019	0.014	0.018	0.030	0.024	0.024	0.016	0.014	0.007	0.011	0.026			0.030	0.007	0.018	
	全亜鉛		mg/L					0.006						0.003				0.006	0.003	0.005	
	ノニルフェノール		mg/L					< 0.00006						< 0.00006				< 0.00006	< 0.00006	< 0.00006	
	LAS		mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
健康項目	カドミウム		mg/L				< 0.0003											< 0.0003	< 0.0003	< 0.0003	
	全シアン		mg/L				< 0.1											< 0.1	< 0.1	< 0.1	
	鉛		mg/L				< 0.005											< 0.005	< 0.005	< 0.005	
	六価クロム		mg/L				< 0.01											< 0.01	< 0.01	< 0.01	
	砒素		mg/L				< 0.005											< 0.005	< 0.005	< 0.005	
	総水銀		mg/L				< 0.0005											< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀		mg/L																		
	PCB		mg/L				< 0.0005											< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン		mg/L				< 0.002						< 0.002					< 0.002	< 0.002	< 0.002	
	四塩化炭素		mg/L				< 0.0002					< 0.0002						< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン		mg/L				< 0.0004					< 0.0004						< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン		mg/L				< 0.002					< 0.002						< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン		mg/L				< 0.002					< 0.002						< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン		mg/L				< 0.1					< 0.1						< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン		mg/L				< 0.0006					< 0.0006						< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン		mg/L				< 0.001					< 0.001						< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン		mg/L				< 0.001					< 0.001						< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン		mg/L				< 0.0002					< 0.0002						< 0.0002	< 0.0002	< 0.0002	
	チラウム		mg/L				< 0.0006											< 0.0006	< 0.0006	< 0.0006	
	シマジン		mg/L				< 0.0003											< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ		mg/L				< 0.002											< 0.002	< 0.002	< 0.002	
	ベンゼン		mg/L				< 0.001						< 0.001					< 0.001	< 0.001	< 0.001	
	セレン		mg/L				< 0.002											< 0.002	< 0.002	< 0.002	
	NO3-N	(硝酸態窒素)	mg/L	0.50	0.45	0.46	0.35	0.16	0.09	0.66	0.53	0.22	0.30	0.53	0.72			0.72	0.09	0.41	
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.001	0.001	0.087	0.001	0.001	0.001	< 0.001	< 0.001	0.001	0.002	0.018			0.087	< 0.001	0.010	
	NO3-N+NO2-N		mg/L	0.50	0.45	0.46	0.44	0.16	0.09	0.66	0.53	0.22	0.30	0.53	0.74			0.74	0.09	0.42	
	ふっ素		mg/L	0.16	0.13	0.11	0.13	0.22	0.18	0.19	0.24	0.22	0.21	0.21	0.09			0.24	0.09	0.17	
	ほう素		mg/L				< 0.1											< 0.1	< 0.1	< 0.1	
	1,4-ジ'オキサン		mg/L				< 0.005						< 0.005					< 0.005	< 0.005	< 0.005	
	要監視項目	人の健康の 保護関連の 物質	p-シクロベンゼン	mg/L				< 0.02						< 0.02					< 0.02	< 0.02	< 0.02
			PFOS	ng/L																	
PFOA			ng/L																		
PFOS+PFOA			ng/L																		
クロロホルム			mg/L				< 0.0006						< 0.0006					< 0.0006	< 0.0006	< 0.0006	
水生生物の 保全関連の 物質		フェノール	mg/L				< 0.001											< 0.001	< 0.001	< 0.001	
	ホルムアルデヒド	mg/L				< 0.1											< 0.1	< 0.1	< 0.1		
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.06			< 0.06	< 0.01	< 0.01		
	org-N	(有機態窒素)	mg/L																		
	溶解性オルトリン酸態りん	mg/L																			
	塩化物イオン	mg/L																			
	D-COD	(溶存態化学的酸素要求量)	mg/L																		
	D-TOC	(溶存態全有機炭素)	mg/L																		
	p-TOC	(粒子態全有機炭素)	mg/L																		
	TOC	(全有機炭素)	mg/L	0.8	0.8	0.7	1.0	1.0	1.1	0.9	0.6	0.7	0.6	0.6	1.5			1.5	0.6	0.9	
	油分	mg/L																			
	EC	μ S/cm	92	79	59	99	120	82	120	100	100	80	130	140				140	59	100	

令和5年度県河川の水質調査結果 多羅川

			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
			2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024			
一般項目	採取年		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305						
	採水月日		1231	1221	1205	1143	1255	1150	1125	1200	1140	1125	1307	1209						
	採水時刻	開始時																		
	天候		晴	晴	曇	晴	晴	晴	晴	晴	曇	晴	晴	雨						
	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心						
	気温	℃	16.3	23.6	21.4	28.8	33.9	30.9	21.2	11.4	7.0	4.3	13.2	5.2				33.9	4.3	18.1
	水温	℃	17.6	21.0	18.5	25.2	26.1	23.9	19.8	14.2	12.3	9.9	11.1	8.3				26.1	8.3	17.3
生活環境項目	流量	m ³ /s	0.081	0.086	0.079	0.042	0.067	0.097	0.077	0.012	0.046	0.032	0.032	0.184				0.184	0.012	0.070
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 45	> 50	> 45	> 50	> 45	> 50
	pH	(水素イオン濃度)	7.0	7.1	7.1	7.2	6.8	6.8	7.4	7.2	7.0	7.5	7.1	7.2				7.5	6.8	7.1
	DO	(溶存酸素)	mg/L	10	9.6	9.6	8.5	8.2	8.3	8.5	10	11	11	12	10			12	8.2	9.7
	BOD	(生物化学的酸素要求量)	mg/L	0.8	0.8	0.8	0.7	0.9	0.9	0.7	0.7	0.8	0.8	1.0				1.0	0.7	0.8
	COD	(化学的酸素要求量)	mg/L	2.4	2.4	2.5	2.1	1.8	1.9	2.4	1.6	1.8	1.4	1.9	3.5			3.5	1.4	2.1
	SS	(浮遊物質)	mg/L	< 1	1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	6			6	1	2
健康項目	大腸菌数	CFU/100ml	90	72	80	86	120	170	230	72	20	12	22	110				230	12	90
	T-N	(全窒素)	mg/L	1.2	0.97	1.0	0.91	1.4	1.5	1.3	1.1	1.1	1.3	1.3	1.2			1.5	0.91	1.2
	T-P	(全りん)	mg/L	0.016	0.027	0.016	0.060	0.053	0.009	0.033	0.007	0.040	0.055	0.024	0.024			0.060	0.007	0.030
	全亜鉛	mg/L					0.007						0.011					0.011	0.007	0.009
	ノニルフェノール	mg/L					< 0.00006						< 0.00006				< 0.00006	< 0.00006	< 0.00006	
	LAS	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	カシム	mg/L					< 0.0003										< 0.0003	< 0.0003	< 0.0003	
健康項目	全シアン	mg/L					< 0.1											< 0.1	< 0.1	< 0.1
	鉛	mg/L					< 0.005											< 0.005	< 0.005	< 0.005
	六価クロム	mg/L					< 0.01											< 0.01	< 0.01	< 0.01
	砒素	mg/L					< 0.005											< 0.005	< 0.005	< 0.005
	総水銀	mg/L					< 0.0005											< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																		
	PCB	mg/L					< 0.0005											< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	四塩化炭素	mg/L					< 0.0002						< 0.0002				< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004				< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002				< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1				< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006				< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002				< 0.0002	< 0.0002	< 0.0002	
	チラウム	mg/L					< 0.0006											< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L					< 0.0003											< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L					< 0.002											< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L					< 0.001						< 0.001				< 0.001	< 0.001	< 0.001	
	セレン	mg/L					< 0.002											< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.61	0.71	0.64	0.61	1.1	0.94	0.88	0.97	0.86	1.1	0.93	0.41			1.1	0.41	0.81
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.002	0.001	0.001	0.001	0.002	0.002	0.001	0.002	0.001	0.002	0.016			0.016	0.001	0.003
	NO3-N+NO2-N	mg/L		0.61	0.71	0.64	0.61	1.1	0.94	0.88	0.97	0.86	1.1	0.93	0.43			1.1	0.43	0.82
	ふっ素	mg/L		0.11	0.10	0.09	0.11	0.12	0.13	0.13	0.13	0.12	0.11	0.13	< 0.08			0.13	0.08	0.11
	ほう素	mg/L					< 0.1											< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L					< 0.005						< 0.005				< 0.005	< 0.005	< 0.005	
要監視項目	人の健康の 保護関連の 物質	p-シクロベンゼン	mg/L				< 0.02						< 0.02					< 0.02	< 0.02	< 0.02
		PFOS	ng/L																	
		PFOA	ng/L																	
		PFOS+PFOA	ng/L																	
		クロロホルム	mg/L				< 0.0006						< 0.0006					0.0006	< 0.0006	< 0.0006
	水生生物 関連物質	フェノール	mg/L				< 0.001											< 0.001	< 0.001	< 0.001
		ホルムアルデヒド	mg/L				< 0.1											< 0.1	< 0.1	< 0.1
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	0.01	0.03	0.02	< 0.01	0.01	0.03	0.03	< 0.01	< 0.01	< 0.01	0.01	0.06			0.06	< 0.01	0.02
	org-N	(有機態窒素)	mg/L																	
	溶解性オルトりん酸態りん	mg/L																		
	塩化物イオン	mg/L																		
	D-COD	(溶存態化学的酸素要求量)	mg/L																	
	D-TOC	(溶存態全有機炭素)	mg/L																	
	p-TOC	(粒子態全有機炭素)	mg/L																	
	TOC	(全有機炭素)	mg/L	1.1	1.2	1.4	0.9	0.6	1.0	1.2	0.7	0.6	0.5	0.6	1.9			1.9	0.5	1.0
	油分	mg/L																		
	EC	μ S/cm		130	120	94	130	190	160	130	130	160	120	160	170			190	94	141

令和5年度県河川の水質調査結果 大石川

		採取年	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
一般項目	採取年		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305					
	採水月日		1143	1115	1113	1052	1120	1105	1046	1055	1102	1051	1150	1112					
	採水時刻	開始時																	
	天候		晴	晴	曇	晴	晴	晴	晴	曇	曇	晴	雨						
	採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心					
	気温	℃	14.7	22.4	21.2	28.0	33.6	30.2	20.2	10.8	6.6	3.9	9.6	5.5			33.6	3.9	17.2
生活環境項目	水温	℃	15.1	15.6	16.1	23.3	29.5	28.2	19.9	11.0	6.9	4.7	8.4	6.8			29.5	4.7	15.5
	流量	m ³ /s	1.269	1.672	2.900	0.364	0.227	0.166	0.136	0.447	0.137	0.081	0.142	0.671			2.900	0.081	0.684
	透明度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 40	> 50	> 40	> 50	> 40	> 49
	pH	(水素イオン濃度)	7.7	7.5	7.5	7.6	8.3	8.4	8.2	7.4	7.3	7.4	7.3	7.2			8.4	7.2	7.7
	DO	(溶存酸素)	mg/L	11	9.4	8.7	8.5	8.3	8.3	8.9	10	11	12	12	10		12	8.3	9.8
健康項目	BOD	(生物化学的酸素要求量)	mg/L	0.9	1.1	0.9	0.7	0.7	0.7	0.8	0.8	0.8	0.8	1.0		1.1	0.7	0.8	
	COD	(化学的酸素要求量)	mg/L	2.9	2.1	1.8	2.7	2.6	1.7	2.7	2.3	1.9	2.0	2.3	3.0		3.0	1.7	2.3
	SS	(浮遊物質)	mg/L	4	1	2	2	2	< 1	3	2	< 1	< 1	2	6		6	< 1	2
	大腸菌数	CFU/100ml	70	78	120	150	110	240	340	110	100	130	66	140		340	66	138	
	T-N	(全窒素)	mg/L	0.69	0.78	0.76	0.79	0.75	0.65	0.75	0.86	0.75	0.64	0.78	1.1		1.10	0.64	0.78
	T-P	(全りん)	mg/L	0.040	0.029	0.030	0.032	0.047	0.046	0.026	0.030	0.040	0.053	0.018	0.049		0.053	0.018	0.037
	全亜鉛	mg/L					0.005						0.003				0.005	0.003	0.004
	ノニルフェノール	mg/L					< 0.00006						< 0.00006			< 0.00006	< 0.00006	< 0.00006	
	LAS	mg/L					< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006	
	カシム	mg/L					< 0.0003									< 0.0003	< 0.0003	< 0.0003	
	全シアン	mg/L					< 0.1									< 0.1	< 0.1	< 0.1	
	鉛	mg/L					< 0.005									< 0.005	< 0.005	< 0.005	
	六価クロム	mg/L					< 0.01									< 0.01	< 0.01	< 0.01	
	砒素	mg/L					< 0.005									< 0.005	< 0.005	< 0.005	
	総水銀	mg/L					< 0.0005									< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀	mg/L																	
	PCB	mg/L					< 0.0005									< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン	mg/L					< 0.002						< 0.002			< 0.002	< 0.002	< 0.002	
	四塩化炭素	mg/L					< 0.0002						< 0.0002			< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004			< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002			< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002			< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1			< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン	mg/L					< 0.001						< 0.001			< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン	mg/L					< 0.001						< 0.001			< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002			< 0.0002	< 0.0002	< 0.0002	
	チラウム	mg/L					< 0.0006									< 0.0006	< 0.0006	< 0.0006	
	シマジン	mg/L					< 0.0003									< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ	mg/L					< 0.002									< 0.002	< 0.002	< 0.002	
	ベンゼン	mg/L					< 0.001						< 0.001			< 0.001	< 0.001	< 0.001	
	セレン	mg/L					< 0.002									< 0.002	< 0.002	< 0.002	
要監視項目	NH4-N	(アンモニウム態窒素)	mg/L	0.49	0.62	0.64	0.52	0.41	0.38	0.49	0.59	0.41	0.35	0.58	0.69		0.69	0.35	0.51
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.001	0.001	0.001	0.003	0.002	0.001	< 0.001	0.016	0.001	0.001	0.002		0.016	< 0.001	0.003
	NO3-N+NO2-N	mg/L		0.49	0.62	0.64	0.52	0.41	0.38	0.49	0.59	0.43	0.35	0.58	0.69		0.69	0.35	0.52
	ふっ素	mg/L	< 0.08	< 0.08	< 0.08	< 0.08	0.10	0.08	0.09	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08		0.10	< 0.08	0.08	
	ほう素	mg/L					< 0.1									< 0.1	< 0.1	< 0.1	
	1,4-ジ'オキサン	mg/L					< 0.005						< 0.005			< 0.005	< 0.005	< 0.005	
	p-シクロベンゼン	mg/L					< 0.02						< 0.02			< 0.02	< 0.02	< 0.02	
	PFOS	ng/L					2										2		
	PFOA	ng/L					23										23		
	PFOS+PFOA	ng/L					25										25		
その他項目	クロロホルム	mg/L					< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006	
	フェノール	mg/L					< 0.001									< 0.001	< 0.001	< 0.001	
	ホルムアルデ'ヒド	mg/L					< 0.1									< 0.1	< 0.1	< 0.1	
	NH4-N	(アンモニウム態窒素)	mg/L	0.02	0.02	< 0.01	< 0.01	0.04	0.04	0.03	< 0.01	< 0.01	< 0.01	0.02	0.01		0.04	< 0.01	0.02
	org-N	(有機態窒素)	mg/L																
	溶解性オルトりん酸態りん	mg/L																	
	塩化物イオン	mg/L																	
	D-COD	(溶存態化学的酸素要求量)	mg/L																
	D-TOC	(溶存態全有機炭素)	mg/L																
	p-TOC	(粒子態全有機炭素)	mg/L																
その他項目	TOC	(全有機炭素)	mg/L	1.4	0.9	0.8	1.2	1.3	1.3	1.4	1.1	1.0	0.9	1.2	1.4		1.4	0.8	1.2
	油分	mg/L																	
	EC	μ S/cm		120	110	95	110	160	160	180	120	180	190	210	110		210	95	145

令和5年度県河川の水質調査結果 千丈川

		採取年		2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024	最大値	最小値	平均値
		採年月日		0413	0516	0606	0704	0801	0905	1003	1115	1205	0109	0213	0305			
		採水時刻	開始時	1215	1208	1151	1128	1235	1136	1115	1148	1130	1115	1250	1149			
		天候		晴	晴	曇	晴	晴	晴	晴	晴	曇	晴	晴	雨			
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一般項目	気温	℃		15.9	23.4	21.4	28.6	33.8	30.8	21.0	11.1	6.8	4.1	13.0	5.3	33.8	4.1	17.9
	水温	℃		15.5	19.5	17.2	23.2	26.8	25.8	20.0	13.4	9.8	7.2	8.2	8.0	26.8	7.2	16.2
	流量	m ³ /s		0.044	0.184	0.182	0.035	0.033	0.041	0.073	0.049	0.080	0.039	0.029	0.108	0.184	0.029	0.075
	透明度	cm	>	50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目	pH	(水素イオン濃度)		7.5	7.5	7.5	7.3	7.7	7.9	7.6	7.4	7.4	7.5	8.3	7.0	8.3	7.0	7.6
	DO	(溶存酸素)	mg/L	10	9.6	8.8	8.6	8.5	8.4	8.7	10	11	12	11	10	12	8.4	9.7
	BOD	(生物化学的酸素要求量)	mg/L	0.7	0.6	0.7	0.7	0.7	0.8	0.8	0.7	0.8	0.7	0.7	1.1	1.1	0.6	0.8
	COD	(化学的酸素要求量)	mg/L	2.3	2.3	2.2	2.0	1.9	1.8	2.1	1.7	1.9	1.4	1.4	3.0	3.0	1.4	2.0
	SS	(浮遊物質)	mg/L	3	3	4	3	< 1	< 1	1	< 1	< 1	< 1	1	4	4	< 1	2
	大腸菌数	CFU/100mL	80	130	90	84	100	48	240	82	64	14	24	180	240	14	95	
	T-N	(全窒素)	mg/L	0.93	0.99	0.81	0.71	0.87	1.2	0.98	0.89	1.0	1.2	0.90	1.2	1.2	0.71	0.97
	T-P	(全りん)	mg/L	0.023	0.042	0.033	0.029	0.036	0.028	0.028	0.016	0.012	0.011	0.013	0.028	0.042	0.011	0.025
	全亜鉛	mg/L						0.006						0.002		0.006	0.002	0.004
	ノニルフェノール	mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006	< 0.0006
健康項目	カシム	mg/L					< 0.0003									< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L					< 0.1									< 0.1	< 0.1	< 0.1
	鉛	mg/L					< 0.005									< 0.005	< 0.005	< 0.005
	六価クロム	mg/L					< 0.01									< 0.01	< 0.01	< 0.01
	砒素	mg/L					< 0.005									< 0.005	< 0.005	< 0.005
	総水銀	mg/L					< 0.0005									< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L					< 0.0005									< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L					< 0.002						< 0.002			< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L					< 0.0002						< 0.0002			< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L					< 0.0004						< 0.0004			< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L					< 0.002						< 0.002			< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L					< 0.002						< 0.002			< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L					< 0.1						< 0.1			< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L					< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L					< 0.001						< 0.001			< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L					< 0.001						< 0.001			< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L					< 0.0002						< 0.0002			< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L					< 0.0006									< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L					< 0.0003									< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L					< 0.002									< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L					< 0.001						< 0.001			< 0.001	< 0.001	< 0.001
	セレン	mg/L					< 0.002									< 0.002	< 0.002	< 0.002
NO3-N	(硝酸態窒素)	mg/L	0.67	0.74	0.59	0.47	0.52	0.45	0.74	0.69	0.54	0.68	0.80	0.78	0.80	0.45	0.64	
NO2-N	(亜硝酸態窒素)	mg/L	0.001	0.001	0.001	0.001	0.001	0.002	0.002	< 0.001	< 0.001	0.001	0.001	0.008	0.008	< 0.001	0.002	
NO3-N+NO2-N	mg/L	0.67	0.74	0.59	0.47	0.52	0.45	0.74	0.69	0.54	0.68	0.80	0.79	0.80	0.80	0.45	0.64	
ふっ素	mg/L	0.17	0.16	0.12	0.16	0.23	0.24	0.22	0.23	0.22	0.22	0.20	0.20	0.13	0.24	0.12	0.19	
ほう素	mg/L					< 0.1									< 0.1	< 0.1	< 0.1	
1,4-ジオキサン	mg/L					< 0.005						< 0.005			< 0.005	< 0.005	< 0.005	
要監視項目	人の健康の 保護関連の 物質	p-ジクロロベンゼン	mg/L				< 0.02						< 0.02			< 0.02	< 0.02	< 0.02
		PFOS	ng/L				3										3	
		PFOA	ng/L				26										26	
		PFOS+PFOA	ng/L				29										29	
		クロロホルム	mg/L				< 0.0006						< 0.0006			< 0.0006	< 0.0006	< 0.0006
	水生生物 関連の 物質	フェノール	mg/L				< 0.001									< 0.001	< 0.001	< 0.001
ホルムアルデヒド		mg/L					< 0.1									< 0.1	< 0.1	< 0.1
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	0.04	0.02	< 0.01	< 0.01	0.02	0.02	0.02	< 0.01	< 0.01	< 0.01	0.02	0.04	0.04	< 0.01	0.02
	org-N	(有機態窒素)	mg/L															
	溶解性オルトリン酸態りん	mg/L																
	塩化物イオン	mg/L																
	D-COD	(溶存態化学的酸素要求量)	mg/L															
	D-TOC	(溶存態全有機炭素)	mg/L															
	p-TOC	(粒子態全有機炭素)	mg/L															
	TOC	(全有機炭素)	mg/L	0.8	1.0	0.8	0.9	0.9	0.9	0.9	0.7	0.5	0.5	0.5	1.2	1.2	0.5	0.8
	油分	mg/L																
EC	μ S/cm	100	100	88	110	140	130	120	100	120	91	99	120	140	88		110	

令和5年度県河川の水質調査結果 千丈川 上流

			2023	2023	2023	2024												最大値	最小値	平均値
	採取年		0516	0801	1115	0213														
	採水月日																			
	採水時刻	開始時	1152	1215	1131	1233														
	天候		晴	晴	晴	晴														
	採水位置		流心	流心	流心	流心														
一般項目	気温	℃	22.8	32.1	10.9	11.4												32.1	10.9	19.3
	水温	℃	17.2	24.0	12.2	8.2												24.0	8.2	15.4
	流量	m ³ /s	0.245	0.088	0.120	0.032												0.245	0.032	0.121
	透明度	cm	> 50	> 50	> 50	> 50												> 50	> 50	> 50
生活環境項目	pH (水素イオン濃度)		7.5	7.5	7.3	8.1												8.1	7.3	7.6
	DO (溶解酸素)	mg/L	9.9	8.6	10	12												12	8.6	10.1
	BOD (生物化学的酸素要求量)	mg/L	0.6	0.7	0.5	< 0.5												0.7	0.5	0.6
	COD (化学的酸素要求量)	mg/L	2.2	2.3	2.4	1.4												2.4	1.4	2.1
	SS (浮遊物質質量)	mg/L	4	4	6	< 1												6	< 1	4
	大腸菌数	CFU/100mL	42	190	44	16												190	16	73
	T-N (全窒素)	mg/L	0.52	0.41	0.60	0.54												0.60	0.41	0.52
	T-P (全りん)	mg/L	0.065	0.024	0.020	0.012												0.065	0.012	0.030
	全亜鉛	mg/L		0.002		< 0.001												0.002	< 0.001	0.002
	ニルフェノール	mg/L		< 0.00006		< 0.00006												< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L		< 0.0006		< 0.0006												< 0.0006	< 0.0006	< 0.0006
	健康項目	カリウム	mg/L	< 0.0003															< 0.0003	< 0.0003
全シアン		mg/L	< 0.1															< 0.1	< 0.1	< 0.1
鉛		mg/L	< 0.005															< 0.005	< 0.005	< 0.005
六価クロム		mg/L	< 0.01															< 0.01	< 0.01	< 0.01
砒素		mg/L	< 0.005															< 0.005	< 0.005	< 0.005
総水銀		mg/L	< 0.0005															< 0.0005	< 0.0005	< 0.0005
アルキル水銀		mg/L																		
PCB		mg/L	< 0.0005															< 0.0005	< 0.0005	< 0.0005
ジクロロメタン		mg/L	< 0.002		< 0.002													< 0.002	< 0.002	< 0.002
四塩化炭素		mg/L	< 0.0002		< 0.0002													< 0.0002	< 0.0002	< 0.0002
1,2-ジクロロエタン		mg/L	< 0.0004		< 0.0004													< 0.0004	< 0.0004	< 0.0004
1,1-ジクロロエチレン		mg/L	< 0.002		< 0.002													< 0.002	< 0.002	< 0.002
ジス-1,2-ジクロロエチレン		mg/L	< 0.002		< 0.002													< 0.002	< 0.002	< 0.002
1,1,1-トリクロロエタン		mg/L	< 0.1		< 0.1													< 0.1	< 0.1	< 0.1
1,1,2-トリクロロエタン		mg/L	< 0.0006		< 0.0006													< 0.0006	< 0.0006	< 0.0006
トリクロロエチレン		mg/L	< 0.001		< 0.001													< 0.001	< 0.001	< 0.001
テトラクロロエチレン		mg/L	< 0.001		< 0.001													< 0.001	< 0.001	< 0.001
1,3-ジクロロプロペン		mg/L	< 0.0002		< 0.0002													< 0.0002	< 0.0002	< 0.0002
チラム		mg/L	< 0.0006															< 0.0006	< 0.0006	< 0.0006
ジメジシン		mg/L	< 0.0003															< 0.0003	< 0.0003	< 0.0003
チオベンカルブ		mg/L	< 0.002															< 0.002	< 0.002	< 0.002
ベンゼン		mg/L	< 0.001		< 0.001													< 0.001	< 0.001	< 0.001
セレン		mg/L	< 0.002															< 0.002	< 0.002	< 0.002
NO3-N (硝酸態窒素)		mg/L	0.35	0.25	0.44	0.47												0.47	0.25	0.38
NO2-N (亜硝酸態窒素)		mg/L	< 0.001	< 0.001	< 0.001	< 0.001												< 0.001	< 0.001	< 0.001
NO3-N+NO2-N		mg/L	0.35	0.25	0.44	0.47												0.47	0.25	0.38
ふっ素		mg/L	0.08	0.13	0.13	0.14												0.14	0.08	0.12
ほう素		mg/L	< 0.1															< 0.1	< 0.1	< 0.1
1,4-ジオキサン		mg/L	< 0.005			< 0.005												< 0.005	< 0.005	< 0.005
要監視項目		人の健康の 被害の恐れがある 物質	p-ジクロロベンゼン	mg/L	< 0.02		< 0.02												< 0.02	< 0.02
	PFOS		ng/L																	
	PFOA		ng/L																	
	PFOS+PFOA		ng/L																	
	水生 環境生物 の被害の 恐れがある 物質	クロロホルム	mg/L	< 0.0006		< 0.0006												< 0.0006	< 0.0006	< 0.0006
		フェノール	mg/L	< 0.001														< 0.001	< 0.001	< 0.001
その他項目	ホルムアルデヒド	mg/L	< 0.1															< 0.1	< 0.1	< 0.1
	NH4-N (アンモニウム態窒素)	mg/L	0.02	< 0.01	< 0.01	0.01												0.02	< 0.01	0.01
	org-N (有機態窒素)	mg/L																		
	溶解性オトリン酸態りん	mg/L																		
	塩化物イオン	mg/L																		
	D-COD (溶存化学的酸素要求量)	mg/L																		
	D-TOC (溶存態全有機炭素)	mg/L																		
	p-TOC (粒子態全有機炭素)	mg/L																		
	TOC (全有機炭素)	mg/L	0.7	0.7	0.5	0.4												0.7	0.4	0.6
	油分	mg/L	< 0.5	< 0.5	< 0.5	< 0.5												< 0.5	< 0.5	< 0.5
EC	μ S/cm	86	100	93	81												100	81	99	