

令和6年度市河川の水質調査結果 真野川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値			
		採水月日		0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311						
		採水時刻	開始時	1020	1043	1045	0917	1130	1021	0945	1041	1032	1027	1041	0949						
		天候		曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨						
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心						
一般項目	気温	℃		16.7	21.8	21.1	29.5	32.4	29.5	20.8	19.6	12.7	6.6	3.8	7.4	32.4	3.8	18.5			
	水温	℃		12.8	18.6	18.6	23.9	29.0	24.4	19.0	16.9	10.5	5.5	6.4	8.8	29.0	5.5	16.2			
	流量	m ³ /s		1.001	0.402	0.690	0.852	0.550	0.278	0.160	0.592	0.246	0.264	0.178	0.406	1.001	0.160	0.468			
	透視度	cm	>	50	>	50	>	50	>	50	>	45	>	50	>	50	>	50	45	50	
生活環境項目	pH	(水素イオン濃度)		7.8	8.0	7.8	7.8	7.8	8.0	7.5	7.3	8.0	7.7	7.7	7.2	8.0	7.2	7.7			
	DO	(溶存酸素)	mg/L	11	9.4	9.0	8.5	8.4	8.3	8.9	9.6	11	11	11	11	11	11	8.3	9.8		
	BOD	(生物化学的酸素要求量)	mg/L	1.0	1.1	1.0	0.9	0.8	1.0	0.6	1.0	0.7	0.8	0.7	1.0	1.1	0.6	0.9			
	COD	(化学的酸素要求量)	mg/L	3.0	3.7	3.8	3.2	3.3	2.9	2.7	3.8	2.3	2.4	2.7	3.1	3.8	2.3	3.1			
	SS	(浮遊物質量)	mg/L	3	5	5	3	3	3	2	12	1	9	5	4	12	1	5			
	大腸菌数		CFU/100mL	100	54	140	180	120	150	230	170	190	44	12	40	230	12	119			
	T-N	(全窒素)	mg/L	0.95	0.54	0.51	0.55	0.81	0.40	0.46	0.80	0.70	0.41	0.69	0.70	0.95	0.40	0.63			
	T-P	(全りん)	mg/L	0.041	0.068	0.053	0.052	0.069	0.068	0.072	0.073	0.062	0.044	0.047	0.051	0.073	0.041	0.058			
	全亜鉛		mg/L					0.003						0.001		0.003	0.001	0.002			
	ノニルフェノール		mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006			
LAS		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006				
健康項目	カドミウム		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003			
	全シアン		mg/L					< 0.1								< 0.1	< 0.1	< 0.1			
	鉛		mg/L					< 0.005								< 0.005	< 0.005	< 0.005			
	六価クロム		mg/L					< 0.01								< 0.01	< 0.01	< 0.01			
	砒素		mg/L					< 0.005								< 0.005	< 0.005	< 0.005			
	総水銀		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005			
	アルキル水銀		mg/L																		
	PCB		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005			
	ジクロロメタン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002			
	四塩化炭素		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002			
	1,2-ジクロロエタン		mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004			
	1,1-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002			
	シス-1,2-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002			
	1,1,1-トリクロロエタン		mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1			
	1,1,2-トリクロロエタン		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006			
	トリクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001			
	テトラクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001			
	1,3-ジクロロプロペン		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002			
	チラウム		mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006			
	シマジン		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003			
	チオベンカルブ*		mg/L					< 0.002								< 0.002	< 0.002	< 0.002			
	ベンゼン		mg/L					< 0.001							< 0.001	< 0.001	< 0.001	< 0.001			
	セレン		mg/L					< 0.002								< 0.002	< 0.002	< 0.002			
	NO3-N	(硝酸態窒素)	mg/L	0.43	0.19	0.26	0.26	0.15	0.22	0.23	0.58	0.38	0.23	0.19	0.50	0.58	0.15	0.30			
	NO2-N	(亜硝酸態窒素)	mg/L	0.004	0.006	0.004	0.004	0.003	0.005	0.007	0.005	0.006	0.005	0.006	0.006	0.007	0.003	0.005			
	NO3-N+NO2-N		mg/L	0.43	0.20	0.26	0.26	0.15	0.23	0.24	0.59	0.39	0.24	0.20	0.51	0.59	0.15	0.31			
	ふっ素		mg/L	<	0.08	0.10	0.09	0.08	0.11	0.11	0.11	0.09	0.10	0.10	0.11	<	0.08	0.10	0.10		
	ほう素		mg/L					<	0.1							<	0.1	<	0.1		
1,4-ジオキサン		mg/L					<	0.005						<	0.005	<	0.005	<	0.005		
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					<	0.02						<	0.02	<	0.02	<	0.02	
		PFOS	ng/L																		
		PFOA	ng/L																		
		PFOS+PFOA	ng/L																		
	水生生物保 全	クロホルム	mg/L					<	0.0006					<	0.0006	<	0.0006	<	0.0006	<	0.0006
		フェノール	mg/L					<	0.001							<	0.001	<	0.001	<	0.001
		ホルムアルデヒド*	mg/L					<	0.1							<	0.1	<	0.1	<	0.1
その他項目	NH4-N		(アンモニウム態窒素)	mg/L	0.05	0.04	0.03	0.05	0.06	0.05	0.04	0.07	0.08	0.05	0.03	0.05	0.08	0.03	0.05		
	org-N		(有機態窒素)	mg/L	0.47	0.30	0.22	0.24	0.60	0.12	0.18	0.14	0.23	0.12	0.46	0.14	0.60	0.12	0.27		
	溶解性オルトリン酸態りん			mg/L																	
	塩化物イオン			mg/L																	
	D-COD		(溶存態化学的酸素要求量)	mg/L																	
	D-TOC		(溶存態全有機炭素)	mg/L																	
	p-TOC		(粒子態全有機炭素)	mg/L																	
	TOC		(全有機炭素)	mg/L	1.7	1.7	1.9	1.8	1.7	1.5	1.5	1.6	0.9	1.0	1.5	1.3	1.9	0.9	1.5		
	油分			mg/L																	
EC			μ S/cm	100	140	110	120	140	140	150	140	150	170	160	170	170	100	141			

令和6年度市河川の水質調査結果 雄琴川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一般項目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1110	1117	1140	0948	1152	1106	1015	1117	1113	1101	1320	1037			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一般項目	気温	℃		16.9	22.1	23.2	30.6	32.8	30.6	21.6	20.1	14.3	7.4	5.1	7.5	32.8	5.1	19.4
	水温	℃		12.9	22.0	22.5	26.0	31.0	27.6	18.9	17.7	10.2	5.8	6.5	8.1	31.0	5.8	17.4
	流量	m ³ /s		0.297	0.002	0.005	0.003	0.016	0.002	0.020	0.002	0.028	0.013	0.032	0.076	0.297	0.002	0.041
	透視度	cm		13	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	13	47
生活環境項目	pH (水素イオン濃度)			7.2	7.4	7.0	7.4	7.9	7.0	7.8	7.0	7.9	7.9	7.7	7.2	7.9	7.0	7.5
	DO (溶存酸素)	mg/L		10	8.9	8.9	8.1	8.0	8.3	8.8	8.9	10	11	11	11	11	8.0	9.4
	BOD (生物化学的酸素要求量)	mg/L		1.2	1.0	0.7	0.9	0.9	0.9	0.8	0.8	0.7	0.8	0.9	0.9	1.2	0.7	0.9
	COD (化学的酸素要求量)	mg/L		4.4	3.5	3.3	3.1	3.1	3.4	2.7	3.4	2.7	2.5	3.0	3.0	4.4	2.5	3.2
	SS (浮遊物質量)	mg/L		19	5	8	6	2	4	2	8	1	< 1	6	2	19	< 1	5
	大腸菌数	CFU/100mL		150	110	160	46	120	100	48	62	100	56	20	40	160	20	84
	T-N (全窒素)	mg/L		0.64	0.72	0.58	0.55	0.46	0.62	0.66	0.69	0.57	0.44	0.87	0.68	0.87	0.44	0.62
	T-P (全りん)	mg/L		0.070	0.048	0.054	0.047	0.030	0.047	0.034	0.067	0.027	0.013	0.045	0.023	0.070	0.013	0.042
	全亜鉛	mg/L						0.003						0.003		0.003	0.003	0.003
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健康項目	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.33	0.08	0.10	0.08	0.03	< 0.01	0.34	0.11	0.40	0.30	0.21	0.52	0.52	< 0.01	0.21
	NO2-N (亜硝酸態窒素)	mg/L		0.001	0.003	0.003	0.002	0.001	0.001	0.004	0.003	0.006	0.005	0.005	0.008	0.008	< 0.001	0.004
	NO3-N+NO2-N	mg/L		0.33	0.08	0.10	0.08	0.03	0.01	0.34	0.11	0.41	0.31	0.22	0.53	0.53	0.01	0.21
	ふっ素	mg/L	<	0.08	0.10	0.10	0.09	0.10	0.12	< 0.08	0.10	< 0.08	< 0.08	0.08	< 0.08	0.12	< 0.08	0.09
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
		クロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド'	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
その他項目																		
	NH4-N (アンモニウム態窒素)		mg/L	0.03	0.05	0.08	0.19	0.03	0.05	0.02	0.13	0.04	0.01	0.11	0.04	0.19	0.01	0.07
	org-N (有機態窒素)		mg/L	0.28	0.59	0.40	0.28	0.40	0.56	0.30	0.45	0.12	0.12	0.54	0.11	0.59	0.11	0.35
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD (溶存態化学的酸素要求量)		mg/L															
	D-TOC (溶存態全有機炭素)		mg/L															
	p-TOC (粒子態全有機炭素)		mg/L															
	TOC (全有機炭素)		mg/L	1.7	1.3	1.4	1.4	1.5	1.4	1.5	1.4	1.0	1.1	1.5	1.3	1.7	1.0	1.4
	油分		mg/L															
	EC		μ S/cm	110	200	220	200	130	220	140	270	160	170	160	190	270	110	181

令和6年度市河川の水質調査結果 大正寺川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1120	1132	1153	0959	1215	1115	1030	1127	1125	1118	1335	1044			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		17.3	22.5	21.6	30.5	33.0	30.6	21.8	20.2	15.0	7.8	5.1	7.8	33.0	5.1	19.4
	水温	℃		13.6	20.8	20.7	24.1	31.0	26.6	20.0	16.2	10.5	6.0	6.8	8.1	31.0	6.0	17.0
	流量	m ³ /s		0.184	0.048	0.048	0.053	0.017	0.050	0.011	0.045	0.031	0.054	0.043	0.077	0.184	0.011	0.055
	透視度	cm		45	50	50	50	50	50	50	50	50	50	50	50	50	45	50
生 活 環 境 項 目	pH	(水素イオン濃度)		7.7	8.0	8.3	8.5	9.4	8.8	8.3	7.3	7.9	8.2	8.1	7.1	9.4	7.1	8.1
	DO	(溶存酸素)	mg/L	10	9.2	8.9	8.0	7.6	7.9	8.0	10	11	11	11	11	11	7.6	9.5
	BOD	(生物化学的酸素要求量)	mg/L	0.9	1.2	1.0	0.9	1.5	0.8	0.7	0.7	0.6	0.9	0.6	1.1	1.5	0.6	0.9
	COD	(化学的酸素要求量)	mg/L	2.5	4.0	3.3	2.9	4.3	3.3	2.6	2.4	2.3	2.8	2.7	3.6	4.3	2.3	3.1
	SS	(浮遊物質量)	mg/L	11	4	6	4	4	1	2	2	2	3	3	4	11	1	4
	大腸菌数	CFU/100mL		74	140	160	160	210	440	480	140	44	130	70	96	480	44	179
	T-N	(全窒素)	mg/L	1.3	1.0	0.78	0.59	0.82	1.1	0.76	1.2	0.81	0.75	0.78	0.94	1.3	0.59	0.90
	T-P	(全りん)	mg/L	0.081	0.079	0.062	0.080	0.090	0.091	0.10	0.062	0.045	0.077	0.054	0.035	0.10	0.035	0.071
	全亜鉛		mg/L					0.011						0.002		0.011	0.002	0.007
	ノニルフェノール		mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カミウム		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
健 康 項 目	全シアン		mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	鉛		mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム		mg/L					< 0.01								< 0.01	< 0.01	< 0.01
	砒素		mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	総水銀		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀		mg/L															
	PCB		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン		mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン		mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム		mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ		mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン		mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.64	0.42	0.37	0.36	0.37	0.57	0.40	1.0	0.64	0.53	0.51	0.68	1.0	0.36	0.54
	NO2-N	(亜硝酸態窒素)	mg/L	0.002	0.023	0.003	0.004	0.075	0.070	0.004	< 0.001	0.005	0.048	0.052	0.015	0.08	0.001	0.025
	NO3-N+NO2-N		mg/L	0.64	0.44	0.37	0.36	0.45	0.64	0.40	1.0	0.65	0.58	0.56	0.70	1.0	0.36	0.57
	ふっ素		mg/L	< 0.08	0.08	0.08	< 0.08	0.09	0.09	0.09	< 0.08	0.08	0.08	0.08	< 0.08	0.09	< 0.08	0.08
	ほう素		mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン		mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	p-ジクロロベンゼン		mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
	PFOS		ng/L															
	PFOA		ng/L															
	PFOS+PFOA		ng/L															
	クロホルム		mg/L					< 0.0006						< 0.0006		0.0006	< 0.0006	0.0006
	フェノール		mg/L					< 0.001								< 0.001	< 0.001	< 0.001
	ホルムアルデ'ヒド'		mg/L					< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目	NH4-N	(アンモニウム態窒素)	mg/L	0.03	0.03	0.04	0.05	0.17	0.04	0.02	0.02	0.01	0.03	0.01	0.10	0.17	0.01	0.05
	org-N	(有機態窒素)	mg/L	0.63	0.53	0.37	0.18	0.20	0.42	0.34	0.18	0.15	0.14	0.21	0.14	0.63	0.14	0.29
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD	(溶存態化学的酸素要求量)	mg/L															
	D-TOC	(溶存態全有機炭素)	mg/L															
	p-TOC	(粒子態全有機炭素)	mg/L															
	TOC	(全有機炭素)	mg/L	1.4	2.4	1.4	1.3	2.0	1.8	1.6	1.9	1.0	1.7	1.6	1.7	2.4	1.0	1.7
	油分		mg/L															
	EC	μ S/cm		68	110	80	98	110	130	120	120	120	130	130	160	160	68	115

令和6年度市河川の水質調査結果 際川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1150	1205	1256	1023	1255	1200	1050	1233	1229	1229	1416	1114			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		17.3	22.6	22.2	30.1	34.1	32.4	22.1	20.8	16.5	9.1	5.5	8.3	34.1	5.5	20.1
	水温	℃		13.7	23.0	22.1	25.2	30.2	28.0	20.9	17.9	13.0	8.2	7.0	9.0	30.2	7.0	18.2
	流量	m ³ /s		0.173	0.026	0.081	0.064	0.058	0.056	0.047	0.052	0.040	0.034	0.020	0.162	0.173	0.020	0.068
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生 活 環 境 項 目	pH (水素イオン濃度)			7.3	8.2	8.0	8.2	8.2	8.7	8.1	7.4	8.0	8.0	8.6	7.2	8.7	7.2	8.0
	DO (溶存酸素)	mg/L		9.9	8.9	8.8	8.2	8.0	8.6	9.0	10	11	11	11	12	12	8.0	9.7
	BOD (生物化学的酸素要求量)	mg/L		1.0	1.2	1.2	1.1	0.8	1.0	0.7	1.1	1.0	0.9	0.9	1.3	1.3	0.7	1.0
	COD (化学的酸素要求量)	mg/L		3.7	3.8	3.9	2.9	3.2	3.6	2.5	3.0	2.6	2.6	3.1	4.6	4.6	2.5	3.3
	SS (浮遊物質量)	mg/L		4	1	8	1	1	< 1	< 1	4	< 1	1	3	9	9	< 1	3
	大腸菌数	CFU/100mL		84	100	130	320	140	78	160	110	87	90	26	60	320	26	115
	T-N (全窒素)	mg/L		1.4	0.90	1.3	1.3	0.94	0.58	0.83	1.6	1.1	0.72	0.72	0.89	1.6	0.58	1.0
	T-P (全りん)	mg/L		0.11	0.22	0.14	0.13	0.18	0.14	0.12	0.14	0.12	0.078	0.080	0.13	0.22	0.078	0.13
	全亜鉛	mg/L						0.002						0.002		0.002	0.002	0.002
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
健 康 項 目	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		1.1	0.61	0.99	0.72	0.61	0.47	0.70	1.4	0.86	0.57	0.49	0.52	1.4	0.47	0.75
	NO2-N (亜硝酸態窒素)	mg/L		0.006	0.011	0.010	0.005	0.004	0.003	0.003	0.007	0.004	0.004	0.005	0.017	0.017	0.003	0.007
	NO3-N+NO2-N	mg/L		1.1	0.62	1.0	0.73	0.61	0.47	0.70	1.4	0.86	0.57	0.50	0.54	1.4	0.47	0.76
	ふっ素	mg/L	<	0.08	0.09	0.08	0.08	0.10	0.10	0.09	0.08	0.09	0.09	0.09	< 0.08	0.10	< 0.08	0.09
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	p-ジクロロベンゼン	mg/L						< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
	PFOS	ng/L																
	PFOA	ng/L																
	PFOS+PFOA	ng/L																
	クロホルム	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	フェノール	mg/L						< 0.001								< 0.001	< 0.001	< 0.001
	ホルムアルデ'ヒド*	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目	NH4-N (アンモニウム態窒素)	mg/L		0.06	0.05	0.04	0.04	0.02	0.04	0.01	0.03	< 0.01	0.02	0.03	0.07	0.07	0.01	0.04
	org-N (有機態窒素)	mg/L		0.24	0.23	0.26	0.53	0.31	0.07	0.12	0.17	0.23	0.13	0.19	0.28	0.53	0.07	0.23
	溶解性オルトリン酸態りん	mg/L																
	塩化物イオン	mg/L																
	D-COD (溶存態化学的酸素要求量)	mg/L																
	D-TOC (溶存態全有機炭素)	mg/L																
	p-TOC (粒子態全有機炭素)	mg/L																
	TOC (全有機炭素)	mg/L		1.9	1.8	1.8	1.5	1.6	1.6	1.2	1.3	1.1	1.1	1.5	2.2	2.2	1.1	1.6
	油分	mg/L																
	EC	μ S/cm		180	200	180	180	180	170	170	180	190	160	180	120	200	120	174

令和6年度市河川の水質調査結果 長沢川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
		採水月日		0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
		採水時刻	開始時	0906	0902	0904	0830	0848	0855	0952	0848	0858	0904	0844	0915			
		天候		曇	晴	晴	晴	晴	曇	曇	晴	晴	晴	晴	雨			
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心		
一般項目	気温	℃	13.5	18.4	19.4	29.0	30.2	29.4	22.8	16.3	10.2	5.0	2.2	7.5	30.2	2.2	17.0	
	水温	℃	14.0	16.8	18.2	25.1	26.4	25.4	19.8	18.5	11.9	7.9	7.8	10.8	26.4	7.8	16.9	
	流量	m ³ /s	0.072	0.026	0.054	0.048	0.015	0.020	0.152	0.019	0.021	0.048	0.029	0.080	0.152	0.015	0.049	
	透視度	cm	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	
生活環境項目	pH	(水素イオン濃度)	7.5	7.4	7.4	7.6	7.2	7.6	7.5	7.7	7.4	7.4	7.3	7.7	7.7	7.2	7.5	
	DO	(溶存酸素)	10	8.7	8.4	7.8	7.6	7.4	8.3	8.3	9.3	10	10	10	10	7.4	8.8	
	BOD	(生物化学的酸素要求量)	1.0	1.0	1.1	1.0	0.7	0.6	0.8	0.9	1.0	0.9	0.8	1.0	1.1	0.6	0.9	
	COD	(化学的酸素要求量)	2.5	2.4	3.3	2.3	2.6	2.6	1.9	2.4	1.9	1.9	1.9	3.0	3.3	1.9	2.4	
	SS	(浮遊物質量)	mg/L	< 1	4	2	2	2	1	2	2	< 1	< 1	5	5	< 1	2	
	大腸菌数	CFU/100mL	38	36	42	130	210	74	230	160	110	28	94	140	230	28	108	
	T-N	(全窒素)	mg/L	0.87	0.69	0.69	0.75	0.89	0.90	0.71	0.69	0.61	0.60	0.62	0.73	0.9	0.60	0.73
	T-P	(全りん)	mg/L	0.012	0.022	0.018	0.018	0.019	0.019	0.017	0.019	0.014	0.009	0.011	0.028	0.028	0.009	0.017
	全亜鉛		mg/L					0.007						0.008	0.008	0.007	0.008	
	ノニルフェノール		mg/L				< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006	
LAS		mg/L					< 0.0006					< 0.0006		< 0.0006	< 0.0006	< 0.0006		
健康項目	カドミウム		mg/L				< 0.0003								< 0.0003	< 0.0003	< 0.0003	
	全シアン		mg/L				< 0.1								< 0.1	< 0.1	< 0.1	
	鉛		mg/L				< 0.005								< 0.005	< 0.005	< 0.005	
	六価クロム		mg/L				< 0.01								< 0.01	< 0.01	< 0.01	
	砒素		mg/L				< 0.005								< 0.005	< 0.005	< 0.005	
	総水銀		mg/L				< 0.0005								< 0.0005	< 0.0005	< 0.0005	
	アルキル水銀		mg/L															
	PCB		mg/L				< 0.0005								< 0.0005	< 0.0005	< 0.0005	
	ジクロロメタン		mg/L				< 0.002						< 0.002		< 0.002	< 0.002	< 0.002	
	四塩化炭素		mg/L				< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002	
	1,2-ジクロロエタン		mg/L				< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004	
	1,1-ジクロロエチレン		mg/L				< 0.002						< 0.002		< 0.002	< 0.002	< 0.002	
	シス-1,2-ジクロロエチレン		mg/L				< 0.002						< 0.002		< 0.002	< 0.002	< 0.002	
	1,1,1-トリクロロエタン		mg/L				< 0.1						< 0.1		< 0.1	< 0.1	< 0.1	
	1,1,2-トリクロロエタン		mg/L				< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006	
	トリクロロエチレン		mg/L				< 0.001						0.001		< 0.001	< 0.001	< 0.001	
	テトラクロロエチレン		mg/L				< 0.001						< 0.001		< 0.001	< 0.001	< 0.001	
	1,3-ジクロロプロペン		mg/L				< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002	
	チラウム		mg/L				< 0.0006								< 0.0006	< 0.0006	< 0.0006	
	シマジン		mg/L				< 0.0003								< 0.0003	< 0.0003	< 0.0003	
	チオベンカルブ		mg/L				< 0.002								< 0.002	< 0.002	< 0.002	
	ベンゼン		mg/L				< 0.001							< 0.001	< 0.001	< 0.001	< 0.001	
	セレン		mg/L				< 0.002								< 0.002	< 0.002	< 0.002	
	NO3-N	(硝酸態窒素)	mg/L	0.46	0.47	0.47	0.50	0.55	0.47	0.42	0.56	0.42	0.49	0.45	0.51	0.6	0.42	0.48
	NO2-N	(亜硝酸態窒素)	mg/L	0.004	0.002	0.002	0.004	0.003	< 0.001	< 0.001	< 0.001	< 0.001	0.001	0.001	0.021	0.021	< 0.001	0.004
	NO3-N+NO2-N		mg/L	0.46	0.47	0.47	0.50	0.55	0.47	0.42	0.56	0.42	0.49	0.45	0.53	0.6	0.42	0.48
	ふっ素		mg/L	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	< 0.08	0.08
	ほう素		mg/L					< 0.1								< 0.1	< 0.1	< 0.1
1,4-ジオキサン		mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005	
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	
		PFOS	ng/L					4							4	4	4	
		PFOA	ng/L					29							29	29	29	
		PFOS+PFOA	ng/L					33							33	33	33	
	水生生物保 全	クロロホルム	mg/L					< 0.0006					< 0.0006		< 0.0006	< 0.0006	< 0.0006	
		フェノール	mg/L					< 0.001							< 0.001	< 0.001	< 0.001	
		ホルムアルデヒド	mg/L					< 0.1							< 0.1	< 0.1	< 0.1	
その他項目	NH4-N	(アンモニウム態窒素)	mg/L	0.01	0.03	0.02	0.02	0.03	0.01	0.02	0.01	0.02	0.02	0.04	0.08	0.08	< 0.01	0.03
	org-N	(有機態窒素)	mg/L	0.40	0.19	0.20	0.23	0.31	0.42	0.27	0.12	0.17	0.09	0.13	0.12	0.42	0.09	0.22
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD	(溶存態化学的酸素要求量)	mg/L															
	D-TOC	(溶存態全有機炭素)	mg/L															
	p-TOC	(粒子態全有機炭素)	mg/L															
	TOC	(全有機炭素)	mg/L	1.3	1.3	1.4	1.2	1.5	1.4	1.0	1.6	0.7	1.1	0.8	1.1	1.6	0.7	1.2
	油分		mg/L															
EC		μ S/cm	150	190	170	200	210	200	180	180	170	160	220	170	220	150	183	

令和6年度市河川の水質調査結果 兵田川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一般項目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1303	1253	1235	1150	1452	1222	1438	1313	1230	1240	1306	1223			
	天候			曇	晴	晴	曇	晴	晴	曇	晴	晴	晴	晴	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一般項目	気温	℃		18.5	21.8	22.0	30.8	32.2	31.3	25.6	19.0	15.3	7.9	4.6	9.1	32.2	4.6	19.8
	水温	℃		16.3	24.2	24.2	25.0	32.0	29.9	22.5	19.5	11.2	5.5	5.1	9.9	32.0	5.1	18.8
	流量	m ³ /s		0.018	0.024	0.030	0.038	0.005	0.010	0.003	0.005	0.002	0.004	0.001	0.021	0.038	0.001	0.013
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目	pH (水素イオン濃度)			7.7	9.2	9.1	8.0	9.9	10.3	10.1	7.8	8.8	8.0	9.2	7.4	10.3	7.4	8.8
	DO (溶存酸素)	mg/L		10	9.1	8.6	8.2	8.0	8.1	8.8	9.3	11	11	11	11	11	8.0	9.5
	BOD (生物化学的酸素要求量)	mg/L		1.0	1.3	0.9	1.1	0.8	0.8	0.8	0.7	1.4	1.2	1.1	1.3	1.4	0.7	1.0
	COD (化学的酸素要求量)	mg/L		2.2	3.0	3.0	2.2	2.7	3.8	3.3	2.2	4.0	4.1	4.7	4.5	4.7	2.2	3.3
	SS (浮遊物質量)	mg/L		< 1	1	1	< 1	< 1	1	< 1	< 1	< 1	< 1	2	4	4	< 1	1
	大腸菌数	CFU/100mL		84	40	68	150	100	150	62	140	38	80	52	60	150	38	85
	T-N (全窒素)	mg/L		1.1	1.2	0.74	1.2	0.82	1.1	0.60	1.6	0.92	0.57	0.36	0.66	1.6	0.36	0.91
	T-P (全りん)	mg/L		0.015	0.022	0.034	0.010	0.020	0.030	0.028	0.023	0.017	0.019	0.022	0.027	0.034	0.010	0.022
	全亜鉛	mg/L						0.004						0.005		0.005	0.004	0.005
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カミウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
健康項目	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.99	0.63	0.50	0.62	0.44	0.74	0.41	1.5	0.73	0.32	0.12	0.48	1.5	0.12	0.62
	NO2-N (亜硝酸態窒素)	mg/L		0.003	0.003	< 0.001	0.002	0.003	0.004	0.001	0.002	0.001	0.007	0.001	0.016	0.016	< 0.001	0.004
	NO3-N+NO2-N	mg/L		0.99	0.63	0.50	0.62	0.44	0.74	0.41	1.5	0.73	0.33	0.12	0.50	1.5	0.12	0.63
	ふっ素	mg/L		< 0.08	0.08	0.08	< 0.08	0.08	0.09	0.11	0.09	0.10	0.09	0.10	< 0.08	0.11	< 0.08	0.09
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L					8								8	8	8
		PFOA	ng/L					10								10	10	10
		PFOS+PFOA	ng/L					18								18	18	18
		クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデヒド*	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
その他項目		NH4-N (アンモニウム態窒素)	mg/L		0.02	0.04	0.02	0.02	0.04	0.02	< 0.01	0.01	0.05	0.04	0.04	0.05	< 0.01	0.03
		org-N (有機態窒素)	mg/L		0.09	0.53	0.22	0.56	0.36	0.32	0.17	0.09	0.18	0.19	0.12	0.56	0.09	0.25
		溶解性オルトリン酸態りん	mg/L															
		塩化物イオン	mg/L															
		D-COD (溶存態化学的酸素要求量)	mg/L															
		D-TOC (溶存態全有機炭素)	mg/L															
		p-TOC (粒子態全有機炭素)	mg/L															
		TOC (全有機炭素)	mg/L		1.2	1.8	1.1	1.0	1.5	1.9	1.3	1.3	1.7	1.8	1.8	1.9	1.0	1.5
		油分	mg/L															
		EC	μ S/cm		170	150	150	130	170	220	200	220	200	200	170	220	130	183

令和6年度市河川の水質調査結果 盛越川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一般項目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1251	1240	1221	1140	1432	1210	1418	1258	1215	1223	1250	1214			
	天候			曇	晴	晴	曇	晴	晴	曇	晴	晴	晴	晴	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一般項目	気温	℃		18.5	21.5	21.8	30.7	32.2	31.2	24.5	19.0	14.8	7.6	4.5	9.0	32.2	4.5	19.6
	水温	℃		16.1	22.8	22.9	24.1	32.0	28.8	22.6	19.2	13.8	6.1	5.4	10.0	32.0	5.4	18.7
	流量	m ³ /s		0.081	0.081	0.096	0.188	0.058	0.036	0.039	0.043	0.014	0.006	0.021	0.060	0.188	0.006	0.060
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目	pH (水素イオン濃度)			7.6	8.6	8.4	7.8	9.0	9.0	9.1	7.5	7.8	8.1	7.2	7.1	9.1	7.1	8.1
	DO (溶存酸素)	mg/L		10	9.2	9.0	8.7	8.4	8.5	8.8	9.7	11	11	11	11	11	8.4	9.7
	BOD (生物化学的酸素要求量)	mg/L		1.0	1.0	0.9	0.6	0.7	1.0	0.9	0.8	0.7	0.7	0.8	1.8	1.8	0.6	0.9
	COD (化学的酸素要求量)	mg/L		2.4	2.8	2.8	2.6	2.8	3.0	2.9	2.7	2.4	2.7	2.2	5.2	5.2	2.2	2.9
	SS (浮遊物質質量)	mg/L		1	< 1	3	3	< 1	2	5	1	< 1	< 1	< 1	5	5	< 1	2
	大腸菌数	CFU/100mL		84	22	100	180	190	54	56	94	90	20	16	140	190	16	87
	T-N (全窒素)	mg/L		0.74	0.47	0.71	0.63	0.46	0.28	0.90	0.93	0.78	0.44	0.58	0.93	0.93	0.28	0.65
	T-P (全りん)	mg/L		0.024	0.027	0.029	0.023	0.031	0.023	0.035	0.021	0.031	0.009	0.038	0.043	0.043	0.009	0.028
	全亜鉛	mg/L						0.007						0.008		0.008	0.007	0.008
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健康項目	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.48	0.26	0.37	0.31	0.22	0.06	0.59	0.88	0.55	0.28	0.33	0.51	0.88	0.06	0.40
	NO2-N (亜硝酸態窒素)	mg/L		0.017	0.007	0.004	0.003	0.003	0.005	0.098	< 0.001	0.002	0.001	0.003	0.026	0.098	0.001	0.014
	NO3-N+NO2-N	mg/L		0.50	0.27	0.37	0.31	0.22	0.07	0.69	0.88	0.55	0.28	0.33	0.54	0.88	0.07	0.42
	ふっ素	mg/L	<	0.08	0.11	0.09	< 0.08	0.10	0.11	0.23	0.12	0.13	0.10	0.09	< 0.08	0.23	0.08	0.11
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L					3								3	3	3
		PFOA	ng/L					9								9	9	9
		PFOS+PFOA	ng/L					12								12	12	12
		クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド'	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
その他項目																		
	NH4-N (アンモニウム態窒素)		mg/L	0.05	0.04	0.02	0.04	0.03	0.02	0.05	< 0.01	< 0.01	0.02	0.04	0.10	0.10	0.01	0.04
	org-N (有機態窒素)		mg/L	0.19	0.16	0.32	0.28	0.21	0.19	0.16	0.04	0.22	0.14	0.21	0.29	0.32	0.04	0.20
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD (溶存態化学的酸素要求量)		mg/L															
	D-TOC (溶存態全有機炭素)		mg/L															
	p-TOC (粒子態全有機炭素)		mg/L															
	TOC (全有機炭素)		mg/L	1.3	1.3	1.0	1.0	1.3	1.4	1.5	1.2	0.9	1.1	1.0	2.3	2.3	0.9	1.3
	油分		mg/L															
EC		μ S/cm		110	140	120	100	130	120	220	180	160	140	160	150	220	100	144

令和6年度市河川の水質調査結果 三田川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一般項目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1235	1225	1206	1125	1408	1155	1402	1202	1202	1211	1235	1158			
	天候			曇	晴	晴	曇	晴	晴	曇	晴	晴	晴	晴	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一般項目	気温	℃		18.7	21.2	21.8	30.7	32.4	31.0	24.6	18.8	14.5	7.4	4.4	8.9	32.4	4.4	19.5
	水温	℃		14.8	20.5	20.8	24.0	31.5	29.1	21.0	18.1	12.2	7.2	6.9	9.5	31.5	6.9	18.0
	流量	m ³ /s		0.510	0.042	0.163	0.147	0.061	0.053	0.031	0.024	0.090	0.048	0.097	0.080	0.510	0.024	0.112
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目	pH (水素イオン濃度)			7.7	8.0	7.5	7.7	8.4	8.4	8.4	7.6	7.9	8.1	7.7	7.0	8.4	7.0	7.9
	DO (溶存酸素)	mg/L		10	9.3	9.0	8.4	8.2	8.4	8.9	9.8	11	11	11	10	11	8.2	9.6
	BOD (生物化学的酸素要求量)	mg/L		0.7	0.8	0.8	0.8	0.9	1.0	0.7	0.9	0.8	0.8	0.6	1.3	1.3	0.6	0.8
	COD (化学的酸素要求量)	mg/L		1.7	2.4	1.8	2.5	2.4	3.1	2.2	2.0	1.9	2.1	2.0	3.6	3.6	1.7	2.3
	SS (浮遊物質量)	mg/L		1	2	2	2	< 1	1	< 1	< 1	< 1	< 1	2	4	4	< 1	2
	大腸菌数	CFU/100mL		62	64	150	200	200	110	34	78	59	72	60	120	200	34	101
	T-N (全窒素)	mg/L		0.68	0.55	0.62	0.97	0.57	0.24	0.35	1.0	1.1	0.41	0.48	1.0	1.1	0.24	0.66
	T-P (全りん)	mg/L		0.012	0.024	0.022	0.019	0.025	0.027	0.022	0.023	0.014	0.009	0.013	0.028	0.028	0.009	0.020
	全亜鉛	mg/L						0.003						0.003		0.003	0.003	0.003
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健康項目	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.56	0.40	0.35	0.33	0.24	0.06	0.26	0.89	0.53	0.25	0.27	0.71	0.89	0.06	0.40
	NO2-N (亜硝酸態窒素)	mg/L		0.001	0.001	0.001	0.001	0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.001	0.001	0.019	0.019	< 0.001	0.003
	NO3-N+NO2-N	mg/L		0.56	0.40	0.35	0.33	0.24	0.06	0.26	0.89	0.53	0.25	0.27	0.73	0.89	0.06	0.41
	ふっ素	mg/L		0.10	0.16	0.14	0.12	0.24	0.21	0.27	0.17	0.27	0.25	0.25	0.17	0.27	0.10	0.20
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
	水生生物保 全	クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
		フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド'	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
その他項目																		
	NH4-N (アンモニウム態窒素)		mg/L	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
	org-N (有機態窒素)		mg/L	0.11	0.14	0.26	0.63	0.32	0.17	0.08	0.10	0.56	0.15	0.20	0.26	0.63	0.08	0.25
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD (溶存態化学的酸素要求量)		mg/L															
	D-TOC (溶存態全有機炭素)		mg/L															
	p-TOC (粒子態全有機炭素)		mg/L															
	TOC (全有機炭素)		mg/L	0.8	1.0	1.0	1.0	1.3	1.2	1.1	1.3	0.7	1.2	1.3	1.8	1.8	0.7	1.1
	油分		mg/L															
	EC		μ S/cm	77	99	82	74	110	89	140	120	130	110	110	220	220	74	113

令和6年度市河川の水質調査結果 多羅川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1224	1209	1155	1115	1350	1142	1350	1149	1150	1200	1222	1143			
	天候			曇	晴	晴	曇	晴	晴	曇	晴	晴	晴	晴	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		18.7	21.0	21.6	30.6	32.5	30.8	24.4	18.8	14.0	7.2	4.2	8.8	32.5	4.2	19.4
	水温	℃		15.2	19.8	20.0	23.9	25.8	23.6	20.2	18.0	13.5	10.8	10.2	10.8	25.8	10.2	17.7
	流量	m ³ /s		0.120	0.008	0.054	0.100	0.041	0.034	0.160	0.114	0.050	0.032	0.043	0.109	0.160	0.008	0.072
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生 活 環 境 項 目	pH (水素イオン濃度)			7.5	7.0	6.9	7.3	7.2	7.3	7.3	7.1	7.0	7.2	7.0	7.1	7.5	6.9	7.2
	DO (溶存酸素)	mg/L		10	9.6	9.3	8.6	8.1	8.3	8.6	9.3	11	11	12	11	12	8.1	9.7
	BOD (生物化学的酸素要求量)	mg/L		0.8	0.6	0.8	0.7	0.7	0.7	0.9	0.8	0.6	0.6	0.7	1.3	1.3	0.6	0.8
	COD (化学的酸素要求量)	mg/L		3.1	1.8	2.4	2.4	1.8	1.6	2.2	2.4	1.6	1.4	1.7	4.2	4.2	1.4	2.2
	SS (浮遊物質質量)	mg/L		2	< 1	1	1	< 1	< 1	< 1	2	< 1	< 1	< 1	5	5	< 1	2
	大腸菌数	CFU/100mL		62	42	38	120	100	140	56	84	32	26	10	110	140	10	68
	T-N (全窒素)	mg/L		0.72	1.1	1.0	1.4	1.2	1.1	0.99	1.2	1.4	1.2	1.3	0.98	1.4	0.72	1.1
	T-P (全りん)	mg/L		0.12	0.084	0.14	0.017	0.12	0.008	0.009	0.013	0.009	0.049	0.12	0.067	0.140	0.008	0.063
	全亜鉛	mg/L						0.009						0.007		0.009	0.007	0.008
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カミウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
健 康 項 目	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.52	0.91	0.80	0.72	1.0	1.0	0.77	1.0	1.0	1.0	0.94	0.63	1.0	0.52	0.86
	NO2-N (亜硝酸態窒素)	mg/L		0.001	0.002	0.002	0.003	0.002	< 0.001	0.004	0.002	< 0.001	0.001	0.001	0.020	0.020	0.001	0.003
	NO3-N+NO2-N	mg/L		0.52	0.91	0.80	0.72	1.0	1.0	0.77	1.0	1.0	1.0	0.94	0.65	1.0	0.52	0.86
	ふっ素	mg/L		0.08	0.11	0.11	0.10	0.13	0.13	0.14	0.12	0.13	0.12	0.13	0.09	0.14	0.08	0.12
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
	水生生物保 全	クロロホルム	mg/L					< 0.0006						< 0.0006		0.0006	< 0.0006	< 0.0006
		フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド'	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目		NH4-N (アンモニウム態窒素)	mg/L	0.03	0.03	< 0.01	0.03	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.10	0.10	< 0.01	0.02
		org-N (有機態窒素)	mg/L	0.17	0.16	0.19	0.65	0.19	0.09	0.20	0.19	0.39	0.19	0.35	0.23	0.65	0.09	0.25
		溶解性オルトリン酸態りん	mg/L															
		塩化物イオン	mg/L															
		D-COD (溶存態化学的酸素要求量)	mg/L															
		D-TOC (溶存態全有機炭素)	mg/L															
		p-TOC (粒子態全有機炭素)	mg/L															
		TOC (全有機炭素)	mg/L	1.7	0.9	0.9	0.9	1.1	0.9	1.2	1.5	0.7	0.8	0.9	2.2	2.2	0.7	1.1
		油分	mg/L															
		EC	μ S/cm	79	170	130	120	170	160	170	120	150	170	170	260	260	79	156

令和6年度市河川の水質調査結果 千丈川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1210	1156	1141	1105	1305	1129	1336	1137	1136	1146	1158	1131			
	天候			曇	晴	晴	曇	晴	晴	曇	晴	晴	晴	晴	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		18.6	20.8	21.5	30.7	32.2	30.4	24.1	18.6	13.5	6.9	3.6	8.6	32.2	3.6	19.1
	水温	℃		14.1	18.8	19.1	23.0	27.0	25.1	20.6	17.8	11.0	7.0	6.3	8.2	27.0	6.3	16.5
	流量	m ³ /s		0.220	0.043	0.125	0.159	0.074	0.040	0.041	0.096	0.512	0.017	0.029	0.161	0.512	0.017	0.126
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生 活 環 境 項 目	pH (水素イオン濃度)			7.4	7.5	7.5	7.4	7.9	7.5	7.7	7.5	7.8	7.9	7.3	7.5	7.9	7.3	7.6
	DO (溶存酸素)	mg/L		10	9.3	9.2	8.5	8.1	8.1	8.7	9.4	11	12	11	11	12	8.1	9.7
	BOD (生物化学的酸素要求量)	mg/L		1.0	0.6	0.8	0.9	0.7	0.7	0.9	0.8	0.7	0.7	0.7	1.0	1.0	0.6	0.8
	COD (化学的酸素要求量)	mg/L		2.6	2.1	2.2	2.4	2.1	1.9	2.4	2.6	1.5	1.8	1.8	2.7	2.7	1.5	2.2
	SS (浮遊物質質量)	mg/L	<	1	2	3	5	2	1	1	3	< 1	2	1	2	5	< 1	2
	大腸菌数	CFU/100mL		46	24	94	180	98	84	60	74	96	36	20	130	180	20	79
	T-N (全窒素)	mg/L		1.0	1.2	1.3	1.3	0.52	0.76	0.70	1.4	1.0	0.76	0.75	1.1	1.4	0.52	0.98
	T-P (全りん)	mg/L		0.031	0.028	0.030	0.026	0.030	0.027	0.027	0.031	0.017	0.012	0.012	0.022	0.031	0.012	0.024
	全亜鉛	mg/L						0.002						0.003		0.003	0.002	0.003
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健 康 項 目	カドミウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.76	0.72	0.55	0.46	0.42	0.49	0.56	1.1	0.79	0.62	0.59	0.75	1.1	0.42	0.65
	NO2-N (亜硝酸態窒素)	mg/L		0.001	0.002	0.001	0.001	0.001	< 0.001	0.001	0.003	< 0.001	0.001	0.001	0.009	0.009	< 0.001	0.002
	NO3-N+NO2-N	mg/L		0.76	0.72	0.55	0.46	0.42	0.49	0.56	1.1	0.79	0.62	0.59	0.76	1.1	0.42	0.65
	ふっ素	mg/L		0.11	0.20	0.17	0.14	0.23	0.24	0.26	0.21	0.25	0.22	0.24	0.17	0.26	0.11	0.20
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
		クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド'	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目																		
	NH4-N (アンモニウム態窒素)	mg/L		0.02	0.02	0.03	0.02	0.01	0.02	0.02	0.01	0.01	0.03	0.02	0.03	0.03	0.01	0.02
	org-N (有機態窒素)	mg/L		0.22	0.46	0.72	0.82	0.09	0.25	0.12	0.29	0.20	0.11	0.14	0.31	0.82	0.09	0.31
	溶解性オルトリン酸態りん	mg/L																
	塩化物イオン	mg/L																
	D-COD (溶存態化学的酸素要求量)	mg/L																
	D-TOC (溶存態全有機炭素)	mg/L																
	p-TOC (粒子態全有機炭素)	mg/L																
	TOC (全有機炭素)	mg/L		1.0	1.0	0.9	1.0	1.2	0.8	1.2	0.9	0.6	0.6	0.7	1.1	1.2	0.6	0.9
	油分	mg/L																
	EC	μ S/cm		100	120	100	100	120	120	130	130	120	120	120	110	130	100	116

令和6年度市河川の水質調査結果　大石川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一般項目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		1133	1108	1106	1035	1142	1057	1223	1045	1110	1115	1055	1106			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	晴	晴	晴	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一般項目	気温	℃		17.2	20.4	20.9	30.5	31.5	29.8	22.4	18.3	12.4	6.2	3.2	8.2	31.5	3.2	18.4
	水温	℃		13.0	17.2	18.5	23.7	28.0	26.2	21.0	16.6	9.5	4.2	4.9	7.8	28.0	4.2	15.9
	流量	m ³ /s		1.364	0.296	0.577	1.371	0.782	0.079	0.236	0.775	0.476	0.119	1.265	0.152	1.371	0.079	0.624
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目	pH	(水素イオン濃度)		7.4	7.6	7.5	7.5	7.8	8.2	8.1	7.5	7.8	7.8	7.1	7.2	8.2	7.1	7.6
	DO	(溶存酸素)	mg/L	11	9.6	9.1	8.6	8.1	8.1	8.8	9.9	11	12	12	11	12	8.1	9.9
	BOD	(生物化学的酸素要求量)	mg/L	0.9	0.7	0.9	0.8	1.1	0.7	0.9	0.9	0.7	0.7	0.8	1.2	1.2	0.7	0.9
	COD	(化学的酸素要求量)	mg/L	2.4	2.5	2.4	2.2	2.9	2.8	2.7	2.7	2.0	2.2	2.4	3.1	3.1	2.0	2.5
	SS	(浮遊物質量)	mg/L	2	2	3	2	5	1	< 1	2	1	3	2	6	6	< 1	3
	大腸菌数	CFU/100mL		88	80	140	190	130	220	230	200	64	26	16	100	230	16	124
	T-N	(全窒素)	mg/L	0.73	0.74	0.72	0.77	0.77	0.65	0.49	1.2	0.80	0.42	0.47	0.76	1.20	0.42	0.71
	T-P	(全りん)	mg/L	0.023	0.026	0.028	0.038	0.064	0.052	0.029	0.034	0.039	0.016	0.013	0.034	0.064	0.013	0.033
	全亜鉛		mg/L					0.003						0.004		0.004	0.003	0.004
	ノニルフェノール		mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カミウム		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
健康項目	全シアン		mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	鉛		mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム		mg/L					< 0.01								< 0.01	< 0.01	< 0.01
	砒素		mg/L					< 0.005								< 0.005	< 0.005	< 0.005
	総水銀		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀		mg/L															
	PCB		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン		mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン		mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム		mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ		mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン		mg/L					< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.56	0.54	0.48	0.51	0.66	0.33	0.31	0.98	0.55	0.30	0.31	0.64	0.98	0.30	0.51
	NO2-N	(亜硝酸態窒素)	mg/L	0.003	0.001	< 0.001	0.001	0.002	< 0.001	0.001	0.002	0.001	0.001	0.002	0.003	0.003	< 0.001	0.002
	NO3-N+NO2-N		mg/L	0.56	0.54	0.48	0.51	0.66	0.33	0.31	0.98	0.55	0.30	0.31	0.64	0.98	0.30	0.51
	ふっ素		mg/L	< 0.08	0.09	< 0.08	< 0.08	0.08	0.09	0.09	< 0.08	< 0.08	0.09	0.08	< 0.08	0.09	< 0.08	0.08
	ほう素		mg/L					< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン		mg/L					< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L															
		PFOA	ng/L															
		PFOS+PFOA	ng/L															
	水生生物保 全	クロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
		フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド'	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
その他項目		NH4-N	(アンモニウム態窒素) mg/L	0.02	0.03	< 0.01	0.02	0.04	0.03	0.02	0.01	0.01	0.02	0.03	0.02	0.04	< 0.01	0.02
		org-N	(有機態窒素) mg/L	0.15	0.17	0.23	0.24	0.07	0.29	0.16	0.21	0.24	0.10	0.13	0.10	0.29	0.07	0.17
		溶解性オルトリン酸態りん	mg/L															
		塩化物イオン	mg/L															
		D-COD	(溶存態化学的酸素要求量) mg/L															
		D-TOC	(溶存態全有機炭素) mg/L															
		p-TOC	(粒子態全有機炭素) mg/L															
		TOC	(全有機炭素) mg/L	1.3	1.3	1.1	1.1	1.3	1.5	1.3	1.2	1.1	1.0	1.0	1.2	1.5	1.0	1.2
		油分	mg/L															
		EC	μ S/cm	100	140	120	120	120	200	200	170	190	180	180	200	200	100	160

令和6年度市河川の水質調査結果 天川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		0945	0955	0949	0844	1002	0952	0905	0950	0951	0945	0946	0909			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		15.5	16.5	20.6	28.8	29.8	29.8	19.8	19.5	9.2	5.9	2.7	7.3	29.8	2.7	17.1
	水温	℃		12.9	16.5	17.1	21.2	27.0	23.5	19.2	16.5	10.6	5.0	3.6	7.0	27.0	3.6	15.0
	流量	m ³ /s		0.274	0.049	0.075	0.061	0.068	0.026	0.019	0.053	0.051	0.039	0.037	0.081	0.274	0.019	0.069
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生 活 環 境 項 目	pH (水素イオン濃度)			7.3	7.4	7.4	7.5	7.6	7.5	7.7	7.5	7.6	7.8	7.7	7.4	7.8	7.3	7.5
	DO (溶存酸素)	mg/L		11	9.8	9.1	8.4	7.8	8.3	8.8	10	11	12	12	11	12	7.8	9.9
	BOD (生物化学的酸素要求量)	mg/L		0.7	0.6	0.6	0.7	0.7	1.0	0.7	0.9	0.8	0.6	0.7	0.7	1.0	0.6	0.7
	COD (化学的酸素要求量)	mg/L		2.4	2.5	3.0	3.3	3.3	2.3	3.0	3.1	1.7	1.8	1.8	2.0	3.3	1.7	2.5
	SS (浮遊物質量)	mg/L		2	5	7	7	7	4	6	7	1	< 1	1	2	7	1	4
	大腸菌数	CFU/100mL		26	78	120	150	180	100	46	200	50	34	46	36	200	26	89
	T-N (全窒素)	mg/L		0.34	0.51	0.27	0.28	0.33	0.29	0.39	0.56	0.23	0.29	0.21	0.41	0.56	0.21	0.34
	T-P (全りん)	mg/L		0.010	0.033	0.024	0.019	0.032	0.017	0.031	0.020	0.011	0.007	0.006	0.011	0.033	0.006	0.018
	全亜鉛	mg/L						0.002						< 0.001		0.002	0.001	0.002
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健 康 項 目	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.21	0.21	0.12	0.12	0.07	0.08	0.13	0.35	0.20	0.17	0.15	0.30	0.35	0.07	0.18
	NO2-N (亜硝酸態窒素)	mg/L		< 0.001	0.002	< 0.001	0.001	0.001	< 0.001	< 0.001	0.002	< 0.001	< 0.001	0.001	0.001	0.002	< 0.001	0.001
	NO3-N+NO2-N	mg/L		0.21	0.21	0.12	0.12	0.07	0.08	0.13	0.35	0.20	0.17	0.15	0.30	0.35	0.07	0.18
	ふっ素	mg/L		< 0.08	< 0.08	< 0.08	< 0.08	0.09	0.09	0.08	< 0.08	< 0.08	< 0.08	0.08	< 0.08	0.09	< 0.08	0.08
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L					< 1								< 1	< 1	< 1
		PFOA	ng/L					2								2	2	2
		PFOS+PFOA	ng/L					3								3	3	3
		クロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド*	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目	NH4-N (アンモニウム態窒素)		mg/L	< 0.01	0.05	< 0.01	0.02	0.02	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.05	< 0.01	0.02
	org-N (有機態窒素)		mg/L	0.12	0.25	0.14	0.14	0.24	0.20	0.25	0.20	0.02	0.11	0.05	0.10	0.25	0.02	0.15
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD (溶存態化学的酸素要求量)		mg/L															
	D-TOC (溶存態全有機炭素)		mg/L															
	p-TOC (粒子態全有機炭素)		mg/L															
	TOC (全有機炭素)		mg/L	0.9	0.8	1.0	1.1	1.2	1.2	1.2	1.5	0.6	0.5	0.5	0.6	1.5	0.5	0.9
	油分		mg/L															
	EC		μ S/cm	60	70	52	62	83	77	72	72	64	67	77	60	83	52	68

令和6年度市河川の水質調査結果　滝川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		0855	0909	0904	0802	0850	0858	0820	0903	0905	0857	0849	0827			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		14.1	15.5	19.1	28.3	29.8	28.9	19.8	19.2	8.5	5.4	1.9	7.2	29.8	1.9	16.5
	水温	℃		11.3	13.8	14.9	19.9	23.4	22.7	18.0	14.6	9.6	4.6	3.7	6.7	23.4	3.7	13.6
	流量	m ³ /s		0.391	0.183	0.257	0.298	0.128	0.023	0.068	0.229	0.142	0.016	0.027	1.544	1.544	0.016	0.276
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生 活 環 境 項 目	pH	(水素イオン濃度)		7.1	7.7	7.5	7.9	8.0	8.0	7.9	7.6	7.9	8.1	8.0	7.5	8.1	7.1	7.8
	DO	(溶存酸素)	mg/L	11	10	9.6	8.9	8.5	8.2	8.9	10	11	12	12	12	12	8.2	10
	BOD	(生物化学的酸素要求量)	mg/L	0.6	0.7	< 0.5	0.5	0.7	< 0.5	< 0.5	0.7	0.8	0.6	< 0.5	0.7	0.8	< 0.5	0.6
	COD	(化学的酸素要求量)	mg/L	1.6	1.8	1.8	2.2	1.9	1.9	1.8	1.9	2.0	1.5	1.4	1.7	2.2	1.4	1.8
	SS	(浮遊物質量)	mg/L	2	3	5	4	2	1	2	2	4	< 1	< 1	1	5	< 1	2
	大腸菌数	CFU/100mL		20	14	52	86	170	120	110	120	100	14	8	10	170	8	69
	T-N	(全窒素)	mg/L	0.64	0.47	0.47	0.50	0.59	0.52	0.48	0.59	0.46	0.48	0.41	0.41	0.64	0.41	0.50
	T-P	(全りん)	mg/L	0.003	0.005	0.005	0.006	0.008	0.004	0.006	0.010	0.004	< 0.003	< 0.003	0.003	0.010	< 0.003	0.005
	全亜鉛		mg/L					0.002						0.001		0.002	< 0.001	0.002
	ノニルフェノール		mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健 康 項 目	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N	(硝酸態窒素)	mg/L	0.34	0.31	0.27	0.29	0.36	0.41	0.38	0.43	0.37	0.35	0.38	0.38	0.43	0.27	0.36
	NO2-N	(亜硝酸態窒素)	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.002	< 0.001	< 0.001	< 0.001	< 0.001	0.002	< 0.001	0.001
	NO3-N+NO2-N		mg/L	0.34	0.31	0.27	0.29	0.36	0.41	0.38	0.43	0.37	0.35	0.38	0.38	0.43	0.27	0.36
	ふっ素	mg/L		0.45	0.56	0.61	0.52	0.72	0.85	0.82	0.56	0.66	0.66	0.68	0.53	0.85	0.45	0.64
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L					< 1								< 1	< 1	< 1
		PFOA	ng/L					1								1	1	1
		PFOS+PFOA	ng/L					2								2	2	2
		クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデ'ヒド*	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目	NH4-N		(アンモニウム態窒素) mg/L	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
	org-N		(有機態窒素) mg/L	0.29	0.15	0.19	0.20	0.22	0.10	0.09	0.15	0.08	0.12	0.02	0.02	0.29	0.02	0.14
	溶解性オルトリン酸態りん		mg/L															
	塩化物イオン		mg/L															
	D-COD		(溶存態化学的酸素要求量) mg/L															
	D-TOC		(溶存態全有機炭素) mg/L															
	p-TOC		(粒子態全有機炭素) mg/L															
	TOC		(全有機炭素) mg/L	0.8	1.0	0.6	0.6	0.7	0.7	1.0	0.7	0.5	0.7	0.6	0.4	1.0	0.4	0.7
	油分		mg/L															
	EC		μ S/cm	48	55	52	56	64	70	76	56	61	61	61	51	76	48	59

令和6年度市河川の水質調査結果 喜撰川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一 般 項 目	採取月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		0955	1006	1004	0853	1020	1003	0910	1002	1002	0956	1000	0917			
	天候			曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
一 般 項 目	気温	℃		15.5	16.6	20.8	29.0	30.3	29.8	20.0	19.5	9.3	6.1	2.8	7.2	30.3	2.8	17.2
	水温	℃		11.7	15.8	17.0	20.6	27.5	22.8	17.9	14.8	8.9	4.2	4.7	7.1	27.5	4.2	14.4
	流量	m ³ /s		0.481	0.031	0.117	0.227	0.031	0.049	0.050	0.214	0.122	0.133	0.101	0.194	0.481	0.031	0.146
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生 活 環 境 項 目	pH (水素イオン濃度)			7.1	7.4	7.5	7.4	7.8	7.5	7.5	7.1	7.5	7.5	7.6	7.0	7.8	7.0	7.4
	DO (溶存酸素)	mg/L		11	9.0	8.8	7.9	8.0	8.4	8.8	10	10	11	12	11	12	7.9	9.7
	BOD (生物化学的酸素要求量)	mg/L		0.8	0.9	1.2	1.0	1.3	0.9	0.7	0.7	0.8	0.8	0.7	0.7	1.3	0.7	0.9
	COD (化学的酸素要求量)	mg/L		3.0	3.1	3.0	3.8	4.4	3.3	2.9	2.8	2.7	2.6	2.6	2.7	4.4	2.6	3.1
	SS (浮遊物質量)	mg/L		7	3	8	9	4	3	4	5	1	< 1	< 1	3	9	1	4
	大腸菌数	CFU/100mL		70	130	160	220	330	820	530	350	130	84	30	62	820	30	243
	T-N (全窒素)	mg/L		0.96	1.1	1.2	1.2	1.5	1.2	1.3	1.0	1.1	1.1	1.1	0.91	1.5	0.91	1.14
	T-P (全りん)	mg/L		0.037	0.098	0.052	0.043	0.085	0.047	0.065	0.043	0.042	0.043	0.046	0.076	0.098	0.037	0.056
	全亜鉛	mg/L						0.002						< 0.001		0.002	0.001	0.002
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	カミウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
健 康 項 目	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.43	0.52	0.40	0.48	1.0	0.94	0.86	0.70	0.64	0.59	0.62	0.62	1.00	0.40	0.65
	NO2-N (亜硝酸態窒素)	mg/L		0.004	0.050	0.019	0.060	0.13	0.034	0.032	0.020	0.021	0.010	0.011	0.014	0.130	0.004	0.034
	NO3-N+NO2-N	mg/L		0.43	0.57	0.42	0.54	1.1	0.97	0.89	0.72	0.66	0.60	0.63	0.63	1.10	0.42	0.68
	ふっ素	mg/L		0.09	0.17	0.14	0.11	0.24	0.23	0.29	0.18	0.24	0.21	0.26	0.13	0.29	0.09	0.19
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要 監 視 項 目	p-ジクロロベンゼン	mg/L						< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
	PFOS	ng/L																
	PFOA	ng/L																
	PFOS+PFOA	ng/L																
	クロホルム	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	フェノール	mg/L						< 0.001								< 0.001	< 0.001	< 0.001
	ホルムアルデ'ヒド'	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
そ の 他 項 目	NH4-N (アンモニウム態窒素)	mg/L		0.21	0.23	0.30	0.26	0.08	0.05	0.02	0.15	0.22	0.30	0.20	0.17	0.30	0.02	0.18
	org-N (有機態窒素)	mg/L		0.32	0.30	0.48	0.40	0.32	0.18	0.39	0.13	0.22	0.20	0.27	0.11	0.48	0.11	0.28
	溶解性オルトリン酸態りん	mg/L																
	塩化物イオン	mg/L																
	D-COD (溶存態化学的酸素要求量)	mg/L																
	D-TOC (溶存態全有機炭素)	mg/L																
	p-TOC (粒子態全有機炭素)	mg/L																
	TOC (全有機炭素)	mg/L		1.3	1.6	1.3	1.8	2.3	1.9	1.5	1.6	1.3	1.4	1.4	1.1	2.3	1.1	1.5
	油分	mg/L																
	EC	μ S/cm		350	410	360	410	730	450	330	210	290	280	250	190	730	190	355

令和6年度市河川の水質調査結果 比良川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値
一般項目	採取年月日			0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311			
	採水時刻	開始時		0913	0923	0917	0817	0915	0924	0835	0917	0919	0913	0908	0839			
	天候			曇	晴	晴	曇	晴	晴	雨	晴	曇	晴	曇	雨			
	採水位置			流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心			
	気温	℃		14.8	15.5	19.4	28.3	30.4	29.0	20.0	19.4	8.9	5.4	2.4	7.3	30.4	2.4	16.7
一般項目	水温	℃		12.1	15.0	16.2	19.8	24.5	20.2	17.0	14.1	9.5	4.1	2.6	7.0	24.5	2.6	13.5
	流量	m ³ /s		0.153	0.041	0.161	0.398	0.019	0.094	0.102	0.113	0.076	0.036	0.028	0.761	0.761	0.019	0.165
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
	透視度	cm		> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50	> 50
生活環境項目	pH (水素イオン濃度)			8.0	7.7	7.7	7.9	7.9	7.9	7.9	7.6	7.6	7.9	7.8	7.4	8.0	7.4	7.8
	DO (溶存酸素)	mg/L		11	9.9	9.0	8.7	8.7	8.5	8.7	10	12	12	12	12	12	8.5	10
	BOD (生物化学的酸素要求量)	mg/L		0.9	< 0.5	< 0.5	< 0.5	0.6	< 0.5	< 0.5	0.6	< 0.5	< 0.5	< 0.5	< 0.5	0.9	0.5	0.6
	COD (化学的酸素要求量)	mg/L		1.5	1.1	1.0	2.3	1.5	1.3	1.2	1.5	0.9	0.7	0.9	1.1	2.3	0.7	1.3
	SS (浮遊物質)	mg/L		3	1	3	4	2	3	3	3	1	< 1	< 1	1	4	< 1	2
	大腸菌数	CFU/100mL		28	58	38	110	190	52	130	130	39	16	12	14	190	12	68
	T-N (全窒素)	mg/L		0.54	0.49	0.52	0.53	0.45	0.63	0.60	0.71	0.69	0.62	0.51	0.69	0.71	0.45	0.58
	T-P (全りん)	mg/L		0.005	0.010	0.006	0.009	0.005	0.005	0.004	0.007	< 0.003	< 0.003	0.004	0.045	0.045	< 0.003	0.009
	全亜鉛	mg/L						0.002						< 0.001		0.002	< 0.001	0.002
	ノニルフェノール	mg/L						< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	LAS	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
健康項目	カリウム	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	全シアン	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	鉛	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	六価クロム	mg/L						< 0.01								< 0.01	< 0.01	< 0.01
	砒素	mg/L						< 0.005								< 0.005	< 0.005	< 0.005
	総水銀	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	アルキル水銀	mg/L																
	PCB	mg/L						< 0.0005								< 0.0005	< 0.0005	< 0.0005
	ジクロロメタン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	四塩化炭素	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	1,2-ジクロロエタン	mg/L						< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004
	1,1-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	シス-1,2-ジクロロエチレン	mg/L						< 0.002						< 0.002		< 0.002	< 0.002	< 0.002
	1,1,1-トリクロロエタン	mg/L						< 0.1						< 0.1		< 0.1	< 0.1	< 0.1
	1,1,2-トリクロロエタン	mg/L						< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	トリクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	テトラクロロエチレン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	1,3-ジクロロプロペン	mg/L						< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002
	チラウム	mg/L						< 0.0006								< 0.0006	< 0.0006	< 0.0006
	シマジン	mg/L						< 0.0003								< 0.0003	< 0.0003	< 0.0003
	チオベンカルブ	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	ベンゼン	mg/L						< 0.001						< 0.001		< 0.001	< 0.001	< 0.001
	セレン	mg/L						< 0.002								< 0.002	< 0.002	< 0.002
	NO3-N (硝酸態窒素)	mg/L		0.47	0.40	0.34	0.35	0.31	0.49	0.46	0.69	0.53	0.49	0.47	0.56	0.69	0.31	0.46
	NO2-N (亜硝酸態窒素)	mg/L		< 0.001	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.054	< 0.054	< 0.001	0.005
	NO3-N+NO2-N	mg/L		0.47	0.40	0.34	0.35	0.31	0.49	0.46	0.69	0.53	0.49	0.47	0.61	0.69	0.31	0.47
	ふっ素	mg/L		0.65	0.72	0.73	0.62	0.76	0.81	0.79	0.68	0.77	0.80	0.82	0.75	0.82	0.62	0.74
	ほう素	mg/L						< 0.1								< 0.1	< 0.1	< 0.1
	1,4-ジ'オキサン	mg/L						< 0.005						< 0.005		< 0.005	< 0.005	< 0.005
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02						< 0.02		< 0.02	< 0.02	< 0.02
		PFOS	ng/L					< 1								< 1	< 1	< 1
		PFOA	ng/L					1								1	1	1
		PFOS+PFOA	ng/L					2								2	2	2
		クロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006
	水生生物保 全	フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001
		ホルムアルデヒド*	mg/L					< 0.1								< 0.1	< 0.1	< 0.1
その他項目		NH4-N (アンモニウム態窒素)	mg/L	< 0.01	< 0.01	< 0.01	< 0.01	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.02	< 0.02	< 0.01	< 0.01
		org-N (有機態窒素)	mg/L	0.06	0.08	0.17	0.17	0.12	0.13	0.13	0.01	0.15	0.12	0.03	0.06	0.17	0.01	0.10
		溶解性オルトリン酸態りん	mg/L															
		塩化物イオン	mg/L															
		D-COD (溶存態化学的酸素要求量)	mg/L															
		D-TOC (溶存態全有機炭素)	mg/L															
		p-TOC (粒子態全有機炭素)	mg/L															
		TOC (全有機炭素)	mg/L	0.4	0.5	0.3	0.7	0.7	0.3	0.4	0.7	0.4	0.4	0.3	0.3	0.7	0.3	0.5
		油分	mg/L															
		EC	μ S/cm	43	57	48	53	58	63	65	62	61	62	62	61	65	43	58

令和6年度市河川の水質調査結果 八屋戸川

		採取年		2024	2024	2024	2024	2024	2024	2024	2024	2024	2025	2025	2025	最大値	最小値	平均値		
		採水月日		0411	0517	0604	0709	0806	0910	1015	1105	1203	0114	0204	0311					
		採水時刻	開始時	0935	0946	0941	0834	0944	0941	0855	0938	0940	0934	0934	0859					
		天候		曇	晴	晴	曇	晴	曇	曇	晴	曇	晴	曇	雨					
		採水位置		流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心	流心					
一般項目	気温	℃		15.5	16.5	20.0	28.9	29.7	29.5	20.2	19.4	9.2	5.9	2.7	7.7	29.7	2.7	17.1		
	水温	℃		13.5	15.9	17.6	19.2	22.0	20.4	19.2	16.3	11.5	5.9	5.1	7.2	22.0	5.1	14.5		
	流量	m ³ /s		0.180	0.081	0.131	0.163	0.038	0.030	0.021	0.082	0.063	0.045	0.054	0.308	0.308	0.021	0.100		
	透視度	cm	>	50	>	50	>	50	>	50	>	50	>	50	>	50	>	50	>	50
生活環境項目	pH	(水素イオン濃度)		7.1	7.3	7.1	7.5	7.6	7.6	7.7	7.5	7.6	7.8	7.7	7.4	7.8	7.1	7.5		
	DO	(溶存酸素)	mg/L	10	10	9.0	8.9	8.6	8.7	8.9	10	10	12	12	11	12	8.6	9.9		
	BOD	(生物化学的酸素要求量)	mg/L	0.8	<	0.5	<	0.5	<	0.5	<	0.5	<	0.5	0.6	0.7	0.8	<	0.5	0.6
	COD	(化学的酸素要求量)	mg/L	1.7	1.1	1.2	1.7	1.3	1.4	1.4	1.3	1.2	1.2	1.3	1.7	1.7	1.1	1.4		
	SS	(浮遊物質量)	mg/L	3	3	3	3	2	2	1	3	1	<	1	1	3	3	<	1	2
	大腸菌数		CFU/100mL	88	28	64	66	80	58	100	92	56	18	16	12	100	12	57		
	T-N	(全窒素)	mg/L	0.66	0.64	0.76	0.85	0.50	0.44	0.49	0.66	0.65	0.45	0.38	0.71	0.85	0.38	0.60		
	T-P	(全りん)	mg/L	0.050	0.031	0.045	0.029	0.028	0.026	0.025	0.039	0.025	0.015	0.028	0.050	0.050	0.015	0.033		
	全亜鉛		mg/L					0.001						0.001		0.001	0.001	0.001		
	ノニルフェノール		mg/L					< 0.00006						< 0.00006		< 0.00006	< 0.00006	< 0.00006		
LAS		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006			
健康項目	カドミウム		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003		
	全シアン		mg/L					< 0.1								< 0.1	< 0.1	< 0.1		
	鉛		mg/L					< 0.005								< 0.005	< 0.005	< 0.005		
	六価クロム		mg/L					< 0.01								< 0.01	< 0.01	< 0.01		
	砒素		mg/L					< 0.005								< 0.005	< 0.005	< 0.005		
	総水銀		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005		
	アルキル水銀		mg/L																	
	PCB		mg/L					< 0.0005								< 0.0005	< 0.0005	< 0.0005		
	ジクロロメタン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	四塩化炭素		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002		
	1,2-ジクロロエタン		mg/L					< 0.0004						< 0.0004		< 0.0004	< 0.0004	< 0.0004		
	1,1-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	シス-1,2-ジクロロエチレン		mg/L					< 0.002						< 0.002		< 0.002	< 0.002	< 0.002		
	1,1,1-トリクロロエタン		mg/L					< 0.1						< 0.1		< 0.1	< 0.1	< 0.1		
	1,1,2-トリクロロエタン		mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006		
	トリクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	テトラクロロエチレン		mg/L					< 0.001						< 0.001		< 0.001	< 0.001	< 0.001		
	1,3-ジクロロプロペン		mg/L					< 0.0002						< 0.0002		< 0.0002	< 0.0002	< 0.0002		
	チラウム		mg/L					< 0.0006								< 0.0006	< 0.0006	< 0.0006		
	シマジン		mg/L					< 0.0003								< 0.0003	< 0.0003	< 0.0003		
	チオベンカルブ*		mg/L					< 0.002								< 0.002	< 0.002	< 0.002		
	ベンゼン		mg/L					< 0.001							< 0.001	< 0.001	< 0.001	< 0.001		
	セレン		mg/L					< 0.002								< 0.002	< 0.002	< 0.002		
	NO3-N	(硝酸態窒素)	mg/L	0.56	0.44	0.51	0.43	0.38	0.27	0.25	0.62	0.40	0.30	0.33	0.59	0.62	0.25	0.42		
	NO2-N	(亜硝酸態窒素)	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.001	0.001	0.001	0.001	0.001	0.001	< 0.001	0.001		
	NO3-N+NO2-N		mg/L	0.56	0.44	0.51	0.43	0.38	0.27	0.25	0.62	0.40	0.30	0.33	0.59	0.62	0.25	0.42		
	ふっ素		mg/L	0.11	0.14	0.13	0.12	0.14	0.18	0.20	0.17	0.22	0.19	0.20	0.14	0.22	0.11	0.16		
	ほう素		mg/L					< 0.1								< 0.1	< 0.1	< 0.1		
1,4-ジ'オキサン		mg/L					< 0.005							< 0.005	< 0.005	< 0.005	< 0.005			
要監視項目	人の健康の 関連	p-ジクロロベンゼン	mg/L					< 0.02							< 0.02	< 0.02	< 0.02	< 0.02		
		PFOS	ng/L																	
		PFOA	ng/L																	
	水生生物保 全	PFOS+PFOA	ng/L																	
		クロロホルム	mg/L					< 0.0006						< 0.0006		< 0.0006	< 0.0006	< 0.0006		
		フェノール	mg/L					< 0.001								< 0.001	< 0.001	< 0.001		
		ホルムアルデヒド*	mg/L					< 0.1								< 0.1	< 0.1	< 0.1		
その他項目			NH4-N	(アンモニウム態窒素)	mg/L	< 0.01	< 0.01	< 0.01	0.01	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.01	< 0.01	0.01		
			org-N	(有機態窒素)	mg/L	0.09	0.19	0.24	0.41	0.11	0.16	0.23	0.03	0.24	0.14	0.04	0.03	0.17		
			溶解性オルトリン酸態りん		mg/L															
			塩化物イオン		mg/L															
			D-COD	(溶存態化学的酸素要求量)	mg/L															
			D-TOC	(溶存態全有機炭素)	mg/L															
			p-TOC	(粒子態全有機炭素)	mg/L															
			TOC	(全有機炭素)	mg/L	0.4	0.5	0.4	0.4	0.4	0.5	0.4	0.5	0.3	0.3	0.4	0.5	0.3	0.4	
			油分		mg/L															
		EC	μ S/cm	66	71	70	52	78	76	74	73	68	68	70	63	78	52	69		